

PUBLIC HEALTH REPORTS

VOL. 36.

FEBRUARY 25, 1921

No. 8

SPECIAL MEASURES AGAINST THE INTRODUCTION OF TYPHUS.

In view of the increasing number of vessels arriving at ports of the United States during the last six months with typhus infection on board, the Secretary of the Treasury, on January 19, invited the attention of the State Department to the situation in Europe with respect to the prevalence of typhus and the action taken by the Public Health Service in the assignment of medical officers to the various American consulates for the purpose of supervising preventive measures applicable to ships and personnel departing for ports of the United States; and, in pursuance to a specific request of the Secretary of the Treasury, the various consular officials in Europe were instructed that bills of health should be withheld unless the requirements of the United States quarantine regulations covering measures to be undertaken for the prevention of the spread of typhus be observed, the latter to include appropriate disinfection of all travelers to the satisfaction of the medical officer attached to the consulate.

In support of this action quarantine officers at ports of the United States were directed, if any vessel carrying passengers arrived from European ports without American consular bill of health appropriately countersigned by a medical officer of the Public Health Service, where such officers were on duty, that the delousing of arriving passengers should be enforced at quarantine stations and the personnel held in detention for the completion of 12 days after delousing is completed.

The United States Quarantine Regulations contain the provision, automatically applicable, that any vessel arriving with a history of typhus en route, or detected at the time of examination, shall be held in detention for the completion of 12 days after arrival, and all passengers and their personal effects and baggage are to be treated for the destruction of vermin.

THE NOTIFIABLE DISEASES.

PREVALENCE DURING 1919 IN STATES.

ANTHRAX, CEREBROSPINAL MENINGITIS, CHOLERA (PHILIPPINE ISLANDS), DENGUE, DIPHTHERIA, INFLUENZA, MALARIA, MEASLES, PNEUMONIA, POLIOMYELITIS, RABIES, ROCKY MOUNTAIN SPOTTED OR TICK FEVER, SCARLET FEVER, SEPTIC SORE THROAT, SMALLPOX, TUBERCULOSIS (ALL FORMS AND PULMONARY), TYPHOID FEVER, AND TYPHUS FEVER.

The tables which appear on the following pages have been compiled from data furnished by the health officers of the several States in response to requests from the United States Public Health Service. The following table shows the States for which morbidity and mortality data were received:

Morbidity.	Mortality.	Morbidity.	Mortality.
Alabama.	Alabama.	Montana.	Missouri. ³
Arkansas.	Arizona.	Nebraska.	Montana.
California.	Arkansas.	New Jersey.	Nebraska.
Colorado.	California.	New Mexico. ³	New Jersey.
Connecticut.	Colorado.	New York.	New Mexico. ³
Delaware. ¹	Connecticut.	North Carolina.	New York. ²
District of Columbia.	Delaware.	North Dakota.	North Dakota.
Florida.	District of Columbia.	Ohio.	Ohio.
Georgia.	Florida.	Oklahoma. ⁴	Oklahoma.
Hawaii.	Georgia.	Oregon.	Oregon.
Illinois.	Hawaii.	Pennsylvania.	Porto Rico.
Indiana.	Illinois.	Porto Rico.	Rhode Island.
Iowa.	Indiana.	Rhode Island.	South Carolina.
Kansas.	Iowa.	South Carolina.	South Carolina.
Louisiana.	Kansas.	South Dakota.	Utah.
Maine.	Kentucky.	Utah.	Vermont.
Maryland.	Louisiana.	Vermont.	Virginia.
Massachusetts.	Maine.	Virginia.	Washington.
Michigan.	Maryland.	Washington.	Washington.
Minnesota.	Massachusetts.	West Virginia.	Wisconsin.
Mississippi.	Michigan.	Wisconsin.	Wyoming.
	Minnesota.	Wyoming.	

¹ Nine months only.

² Data not given by months.

³ Three months only.

⁴ Eleven months only.

The populations given and used in computing case and death rates were estimated as of July 1, 1919, by using the returns of the United States census of April 15, 1910, and the preliminary reports of the census of January 1, 1920.

For most of the diseases four tables are given: (1) Averages, (2) morbidity, (3) mortality, and (4) rates. The averages were obtained by adding the cases reported for the years 1914 to 1918, inclusive, and dividing the sum by 5. Data for the full five years were not available for some of the States. The columns headed "Years included" and "Number of years" show the years for which data were used. In all instances the averages are for years from 1914 to 1918, inclusive.

In comparing the figures for 1919 with the averages for preceding years, it should be borne in mind that an increase in the number of cases reported may indicate that there were more cases of the par-

February 25, 1921.

ticular disease in the State during 1919, or it may indicate that the cases were better reported by the physicians.

A relatively large number of reported cases of a communicable disease, as indicated by a high case rate (and more especially when accompanied by a relatively small number of deaths, as indicated by a low fatality rate), usually means that the health department of that State is active and that the cases of the disease are being well reported by the practicing physicians. It does not necessarily mean that the disease is more prevalent in that State than in other States. A high fatality rate may mean that the disease was unusually virulent in a State, that the physicians did not treat the disease in that State with the success usual elsewhere, or that the practicing physicians did not report all of their cases. On the other hand, an unusually low fatality rate may be due to the fact that the disease in the State was unusually mild, that the physicians treated it with unusual success, that the practicing physicians reported their cases satisfactorily, or that the registration of deaths was incomplete, or the assignment of the causes of death inaccurate.

In some instances comparatively large numbers of cases of diseases reported in certain States may be due to the system of reporting rather than to unusual prevalence of the diseases. For instance, in Mississippi physicians report some diseases monthly to the State health officer, giving the number of cases occurring in their practice during the month. This method of reporting probably is responsible, in part, at least, for the comparatively large number of cases of certain diseases reported in Mississippi.

Summaries of reported cases and deaths from communicable diseases, similar to the summary here presented, have been issued by the United States Public Health Service for the years 1912 to 1918, inclusive (Reprints numbered 163, 208, 298, 345, 426, 505, and 551).

Cases reported and deaths registered in New York City during the calendar year 1919, from certain diseases, with indicated morbidity, mortality, and fatality rates.

	Cases.	Deaths.		Cases.	Deaths.
Anthrax:			Malaria—Continued.		
January.....	1		September.....	6	2
February.....	2	1	October.....	8	1
March.....	3	2	November.....	5	
April.....	1	1	December.....	5	
May.....			Total.....	50	9
June.....			Rate per 1,000 population.	0.009	0.002
July.....		1	Deaths per 100 cases, 18.0.		
August.....					
September.....	2		Mosquitos:		
October.....	1	1	January.....	146	7
November.....	3	2	February.....	170	
December.....	1	1	March.....	264	12
Total.....	14	9	April.....	456	19
Rate per 1,000 population.	0.003	0.002	May.....	978	34
Deaths per 100 cases, 61.3.			June.....	604	17
Cerebrospinal meningitis:			July.....	355	16
January.....	35	19	August.....	175	9
February.....	25	13	September.....	125	5
March.....	31	17	October.....	371	6
April.....	43	16	November.....	1,106	18
May.....	48	24	December.....	3,444	68
June.....	24	16	Total.....	8,194	218
July.....	25	15	Rate per 1,000 population.	1,469	0.039
August.....	25	16	Deaths per 100 cases, 2.7.		
September.....	12	10			
October.....	13	10	Pneumonia (all forms):		
November.....	18	7	January.....	3,417	2,562
December.....	18	10	February.....	2,111	2,055
Total.....	317	173	March.....	1,718	1,818
Rate per 1,000 population.	0.057	0.031	April.....	806	1,145
Deaths per 100 cases, 54.6.			May.....	351	726
Diphtheria:			June.....	98	351
January.....	1,327	134	July.....	33	310
February.....	1,359	161	August.....	4	273
March.....	1,609	168	September.....	45	248
April.....	1,412	142	October.....	170	351
May.....	1,607	142	November.....	396	446
June.....	1,294	93	December.....	1,176	693
July.....	800	55	Total.....	10,325	10,978
August.....	603	38	Rate per 1,000 population.	1,968
September.....	582	42			
October.....	868	53	Poliomyelitis:		
November.....	1,062	81	January.....	1	
December.....	1,491	131	February.....	1	1
Total.....	14,014	1,240	March.....	1	1
Rate per 1,000 population.	2,513	0.222	April.....	2	1
Deaths per 100 cases, 8.8.			May.....	3	2
Influenza:			June.....	4	2
January.....	13,324	1,967	July.....	5	1
February.....	6,122	1,311	August.....	5	3
March.....	3,797	875	September.....	7	1
April.....	1,018	326	October.....	9	
May.....	198	148	November.....	7	
June.....	11	38	December.....	3	
July.....	15	13	Total.....	42	11
August.....		10	Rate per 1,000 population.	0.008	0.002
September.....	41	24	Deaths per 100 cases, 26.2.		
October.....	155	48			
November.....	285	28	Scarlet fever:		
December.....	249	42	January.....	510	17
Total.....	25,218	4,830	February.....	553	14
Rate per 1,000 population.	4,522	0.866	March.....	676	26
Deaths per 100 cases, 19.2.			April.....	579	19
Malaria:			May.....	554	17
January.....	1	1	June.....	280	15
February.....			July.....	146	8
March.....	2		August.....	81	4
April.....	1		September.....	144	5
May.....	2	1	October.....	239	3
June.....	3	1	November.....	295	3
July.....	13	1	December.....	537	5
August.....	4	2	Total.....	4,594	136
			Rate per 1,000 population.	0.824	0.024
			Deaths per 100 cases, 3.0.		

February 25, 1921.

Cases reported and deaths registered in New York City during the calendar year 1919, from certain diseases, with indicated morbidity, mortality, and fatality rates—Continued.

	Cases.	Deaths.		Cases.	Deaths.
Smallpox:			Tuberculosis (all forms)—Con.		
January.....	1		August.....	623	
February.....	3		September.....	559	
March.....	8		October.....	554	
April.....	1		November.....	509	
May.....	1		December.....	557	
June.....	1		Total.....	8,499	
July.....			Rate per 1,000 population.....	1.524	
August.....					
September.....	2		Typhoid fever:		
October.....	1		January.....	36	10
November.....			February.....	20	5
December.....	1		March.....	17	7
Total.....	18		April.....	28	6
Rate per 1,000 population.....	0.003		May.....	32	8
Tuberculosis (pulmonary):			June.....	39	6
January.....	1,270	821	July.....	77	11
February.....	1,294	754	August.....	115	12
March.....	1,500	833	September.....	199	16
April.....	1,374	715	October.....	144	17
May.....	1,311	680	November.....	106	11
June.....	1,260	608	December.....	41	12
July.....	869	564	Total.....	854	121
August.....	1,123	529	Rate per 1,000 population.....	0.153	0.022
September.....	775	474	Deaths per 100 cases, 14.2.		
October.....	1,573	474			
November.....	1,207	448			
December.....	1,014	496			
Total.....	14,570	7,396			
Rate per 1,000 population.....	2.612	1.326			
Number of cases reported for each death regis- tered, 2.0			Typhus fever:		
Tuberculosis (all forms):			January.....		
January.....		924	February.....		
February.....		827	March.....	1	
March.....		951	April.....		
April.....		822	May.....	1	
May.....		793	June.....	1	
June.....		698	July.....	2	
July.....		682	August.....	2	
			September.....	2	
			October.....	1	
			November.....	1	
			December.....		
			Total.....	11	
			Rate per 1,000 population.....	0.002	

Cases of anthrax reported, 1919.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
California.....	2				3	1		1	3		1	2	12	California.
Colorado.....	1			1	2			2					1	Colorado.
Connecticut.....													1	Connecticut.
Georgia.....													5	Georgia.
Illinois.....													2	Illinois.
Kansas.....							1						1	Kansas.
Louisiana.....							1						5	Louisiana.
Maine.....	1												1	Maine.
Maryland.....													1	Maryland.
Massachusetts.....				1	1	2		2		4	3	2	3	Massachusetts.
Minnesota.....													1	Minnesota.
Montana.....													2	Montana.
New Jersey.....	3			1						1	1		1	New Jersey.
New Mexico.....	2		3	3	2		2	2		4	1	3	3	New Mexico.
New York.....							1						25	New York.
Ohio.....													1	Ohio.
Oklahoma.....													1	Oklahoma.
Oregon.....													1	Oregon.
Pennsylvania.....													4	Pennsylvania.
West Virginia.....								1		1			2	West Virginia.

Deaths registered as due to anthrax, 1919.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
California.....					1								1	California.
Connecticut.....			1										1	Connecticut.
Illinois.....						1							2	Illinois.
Iowa.....							1						3	Iowa.
Kansas.....							1						3	Kansas.
Louisiana.....								1					3	Louisiana.
Maine.....													1	Maine.
Massachusetts.....													1	Massachusetts.
Minnesota.....													1	Minnesota.
New Jersey.....													1	New Jersey.
New York.....	1	2	1		1						2	1	9	New York.
Ohio.....													2	Ohio.
Oregon.....													1	Oregon.
Vermont.....													1	Vermont.
Wisconsin.....													3	Wisconsin.

Anthrax—Cases reported 1916, 1917, and 1918; cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1919.

State.	Estimated population July 1, 1919.	Total cases reported, 1916.	Total cases reported, 1917.	Total cases reported, 1918.	1919		Deaths per 1,000 inhabitants.	Fatalities per 100 cases	State.
					Total cases reported.	Cases per 1,000 inhabitants.			
California.....	3,372,511	12	23	19	12	.004	1	8.3
Colorado.....	1,932,148	4	1	1	.001	1
Connecticut.....	1,366,894	1	1	1	1	1	0.001
Florida.....	9,655,291	5	.002
Georgia.....	2,870,976
Illinois.....	6,441,501	2	2	2	2
Iowa.....	2,394,418	1	1	2
Kansas.....	1,765,224	4	2	1	1	2
Louisiana.....	1,780,515	4	27	13	5	.003	3	.002
Maine.....	766,693	1	3	.002	60.0
Maryland.....	1,441,665	1	1	1	1	.001	0
Massachusetts.....	3,827,329	31	54	23	18	.005	1	5.6
Minnesota.....	2,370,371	2	2	1
Montana.....	538,758	1
New Jersey.....	3,125,533	7	21	10	7	.002	1	14.3
New York.....	10,318,709	15	32	20	25	.002	9	.001	36.0
Ohio.....	5,708,265	1	3	2	1	2
Oregon.....	777,692	1	1	.001
Pennsylvania.....	8,665,822	31	23	11	6	1
Porto Rico.....	2	2	1
Texas.....	4,621,654	3	3	1
Vermont.....	332,663	2	2	1	.003
West Virginia.....	1,451,121	2	.001	3
Wisconsin.....	2,616,492	2	2	1	.001

Cerebrospinal meningitis—monthly averages of cases reported during the years for which data are available, 1914-1918.

State.	Years included.	Number of years.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Average per year.	State.	
Alabama.....	1915-1918.....	4	9	16	12	8	8	5	5	2	4	3	4	8	84	Alabama.	
Arizona.....	1914-1918.....	1	1	2	3	0	0	0	0	0	0	0	0	1	8	Arizona.	
Arkansas.....	1915-1918.....	2	23	28	24	8	4	1	2	1	7	7	6	7	108	Arkansas.	
California.....	1914-1918.....	5	12	10	13	11	9	6	12	8	6	6	6	8	107	California.	
Colorado.....	1918.....	1	3	1	0	0	0	0	0	0	0	0	0	0	9	Colorado.	
Connecticut.....	1914-1918.....	5	9	11	17	24	15	12	6	5	4	3	3	3	111	Connecticut.	
District of Columbia.....	1914-1918.....	5	8	7	4	2	2	1	2	1	1	1	1	2	34	District of Columbia.	
Florida.....	1914-1918.....	5	29	14	3	5	0	0	0	0	0	0	0	0	75	Florida.	
Hawaii.....	1914-1917, 1918.....	1	5	1	1	1	(1)	3	5	1	1	1	1	1	9	Hawaii.	
Illinois.....	1914, 1917, 1918.....	3	26	30	40	45	44	29	35	23	21	18	15	19	345	Illinois.	
Indiana.....	1914-1918.....	5	8	6	16	13	10	6	3	3	4	5	2	5	81	Indiana.	
Iowa.....	1914, 1916-1918.....	4	2	5	5	4	1	1	2	1	2	4	2	3	32	Iowa.	
Kansas.....	1914-1918.....	5	10	16	18	11	10	5	4	4	4	4	4	4	101	Kansas.	
Louisiana.....	1914-1918.....	5	35	18	13	9	5	4	4	1	1	5	5	8	108	Louisiana.	
Maine.....	1917, 1918.....	2	0	1	2	0	0	1	0	0	0	1	1	7	16	Maine.	
Maryland.....	1915-1918.....	4	7	10	15	27	33	30	30	17	14	18	15	15	125	Maryland.	
Massachusetts.....	1916-1918.....	3	15	20	14	11	8	8	9	9	7	4	2	4	241	Massachusetts.	
Michigan.....	1918.....	1	1	5	10	22	25	17	9	5	4	2	2	3	96	Michigan.	
Minnesota.....	1914-1918.....	4	4	10	13	10	6	5	3	3	1	4	4	5	106	Minnesota.	
Mississippi.....	1914-1918.....	5	6	13	10	6	5	3	3	1	4	4	4	5	64	Mississippi.	
Montana.....	1914, 1916-1918.....	4	1	1	1	1	1	2	1	1	1	1	1	1	12	Montana.	
Nebraska.....	1918.....	1	4	4	7	7	0	0	0	0	0	0	0	0	0	Nebraska.	
Nevada.....	1915, 1917.....	2	1	1	1	1	0	0	0	0	0	0	0	0	0	Nevada.	
New Jersey.....	1914-1918.....	5	22	24	33	47	35	33	28	21	26	21	18	15	265	New Jersey.	
North Carolina.....	1918.....	1	29	34	31	38	43	48	33	28	26	21	24	28	443	North Carolina.	
Ohio.....	1914-1918.....	1	18	25	21	8	7	5	7	9	4	5	3	3	1123	Ohio.	
Oregon.....	1914, 1916-1918.....	5	20	26	42	24	19	19	19	12	16	14	14	14	302	Oregon.	
Pennsylvania.....	1905-1918.....	3	(1)	30	77	108	94	56	27	32	20	18	18	18	318	Pennsylvania.	
Puerto Rico.....	1917.....	1	0	1	2	0	0	1	0	0	0	0	1	0	5	Puerto Rico.	
Rhode Island.....	1910-1918.....	3	4	4	10	7	4	6	2	2	1	1	2	1	49	Rhode Island.	
South Carolina.....	1914-1918.....	3	5	23	19	12	3	2	2	1	1	1	1	1	109	South Carolina.	
South Dakota.....	1914, 1917, 1918.....	3	1	3	2	2	2	2	2	2	1	1	1	2	25	South Dakota.	
Texas.....	1915, 1917, 1918.....	3	20	27	17	8	5	7	4	3	2	1	1	2	7	Texas.	
Vermont.....	1916-1918.....	3	(1)	2	1	0	0	0	0	0	0	0	0	0	0	Vermont.	
Virginia.....	1915-1918.....	4	28	31	26	18	17	16	12	15	16	11	11	16	227	Virginia.	
Washington.....	1914-1918.....	5	3	3	3	7	5	3	2	2	1	2	1	3	3	29	Washington.
West Virginia.....	1917, 1918.....	2	5	3	4	7	2	1	1	1	1	1	1	3	32	West Virginia.	
Wisconsin.....	1914-1918.....	5	10	9	15	14	14	12	8	8	7	5	5	6	116	Wisconsin.	
Wyoming.....	1914, 1916-1918.....	4	(1)	2	(1)	1	1	(1)	(1)	(1)	(1)	(1)	(1)	(1)	8	8	Wyoming.

1. Average less than 1.

Cases of cerebrospinal meningitis reported, 1919.

February 25, 1921.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.	
Alabama.....	19	20	12	7	6	5	4	4	4	4	4	2	80	Alabama.	
Arkansas.....	4	1	4	6	1	4	4	1	4	4	4	3	28	Arkansas.	
California.....	14	9	15	11	3	12	4	1	10	5	5	7	104	California.	
Connecticut.....	3	3	7	5	10	2	3	2	1	5	5	3	44	Connecticut.	
District of Columbia.....														District of Columbia.	
Delaware.....														13	
Florida.....														1	
Georgia.....	7	8	4	9	6	3	2	3	2	5	5	2	38	Georgia.	
Hawaii.....	1	1	1	1	1	1	1	1	1	1	1	2	8	Hawaii.	
Illinois.....	16	15	14	19	18	12	14	11	10	22	9	9	175	Illinois.	
Indiana.....	4	12	5	5	3	3	2	4	3	6	6	2	5	42	Indiana.
Iowa.....	1	5	3	1	2	4	4	4	2	2	5	5	32	Iowa.	
Louisiana.....	15	16	14	11	3	1	1	2	4	2	4	2	4	57	Louisiana.
Maine.....	1	1	1	1	1	1	1	1	1	1	1	1	6	6	Maine.
Maryland.....	21	17	8	3	5	5	10	2	3	4	4	4	4	4	Maryland.
Massachusetts.....	24	23	29	31	25	25	23	15	19	14	16	18	77	Massachusetts.	
Michigan.....	6	13	7	3	2	7	4	9	5	4	3	12	253	Michigan.	
Minnesota.....	2	7	4	6	5	6	8	2	2	6	3	3	55	Minnesota.	
Mississippi.....	5	3	15	4	7	2	2	2	4	4	4	4	51	Mississippi.	
Montana.....	1	1	2	2	1	2	1	3	3	3	1	1	14	Montana.	
Nebraska.....	4	1	2	8	1	2	1	2	1	1	1	1	5	5	Nebraska.
New Jersey.....	17	15	18	16	15	6	13	7	10	16	4	4	12	149	New Jersey.
New York.....	44	43	46	60	56	35	33	29	23	20	33	32	454	New York.	
North Carolina.....	9	8	25	6	7	3	7	5	10	10	11	11	105	North Carolina.	
Ohio.....	10	11	24	17	11	10	6	9	17	12	8	7	142	Ohio.	
Oklahoma.....	6	3	1	1	2	1	1	2	2	1	1	1	1	1	Oklahoma.
Oregon.....	3	2	1	2	3	2	2	1	1	1	1	1	1	1	Oregon.
Pennsylvania.....	12	18	23	19	21	10	22	16	9	18	14	14	22	204	Pennsylvania.
Porto Rico.....														1	Porto Rico.
Rhode Island.....	2	2	1	4	2	2	4	2	2	1	1	2	3	2	Rhode Island.
South Carolina.....	1	8	4	3	3	3	2	1	1	1	1	2	1	1	South Carolina.
South Dakota.....														9	South Dakota.
Utah.....														9	Utah.
Vermont.....														1	Vermont.
Virginia.....	11	12	9	18	11	11	2	3	3	14	4	3	11	110	Virginia.
Washington.....	1	1	5	4	1	3	3	3	3	2	3	1	1	28	Washington.
West Virginia.....	5	6	3	4	2	2	3	3	3	2	1	7	45	West Virginia.	
Wyoming.....														4	Wyoming.

Deaths registered as due to cerebrospinal meningitis, 1919.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.		
Alabama.....	8	14	8	1	1	8	3	4	3	1	2	2	52	Alabama.		
Arkansas.....	7	7	6	3	4	7	9	4	5	3	4	21	82	Arkansas.		
California.....	2	3	7	5	3	3	1	1	3	2	1	3	33	California.		
Connecticut.....	3	2	2	4	6	7	5	1	4	3	3	3	33	Connecticut.		
Delaware.....	1	1	1	1	1	1	1	1	1	1	1	1	3	3	Delaware.	
District of Columbia.....	1	1	3	2	1	2	1	1	1	1	1	1	8	8	District of Columbia.	
Florida.....	4	1	3	2	1	2	11	11	2	2	2	2	19	19	Florida.	
Georgia.....	1	2	4	2	2	11	11	11	2	2	2	2	56	56	Georgia.	
Hawaii.....	2	2	2	2	2	2	2	2	2	2	2	2	8	8	Hawaii.	
Illinois.....	13	4	12	6	3	3	10	6	3	3	0	1	1	7	Illinois.	
Indiana.....	1	4	3	1	2	2	3	2	2	2	3	2	26	26	Indiana.	
Kansas.....	6	4	3	4	4	1	1	4	2	1	1	3	40	40	Kansas.	
Louisiana.....	6	6	8	3	3	3	1	1	1	1	1	2	27	27	Louisiana.	
Maine.....	1	1	1	1	1	1	1	1	1	1	1	1	2	2	Maine.	
Maryland.....	5	8	5	4	2	1	4	3	4	3	4	4	42	42	Maryland.	
Massachusetts.....	18	17	18	23	19	20	11	14	13	8	7	12	180	180	Massachusetts.	
Minnesota.....	3	6	2	3	3	2	3	1	1	1	1	1	28	28	Minnesota.	
Montana.....	1	1	1	1	1	1	1	1	1	1	7	7	Montana.	
Nebraska.....	4	2	3	3	3	3	1	1	2	2	3	2	30	30	Nebraska.	
New Jersey.....	22	15	20	27	18	17	10	7	7	11	3	14	207	207	New Jersey.	
New York.....	5	3	7	9	4	5	5	5	5	10	3	4	3	63	63	New York.
Ohio.....	6	6	3	3	2	1	2	1	1	2	1	1	21	21	Ohio.	
Oklahoma.....	1	2	1	2	2	1	1	1	1	1	1	1	11	11	Oklahoma.	
Oregon.....	1	2	2	2	2	2	1	1	1	1	1	1	21	21	Oregon.	
Rhode Island.....	1	2	1	2	2	2	1	1	1	1	1	1	1	1	Rhode Island.	
South Carolina.....	2	6	8	6	6	1	4	3	2	1	1	1	40	40	South Carolina.	
Utah.....	1	1	1	1	1	1	1	1	1	1	1	1	5	5	Utah.	
Vermont.....	1	1	Vermont.	
Washington.....	5	2	2	2	1	6	4	4	2	2	7	4	5	42	42	Washington.
Wyoming.....	8	8	Wyoming.	

February 25, 1921.

Cerebrospinal meningitis—Average number of cases reported per annum and average indicated morbidity rates, 1914-1918; cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1919.

State.	Estimated population July 1, 1919.	Years included.	Average.			1919			Deaths per 1,000 inhabitants.	Fatalities per 100 cases.	State.
			Number of years.	Cases reported per annum.	Cases per 1,000 inhabitants.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.			
Alabama.....	2,326,521	1915-1918	4	.84	0.036	.80	0.034	.52	0.022	65.0	Alabama.
Arkansas.....	1,741,903	1917, 1918	2	.108	.061	.28	.032	.82	.047	...	Arkansas.
California.....	3,372,511	1914-1918	3	.107	.060	.104	.031	.39	.012	37.5	California.
Connecticut.....	1,366,894	1914-1918	5	.114	.062	.44	...	45	Connecticut.
Delaware.....	221,938	1914-1918	5	2	Delaware.
District of Columbia.....	432,086	1914-1918	5	District of Columbia.
Florida.....	955,291	1918, ...	1	.34	0.033	.13	0.010	.8	0.019	61.5	Florida.
Georgia.....	2,579,976	1915-1918	4	.75	.080	.66	.066	.19	.020	55.9	Georgia.
Hawaii.....	252,616	1914-1917	4	48	.017	82.8	Hawaii.
Illinois.....	6,441,501	1914, 1917, 1918	3	.345	.056	.173	.027	.7	.028	87.5	Illinois.
Indiana.....	2,918,716	1914-1918	5	.32	.049	.42	.014	.94	.015	53.7	Indiana.
Iowa.....	2,393,418	1914-1916-1918	4	.32	.014	.10126	...	61.9	Iowa.
Kansas.....	1,765,224	1914-1918	5	.101	.053	.68	.039	40	...	58.8	Kansas.
Louisiana.....	1,790,515	1914-1918	5	.108	.059	.77	.043	27	.015	35.1	Louisiana.
Maine.....	766,683	1917, 1918	2	.16	.021	.6	.008	2	...	33.3	Maine.
Maryland.....	1,441,665	1915-1918	4	.125	.061	.77	.053	.42	.003	54.5	Maryland.
Massachusetts.....	3,827,329	1916-1918	3	.241	.064	.253	.066	180	.047	71.1	Massachusetts.
Michigan.....	3,623,082	1918	1	.95	.060	.73	.021	Michigan.
Minnesota.....	9,370,371	1914-1918	5	.106	.046	.56	.024	28	...	50.0	Minnesota.
Mississippi.....	1,738,782	1914-1918	5	.64	.033	.51	.028	Mississippi.
Missouri.....	3,367,871	1914-1918	4	31	.009	...	Missouri.
Montana.....	1,538,758	1914, 1916-1918	4	7	...	50.0	Montana.
Nebraska.....	1,260,182	1918, ...	1	.26	.020	.26	.026	.39	.030	...	Nebraska.
New Jersey.....	3,123,535	1918, ...	1	.265	.086	.149	.048	.82	...	55.0	New Jersey.
New York.....	10,318,709	1914-1918	5	.443	.043	.454	.044	207	.020	45.6	New York.
North Carolina.....	2,538,450	1918	1	.123	.060	.103	.041	North Carolina.
Ohio.....	5,708,265	1914-1918	5	.302	.059	.442	.025	63	...	44.4	Ohio.
Oregon.....	2,008,487	1914-1918	4	21	...	55.6	Oregon.
Pennsylvania.....	7,777,692	1914, 1916-1918	4	.6	11	...	68.7	Pennsylvania.
Porto Rico.....	8,665,822	1916-1918	3	.518	.060	.204	.024	Porto Rico.
Rhode Island.....	661,215	1916-1918	1	.5	.004	2	Rhode Island.
South Carolina.....	1,674,993	1914-1918	3	.49	.078	21	South Carolina.
South Dakota.....	633,163	1914, 1917, 1918	3	.109	.067	.32	...	40	South Dakota.
Utah.....	445,527	1914-1918	3	.25	.035	Utah.
Vermont.....	352,043	1916-1918	3	.6	5	Vermont.
Virginia.....	2,283,756	1915-1918	4	.227	.016	.103	.018	Virginia.
Washington.....	1,345,278	1914-1918	5	.29	.019	.28	...	42	Washington.
West Virginia.....	1,451,121	1917, 1918	2	.32	.022	45	West Virginia.
Wyoming.....	191,907	1914, 1916-1918	4	.8	.014	4	...	8	Wyoming.

Cases of Asiatic cholera reported in provinces of the Philippine Islands during the calendar year 1919, by quarters.

Provinces.	First quarter.		Second quarter.		Third quarter.		Fourth quarter.		1919.		Fatalities per 100 cases.
	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	
Albay	10	2			101	67	722	518	826	785	70.82
Ambos Camarines	3	3			457	355	134	97	601	454	72.21
Antique	66	33	164	123	19	15	243	175	243	175	72.02
Bataan	110	71	20	15	1,071	819	154	125	22	18	81.82
Batangas	35	21	153	91	487	362	111	128	191	111	76.98
Bohol	28	14	41	27	74	48	25	22	141	109	77.30
Iloilo	12	10	41	27	289	190	40	36	127	84	66.14
Capiz	13	12	232	114	917	559	37	32	36	23	67.25
Capite	135	34	1	0	574	410	304	265	878	675	76.88
Cebu	171	108	2	1	1,300	858	77	61	1,433	933	66.50
Davao	149	119	138	104	445	329	79	54	217	112	66.45
Ilocos Norte	162	79	18	14	41	32	18	15	41	18	51.61
Ilocos Sur	28	13	9	2	212	99	150	86	381	190	52.23
Mindoro	37	24	17	10	22	17	13	13	173	96	55.49
Misamis	9	6	103	76	141	71	66	45	207	116	56.04
Mountain Province	28	13	17	10	178	122	103	86	643	463	70.45
Nueva Ecija	74	49	466	361	371	331	296	173	519	318	61.27
Occidental Negros	130	98	168	5	543	442	442	9	1,092	857	78.48
Oriental Negros	30	31	5	4	936	367	106	50	6,296	4,750	75.44
Pampanga	10	2	2	2	69	44	2	2	10	50	62.18
Pangasinan	10	2	2	2	394	250	2	2	394	250	66.53
Rizal	30	31	5	4	69	44	2	2	394	250	66.53
Romblon	10	2	2	2	394	250	2	2	394	250	66.53
Sorsogon	10	2	2	2	394	250	2	2	394	250	66.53

February 25, 1921.

Tarlac.....	68	61	396	237	460	335	75	44	535	379	70, 84
Tayabas.....				7	430	330	117	74	621	722	78, 39
Union.....					1,312	968	8		1,327	983	74, 08
Zamboanga.....					34	23			34	23	67, 65
Zamboanga.....	7	6							7	6	85, 72
Total.....	1,186	814	1,851	1,306	17,295	12,425	3,724	2,554	24,056	17,060	71,08

Dengue—Cases reported and deaths registered, 1919.

	Cases.	Deaths.		Cases.	Deaths.		Cases.	Deaths.		Cases.	Deaths.
Colorado:											
February.....	1	0	Georgia:								
Florida:			January.....	0			5	0	Louisiana:		
January.....	1	0	February.....				1	0	September.....	1	0
September.....	20	0	March.....				1	0	October.....	1	0
October.....	3	0	November.....				1	0	Pern. Rico:		
November.....	2	1	Hawaii:				1	0	July.....	3	0
			January.....				2	0	December.....	4	

Diphtheria—Monthly averages of cases reported during the years for which data are available, 1914-1918.

State.	Years included.	Num- ber of years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Aver- age per year.	State.
Alabama.....	1915-1918.....	4	47	34	36	29	24	16	32	78	135	90	57	.706	Alabama.	
Arizona.....	1914-1916, 1918.....	3	5	3	3	3	2	1	4	3	1	1	7	.1	Arizona.	
Arkansas.....	1917-1918.....	2	23	14	12	12	5	5	13	26	33	22	51	.280	Arkansas.	
California.....	1911-1918.....	5	312	280	286	227	275	227	188	159	155	266	319	.3022	California.	
Colorado.....	1916, 1917-1918.....	4	46	37	52	32	44	45	36	52	61	61	54	.38	Colorado.	
Connecticut.....	1914-1918.....	5	268	190	169	149	148	132	95	158	272	265	246	.2782	Connecticut.	
District Columbia.....	1914-1918.....	5	67	41	58	50	38	22	19	16	31	112	121	.678	District Columbia.	
Hawaii.....	1918.....	1	25	31	32	8	10	19	13	14	36	43	43	.329	Hawaii.	
Illinois.....	1914-1917, 1918.....	4	11	18	57	18	9	11	6	11	16	12	9	.193	Illinois.	
Indiana.....	1914-1918.....	5	1,167	742	1,013	834	807	710	661	537	835	1,012	1,354	1,083	10,755	Indiana.
Iowa.....	1914, 1916-1918.....	5	348	256	212	176	149	112	126	164	291	541	511	.301	3,280	Iowa.
Kansas.....	1914-1918.....	4	68	64	68	47	51	48	45	34	52	112	83	.85	.763	Kansas.
Louisiana.....	1914-1918.....	5	159	96	99	84	71	60	53	57	105	310	235	.229	1,077	Louisiana.
Maine.....	1916-1918.....	3	107	79	67	53	49	86	65	95	140	137	100	.76	1,083	Maine.
Maryland.....	1915-1918.....	3	28	18	28	18	15	13	18	24	22	42	52	.46	.324	Maryland.
Massachusetts.....	1916-1918.....	3	218	163	145	90	65	65	68	81	147	250	270	.228	1,820	Massachusetts.
Michigan.....	1914-1918.....	5	886	724	765	672	694	607	490	469	541	719	768	.810	.8175	Michigan.
Minnesota.....	1914-1918.....	5	533	411	449	371	373	345	325	312	396	697	734	.624	.5380	Minnesota.
Mississippi.....	1914-1918.....	5	332	253	272	268	313	331	293	242	238	407	345	.288	.3,412	Mississippi.
Montana.....	1914-1918.....	5	77	54	97	30	26	37	37	44	95	113	192	.119	.1,073	Montana.
Nebraska.....	1918.....	1	28	10	22	19	19	18	24	12	19	25	25	.27	.29	Montana.
Nevada.....	1915, 1917-1918.....	2	55	37	40	21	37	10	14	80	96	80	32	.71	.706	Nevada.
New Jersey.....	1914-1918.....	5	594	514	509	452	475	431	377	275	382	592	703	.2	.1	New Jersey.
New York.....	1914-1918.....	5	1,902	1,794	1,853	1,694	1,886	1,390	936	1,056	1,651	1,772	1,841	19,632	19,638	New York.
North Carolina.....	1918.....	1	75	51	40	44	44	38	65	113	321	233	171	.97	1,327	North Carolina.
North Dakota.....	1917, 1918.....	2	36	37	40	38	42	32	38	49	19	44	44	.415	.415	North Dakota.
Ohio.....	1914-1918.....	5	805	643	602	454	439	369	346	417	722	1,122	1,161	.832	.7,942	Ohio.
Oklahoma.....	1915, 1917-1918.....	2	124	73	60	53	36	25	25	19	30	199	342	.275	.236	Oklahoma.
Oregon.....	1916-1918.....	5	19	21	21	18	19	22	14	13	18	24	.39	.34	.263	Oregon.
Pennsylvania.....	1916-1918.....	3	1,301	1,176	1,128	981	949	855	812	806	1,822	1,659	1,464	14,324	5,938	Pennsylvania.
Porto Rico.....	1914-1915, 1917-1918.....	4	13	11	12	8	14	8	12	17	12	16	10	.8	.141	Porto Rico.
Rhode Island.....	1914-1916-1918.....	4	108	95	65	79	88	69	56	67	109	101	106	.1,066	.1,036	Rhode Island.
South Carolina.....	1914-1918.....	5	108	84	68	75	53	44	58	113	312	272	205	.134	.1,554	South Carolina.
South Dakota.....	1914, 1917, 1918.....	3	23	23	15	18	8	17	23	22	9	36	28	.20	.232	South Dakota.
Texas.....	1915, 1917-1918.....	2	146	106	85	82	56	45	62	60	116	231	318	.198	.1,523	Texas.
Vermont.....	1914-1918.....	5	40	29	33	31	19	32	25	28	35	60	64	.43	.420	Utah.
Virginia.....	1914-1918.....	5	37	24	23	20	28	24	21	22	28	58	58	.48	.405	Vermont.
Washington.....	1914-1918.....	5	246	244	120	87	63	47	78	191	382	573	536	.281	.2,848	Virginia.
West Virginia.....	1917, 1918.....	2	52	63	35	31	36	33	28	29	44	54	52	.54	.506	Washington.
Wisconsin.....	1914-1918.....	5	255	162	105	168	167	123	116	144	225	209	209	.217	.2,148	West Virginia.
Wyoming.....	1914-1918.....	5	7	13	8	5	5	5	5	5	3	3	.9	.77	.77	Wyoming.

¹ Average less than 1.

Cases of diphtheria reported, 1919.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	50	34	29	28	17	19	49	248	270	283	125	104	1,256	Alabama.
Arkansas.....	10	23	19	11	6	4	23	60	227	211	144	144	378	Arkansas.
California.....	208	156	209	243	151	195	205	149	195	424	423	425	3,073	California.
Colorado.....	40	17	38	36	32	43	45	38	73	70	64	55	557	Colorado.
Connecticut.....	280	258	281	171	180	122	89	130	240	548	576	504	3,388	Connecticut.
Delaware.....														Delaware.
District of Columbia.....	67	157	167	74	118	60	54	25	41	89	176	150	1,169	District of Columbia.
Florida.....	35	27	8	35	17	7	15	21	68	83	101	91	510	Florida.
Georgia.....	19	43	36	13	15	30	46	139	377	433	272	128	1,531	Georgia.
Hawaii.....	20	10	32	12	14	18	12	3	10	14	9	154	154	Hawaii.
Illinois.....	750	687	688	644	608	470	465	397	751	1,580	1,628	1,174	9,911	Illinois.
Indiana.....	207	230	223	136	91	94	181	288	194	265	390	304	2,603	Indiana.
Iowa.....	55	50	51	46	74	46	39	30	122	194	166	115	907	Iowa.
Kansas.....	107	80	98	96	92	58	60	59	128	471	463	352	2,677	Kansas.
Louisiana.....	38	39	33	34	41	29	44	36	63	75	69	108	629	Louisiana.
Maine.....	15	11	30	42	24	24	12	18	20	54	38	35	363	Maine.
Maryland.....	198	161	191	172	136	115	121	139	216	436	419	423	2,747	Maryland.
Massachusetts.....	789	681	659	532	561	488	427	324	529	983	983	918	7,928	Massachusetts.
Michigan.....	609	655	607	552	554	380	408	479	600	583	416	1,035	6,988	Michigan.
Minnesota.....	484	344	316	293	416	294	253	233	378	614	522	385	4,541	Minnesota.
Mississippi.....	38	63	37	45	37	37	153	282	230	320	320	226	1,626	Mississippi.
Montana.....	42	40	36	47	47	32	19	16	17	27	32	20	365	Montana.
Nebraska.....	33	37	45	21	53	27	17	5	63	42	39	423	423	Nebraska.
New Jersey.....	655	649	628	547	558	479	419	265	440	736	885	969	7,270	New Jersey.
New Mexico.....	2,224	2,111	2,437	2,081	2,282	2,069	1,463	1,198	1,450	2,313	14	2,982	25,077	New Mexico.
New York.....	783	72	91	5	20	10	33	65	232	660	1,012	394	3,519	New York.
North Carolina.....	21	19	8	35	317	317	330	11	10	41	121	68	394	North Carolina.
North Dakota.....	450	414	359	15	14	9	10	25	35	38	1,243	1,363	7,255	North Dakota.
Ohio.....	34	35	35	1,160	1,032	1,032	930	26	26	2,577	1,096	68	1,096	Ohio.
Oklahoma.....	35	25	123	65	64	53	41	5	15	13	33	33	33	Oklahoma.
Oregon.....	1,069	1,176	1,160	1,032	1,032	1,032	807	1,032	1,032	1,668	2,567	14	12	Oregon.
Pennsylvania.....	4	10	9	9	1	1	5	5	8	6	14	12	5	Pennsylvania.
Porto Rico.....	118	123	126	56	33	52	26	55	291	43	63	113	129	Porto Rico.
Rhode Island.....	30	26	26	33	33	33	33	55	55	25	25	25	2,434	Rhode Island.
South Carolina.....	18	14	26	33	33	33	33	55	55	43	43	37	2,305	South Carolina.
South Dakota.....	49	46	45	28	28	32	43	29	29	25	35	26	434	South Dakota.
Utah.....	24	4	18	10	16	12	12	28	28	16	24	15	232	Utah.
Vermont.....	98	93	71	74	66	66	66	66	172	448	708	39	1,033	Vermont.
Washington.....	85	85	65	55	40	51	47	51	51	80	114	117	3,108	Washington.
West Virginia.....	44	57	55	40	40	47	47	51	51	157	270	665	2,444	West Virginia.
Wisconsin.....	139	106	125	113	147	121	138	117	210	346	304	309	2,185	Wisconsin.
Wyoming.....	16	11	6	25	5	7	16	5	10	12	12	4	124	Wyoming.

Deaths registered as due to diphtheria, 1919.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.	
Alabama.....	14	10	6	3	5	6	2	21	31	35	40	20	133	Alabama.	
Arizona.....	8	1	4	2	1	1	1	2	4	6	2	20	Arizona.	
Kansas.....	25	14	28	15	21	20	25	13	13	22	29	39	202	Arkansas.	
California.....	1	3	2	4	3	5	8	3	3	9	8	5	37	California.	
Pennsylvania.....	21	22	24	15	16	16	16	13	13	16	28	33	170	Colorado.	
Connecticut.....	6	3	1	5	1	2	2	1	3	3	5	6	36	Connecticut.	
Delaware.....	8	11	9	11	11	21	21	17	17	17	12	7	10	Delaware.	
District of Columbia.....	11	6	2	1	1	2	2	1	1	7	5	7	20	District of Columbia.	
Florida.....	4	6	3	1	1	2	4	0	34	47	43	50	245	Florida.	
Georgia.....	5	3	2	2	3	2	3	2	2	2	2	2	26	Georgia.	
Hawaii.....	92	93	86	62	68	44	50	48	87	138	138	138	1,029	Hawaii.	
Illinois.....	37	26	31	21	20	20	20	15	17	29	44	44	319	Illinois.	
Indiana.....	16	18	8	12	18	9	6	5	4	9	22	24	167	Indiana.	
Iowa.....	15	7	10	16	16	6	4	0	4	34	42	42	191	Iowa.	
Kansas.....	24	13	27	11	11	5	4	4	19	46	66	73	155	Kansas.	
Louisiana.....	8	4	4	6	4	2	5	5	9	16	15	20	96	Louisiana.	
Maine.....	20	15	15	14	18	16	16	1	1	1	9	9	50	Maine.	
Maryland.....	57	68	64	41	37	23	26	26	32	57	20	38	224	Maryland.	
Massachusetts.....	86	58	59	73	42	40	45	44	62	69	74	93	501	Massachusetts.	
Michigan.....	31	24	28	21	40	17	24	21	23	21	26	26	222	Michigan.	
Minnesota.....	12	5	5	5	5	3	3	4	4	1	1	3	51	Minnesota.	
Nebraska.....	4	6	6	4	5	3	3	2	5	10	9	6	43	Nebraska.	
New Jersey.....	61	72	50	40	42	28	26	21	37	55	53	53	366	New Jersey.	
New Mexico.....	221	237	231	201	211	133	89	80	107	131	187	222	2,053	New Mexico.	
North Dakota.....	12	2	5	4	1	4	1	1	2	4	4	8	1	North Dakota.	
Oklahoma.....	43	40	37	36	37	30	33	30	33	32	49	63	321	Oklahoma.	
Oregon.....	19	10	7	4	4	2	1	7	7	8	6	5	52	Oregon.	
Puerto Rico.....	3	3	8	3	1	2	1	1	1	1	1	1	5	Puerto Rico.	
Rhode Island.....	1	1	1	1	1	1	1	1	1	1	1	1	5	Rhode Island.	
South Carolina.....	4	2	4	4	5	4	5	5	5	5	4	4	14	South Carolina.	
Utah.....	18	16	7	5	5	3	3	3	1	1	1	1	5	Utah.	
Vermont.....	10	13	6	7	7	5	5	5	13	20	21	16	11	Vermont.	
Virginia.....	16	12	12	12	23	20	20	19	19	21	30	39	233	Virginia.	
Washington.....	10	12	12	12	12	12	12	12	12	12	12	12	12	120	Washington.
Wisconsin.....	16	1	1	1	1	1	1	1	1	1	1	1	1	267	Wisconsin.
Wyoming.....	1	1	1	1	1	1	1	1	1	1	1	1	1	15	Wyoming.

Diphtheria—Average number of cases reported per annum and average indicated morbidity rates, 1914-1918; cases reported, deaths registered, and indicated mortality, morality, and fatality rates, 1919.

State.	Estimated population July 1, 1919.	Years included.	Average.			1919			Statistical notes
			Number of years.	Cases reported per annum.	Cases per 1,000 inhabitants.	Total cases reported.	Cases per 1,000 inhabitants.	Deaths per 1,000 inhabitants.	
Alabama.....	2,336,521	1915-1918 1914-1916, 1918.....	4	706	0.30	1,236	0.54	193	0.08
Arizona.....	326,633	1914-1918.....	3	.39	.15	738	.42	21	.06
Arkansas.....	1,741,963	1917-1918.....	2	230	1.03	3,073	.91	141	.08
California.....	3,372,511	1914-1918.....	5	3,022	1.03	60	.60	266	.08
Colorado.....	932,148	1914-1916-1918.....	4	579	.57	1,514	.33	59	.06
Connecticut.....	1,366,894	1914-1918.....	5	2,282	1.83	3,388	2.48	233	.19
Delaware.....	1,221,938	1914-1918.....	5	678	1.86	1,169	2.71	40	.18
District of Columbia.....	432,080	1914-1918.....	1	329	.35	1,510	.33	119	.28
Florida.....	935,291	1918.....	1	193	.90	1,511	.54	57	.06
Georgia.....	2,876,976	1914-1917, 1918.....	4	10,755	1.74	16,144	.61	245	.09
Hawaii.....	252,616	1914-1917, 1918.....	3	2,290	1.16	2,603	1.54	26	.10
Illinois.....	6,441,501	1914-1917, 1918.....	5	3,763	.89	1,911	.80	1,020	.16
Indiana.....	2,918,716	1914-1918.....	4	1,677	.34	997	.42	319	.11
Iowa.....	2,394,418	1914-1916-1918.....	5	1,088	.59	1,167	.18	11	.12
Kansas.....	1,765,224	1914-1918.....	5	1,324	.12	2,077	1.18	191	.07
Kentucky.....	2,400,518	1914-1918.....	5	1,820	1.33	7,477	.47	347	.14
Louisiana.....	1,790,515	1916-1918.....	3	875	2.17	7,928	2.07	117	.07
Maine.....	766,663	1916-1918.....	4	5,580	1.83	9,998	1.93	224	.07
Maryland.....	1,441,665	1915-1918.....	5	3,412	1.50	4,541	1.92	591	.16
Massachusetts.....	3,827,329	1916-1918.....	3	1,073	.55	1,676	.94	715	.15
Michigan.....	3,623,082	1914-1918.....	5	1,350	.50	1,921	.92	301	.13
Minnesota.....	2,370,371	1914-1918.....	5	1,073	.55	1,676	.94	452	.14
Mississippi.....	1,780,782	1914-1918.....	5	1,073	.55	1,676	.94	31	.13
Missouri.....	3,367,871	1914-1916-1918.....	4	271	.79	366	.68	452	.14
Montana.....	538,753	1914-1916-1918.....	1	706	.54	4,423	.33	51	.09
Nebraska.....	1,260,182	1918.....	5	5,938	2.01	7,270	2.33	63	.05
New Jersey.....	3,125,535	1914-1918.....	5	19,632	1.91	25,077	2.43	572	.18
New York.....	10,318,709	1914-1918.....	5	1,327	.54	3,519	1.39	2,033	.20
North Carolina.....	2,538,450	1918.....	1	415	.43	3,394	.61	32	.05
North Dakota.....	642,193	1917-1918.....	2	7,942	1.04	7,255	1.27	647	.11
Ohio.....	5,708,365	1914-1918.....	5	1,514	.69	3,114	.40	240	.12
Oklahoma.....	2,088,857	1915-1917, 1918.....	2	263	.98	3,08	.40	52	.07
Oregon.....	777,692	1914-1917, 1918.....	5	1,324	1.65	17,117	2.04	57	.16
Pennsylvania.....	8,665,822	1916-1918.....	3	1,411	1.12	1,029	.98	123	.20
Porto Rico.....	601,215	1914-1915, 1917, 1918.....	4	1,036	1.68	1,029	1.71	108	.06
Rhode Island.....	1,671,960	1914-1918.....	5	1,554	.96	2,120	1.27	51	.12
South Carolina.....									5.1

Diphtheria—Average number of cases reported per annum and average indicated morbidity rates, 1914-1918; cases reported, deaths registered, and indicated mortality, and fatality rates, 1919—Continued.

State.	Estimated population July 1, 1919.	Average.			1919			State.
		Years included.	Number of years.	Cases reported per annum.	Cases per 1,000 inhabitants.	Total cases reported.	Cases per 1,000 inhabitants.	
South Dakota.....	633,163	1914, 1917, 1918.....	3	232	.33	295	.47	South Dakota.
Utah.....	445,527	1914, 1915, 1917, 1918.....	4	429	.99	434	.97	Utah.
Vermont.....	352,603	1914-1918.....	5	406	1.12	232	.66	Vermont.
Virginia.....	2,283,756	1914-1918.....	5	2,848	1.30	3,108	1.35	Virginia.
Washington.....	5,345,278	1914-1918.....	5	506	.32	1,003	.73	Washington.
West Virginia.....	1,461,121	1914-1918.....	2	656	.45	2,244	1.15	West Virginia.
Wisconsin.....	2,610,402	1914-1918.....	5	2,188	.80	2,185	.84	Wisconsin.
Wyoming.....	191,907	1914-1918.....	5	77	.43	124	.65	Wyoming.

February 23, 1921.

Cases of influenza reported, 1919.

State.	January.	Febru-	March.	April.	May.	June.	July.	August.	Septem-	October.	Novem-	Decem-	Total.	State.	
Alabama.....	6,443	2,348	313	128	54	9	6	29	35	21	19	15	9,420	Alabama,	
Arkansas.....	4,235	2,146	205	63	1,232	12	12	30	30	85	137	7,016	Arkansas,		
California.....	67,804	3,099	3,130	5,013	1,232	248	63	160	167	106	111	81,574	California,		
Colorado.....	2,707	712	958	215	1	1	1	1	1	1	1	1	4,903	Colorado,	
Connecticut.....	6,718	2,232	1,242	263	56	3	1	2	32	44	44	27	10,664	Connecticut,	
Delaware.....					4				3					Delaware,	
District of Columbia.....	3,180	476	223	30	43	9	1	8	82	67	5	5	4,275	District of Columbia.	
Florida.....	1,322	202	26	118	30	13	7	13	83	94	43	43	2,010	Florida.	
Georgia.....	3,734	1,844	718	178	80	8	28	41	116	93	78	25	5,147	Georgia.	
Hawaii.....	2,719	4,681	3,982	622	96	12	10	22	3	25	113	113	12,292	Hawaii.	
Illinois.....	10,936	5,997	4,792	606	166	20	10	109	188	238	264	264	27,364	Illinois.	
Indiana.....	10,945	5,661	4,120	1,030	990	53	45	41	62	146	104	90	22,396	Indiana.	
Kansas.....	15,742	10,175	13,127	1,956	364	40	16	6	121	76	66	66	41,799	Kansas.	
Louisiana.....	37,038	2,613	372	72	10	26	12	20	68	224	35	75	40,565	Louisiana.	
Maine.....	2,540	300	155	217	23	2	2	2	9	97	24	10	3,379	Maine.	
Maryland.....	18,084	5,684	1,880	434	123	23	17	17	356	663	178	160	27,018	Maryland.	
Massachusetts.....	28,725	6,435	2,928	1,009	406	70	31	56	225	199	125	147	40,416	Massachusetts.	
Minnesota.....	7,073	1,758	2,825	742	145	8	17	24	44	47	39	39	12,945	Minnesota.	
Mississippi.....	41,272	12,742	3,025	1,046	411	232	277	625	1,166	1,158	1,355	1,355	64,738	Mississippi.	
Montana.....	1,797	661	223	949	112	1	4	11	24	60	12	6	5,860	Montana.	
Nebraska.....	12,418	9,222	6,184	1,052	1,025	17	3	8	30	19	5	5	23,083	Nebraska.	
New Jersey.....	11,950	5,242	3,343	1,183	159	26	22	40	133	200	121	125	22,544	New Jersey.	
New Mexico.....											43	11		New Mexico.	
New York.....	40,091	4,276	8,441	3,336	1,181	96	44	44	183	321	418	418	68,573	New York.	
North Carolina.....	8,852	3,446	1,092	486	35	1	1	1	49	108	38	38	20	14,126	North Carolina.
Ohio.....	340	142	84	59	52	1	1	1	10	33	14	14	14	20	North Dakota.
North Dakota.....	25,598	1,975	25,170	28,729	1,104	58	73	25	134	222	178	176	89,264	Ohio.	
Oklahoma.....															Oklahoma.
Oregon.....	8,960	591	636	7,565	7,797	1,044	1,04	1,04	15	27	33	8	8	10,750	Oregon.
Rhode Island.....	4,456	950	194	30	385	418	2	2	12	8	34	34	34	7	Rhode Island.
South Carolina.....	10,535	690	107	58	7	37	19	23	30	31	11	11	8	5,690	South Carolina.
South Dakota.....	6,328	886	873	598	86	40	11	18	17	23	34	17	11,578	South Dakota.	
Utah.....	15,466	3,491	7,332	2,676	524	26	4	7	36	83	42	4	8,991	Utah.	
Vermont.....	5,265	1,246	1,026	1,177	100	1	2	3	23	24	5	4	25,536	Vermont.	
Virginia.....	40,747	17,711	5,333	1,610	264	170	180	161	673	660	840	840	7,882	Virginia.	
Washington.....	6,488	1,214	683	128	96	32	13	13	13	14	20	20	69,151	Washington.	
West Virginia.....	1,584	1,863	647	161	104	18	30	69	139	108	128	128	5,079	West Virginia.	
Wisconsin.....	4,148	1,111	1,238	387	43	11	4	6	20	9	13	13	7,020	Wisconsin.	
Wyoming.....										1	6	7	3,119	Wyoming.	

Deaths registered as due to influenza, 1919.

State,	Jan. uary,	Febru- ary,	March,	April,	May,	June,	July,	August,	Septem- ber,	Octo- ber,	Novem- ber,	Decem- ber,	Total,	State.
Alabama.....	1,223	567	227	109	38	21	13	13	16	11	25	69	2,352	Alabama.
Arizona.....	539	268	120	84	93	29	4	2	2	3	2	10	10	Arizona.
Arkansas.....	3,533	392	210	296	162	48	12	16	8	33	36	169	1,407	Arkansas.
California.....	288	176	203	87	12	12	11	24	26	4	3	17	4,746	California.
Colorado.....	755	310	237	121	46	19	4	3	1	4	3	7	788	Colorado.
Connecticut.....	175	58	25	12	11	3	3	3	7	9	12	10	1,560	Connecticut.
Delaware.....	176	58	26	8	3	3	1	1	2	2	2	2	276	Delaware.
District of Columbia.....	286	46	26	13	5	2	2	2	1	2	2	2	388	District of Columbia.
Florida.....	396	257	91	42	23	15	8	8	9	24	24	24	920	Florida.
Georgia.....	340	374	190	113	115	101	17	13	22	15	29	31	1,360	Georgia.
Hawaii.....	80	190	134	35	12	8	17	17	1	2	2	3	487	Hawaii.
Illinois.....	2,229	1,140	1,283	404	162	56	30	26	40	43	68	81	5,925	Illinois.
Indiana.....	925	554	947	269	64	26	13	17	18	30	32	33	2,926	Indiana.
Iowa.....	913	396	529	131	53	29	16	8	11	7	16	11	1,830	Iowa.
Kansas.....	377	269	573	127	52	30	18	10	6	12	13	28	1,315	Kansas.
Kentucky.....	1,802	1,156	982	272	81	54	25	28	13	32	34	38	4,587	Kentucky.
Louisiana.....	1,586	375	102	56	27	22	13	10	16	8	17	28	2,320	Louisiana.
Maine.....	247	82	85	39	38	11	10	10	9	9	9	10	558	Maine.
Maryland.....	693	301	100	45	27	11	6	1	10	8	7	11	1,220	Maryland.
Massachusetts.....	1,736	616	143	66	19	8	5	5	13	23	16	21	3,045	Massachusetts.
Michigan.....	1,337	600	451	239	115	33	16	13	11	22	21	19	2,577	Michigan.
Minnesota.....	1,012	431	609	295	109	38	17	13	14	8	5	22	2,570	Minnesota.
Montana.....	234	107	183	102	42	8	5	2	6	5	5	6	699	Montana.
Nebraska.....	156	97	124	87	38	10	3	4	2	4	5	4	554	Nebraska.
New Jersey.....	1,116	647	436	128	47	20	15	8	12	21	18	15	2,483	New Jersey.
New Mexico.....	3,425	1,949	1,380	570	307	83	33	27	39	74	2	2	4	New Mexico.
New York.....	2,218	1,235	1,617	745	216	66	14	9	19	26	29	84	8,031	New York.
North Dakota.....	1,622	1,286	1,104	34	10	10	5	27	25	34	52	53	4,486	North Dakota.
Ohio.....	898	83	39	37	19	6	3	4	19	13	16	16	5,767	Ohio.
Oklahoma.....	773	416	1,122	76	21	27	21	26	21	13	13	16	1,535	Oklahoma.
Puerto Rico.....	1,229	113	96	26	10	3	3	1	3	4	3	3	1,003	Puerto Rico.
Rhode Island.....	321	233	88	37	21	9	4	3	4	5	5	11	2,032	Rhode Island.
South Carolina.....	428	105	133	66	45	13	2	2	2	2	2	2	892	South Carolina.
Utah.....	395	84	77	50	14	4	5	5	5	11	1	1	810	Utah.
Vermont.....	110	94	556	223	95	33	15	12	11	1	8	8	374	Vermont.
Virginia.....	2,485	974	115	128	96	32	5	4	12	23	32	37	4,619	Virginia.
Washington.....	639	251	419	292	131	36	32	22	14	14	14	20	1,661	Washington.
Wisconsin.....	594	381	26	14	4	1	1	1	1	19	17	17	1,911	Wisconsin.
Wyoming.....	51	66	14	14	4	1	1	1	1	1	1	1	165	Wyoming.

Influenza—Cases reported, deaths registered, indicated morbidity and mortality rates, and number of cases reported for each death registered.

Cases of malaria reported, 1919.

State.	January	Februa-	March	April	May	June	July	August	Septem-	Octo-	Novem-	Decem-	Total,	State.
Alabama.....	15	33	71	59	106	228	217	407	903	274	124	80	2,517	Alabama.
Arkansas.....	108	82	154	228	237	411	534	773	546	953	663	394	5,015	Arkansas.
California.....	4	10	2	18	25	50	170	133	258	258	111	17	1,056	California.
Connecticut.....	2	1	6	3	2	2	2	2	2	8	Connecticut.
Delaware.....	2	1	3	1	3	2	1	2	2	8	Delaware.
Florida.....	39	7	20	67	38	67	182	205	149	379	520	222	1,905	Florida.
Georgia.....	31	64	89	166	349	296	356	435	304	708	402	175	3,346	Georgia.
Louisiana.....	141	40	42	65	93	134	334	422	297	374	197	251	2,411	Louisiana.
Maine.....	1	1	1	1	Maine.
Maryland.....	10	1	3	5	12	5	13	18	23	32	10	3	135	Maryland.
Massachusetts.....	1	1	1	3	3	8	20	19	5	5	4	72	Massachusetts.
Minnesota.....	2,812	3,326	4,558	6,008	7,740	9,935	13,418	17,001	17,808	14,616	8,719	5,763	112,554	Minnesota.
Mississippi.....	1	1	1	1	1	1	1	Mississippi.
Montana.....	2	7	5	3	12	16	18	28	10	12	9	2	124	Montana.
New Jersey.....	New Jersey.
New Mexico.....	1	1	1	1	New Mexico.
New York.....	1	4	2	1	2	1	3	13	4	6	8	5	50	New York.
Ohio.....	4	8	1	1	2	2	4	7	12	5	5	53	Ohio.
Oregon.....	4	4	1	1	1	1	1	Oregon.
Pennsylvania.....	170	176	151	189	120	60	88	1	1	143	194	210	394	Pennsylvania.
Porto Rico.....	13	15	16	13	75	107	104	94	86	109	82	23	1,957	Porto Rico.
South Carolina.....	137	138	298	367	437	513	611	723	597	325	325	176	737	South Carolina.
Virginia.....	88	137	4,460	4,460	Virginia.

Deaths registered as due to malaria, 1919.

State.	January	February	March	April	May	June	July	August	September	October	November	December	Total	State.
Alabama.....	4	5	11	15	8	16	27	33	42	48	34	14	257	Alabama.
Arkansas.....	7	9	14	13	25	34	52	31	33	44	79	79	367	Arkansas.
California.....	1	2	1	1	2	1	2	3	3	8	4	3	28	California.
Connecticut.....	1	1	2	1	1	1	1	Connecticut.
Delaware.....	1	1	11	18	27	28	46	65	107	71	44	3	440	Delaware.
Florida.....	12	7	3	9	4	27	49	58	90	88	30	44	440	Florida.
Georgia.....	1	2	9	6	7	14	11	14	18	7	5	3	334	Georgia.
Illinois.....	4	3	1	1	2	1	3	6	6	5	1	2	102	Illinois.
Indiana.....	3	1	1	1	2	1	3	3	6	5	1	2	27	Indiana.
Iowa.....	1	2	2	1	1	4	7	3	3	1	1	1	2	Iowa.
Kansas.....	13	13	27	3	3	5	9	12	12	10	8	4	30	Kansas.
Kentucky.....	1	2	1	22	33	41	66	66	82	66	30	1	7	Kentucky.
Louisiana.....	12	13	13	1	1	1	1	1	1	1	1	1	471	Louisiana.
Maryland.....	1	7	Maryland.
Massachusetts.....	2	1	1	1	1	1	1	1	1	1	1	1	4	Massachusetts.
Minnesota.....	1	1	1	1	1	2	3	2	1	1	1	1	2	Minnesota.
Nebraska.....	1	1	Nebraska.
New Jersey.....	1	1	1	1	1	2	1	4	1	1	1	1	2	New Jersey.
New York.....	1	2	3	2	6	14	17	13	16	11	6	6	15	New York.
Ohio.....	115	120	117	122	49	256	150	107	135	129	136	136	136	Ohio.
Oklahoma.....	115	120	117	122	49	256	150	107	135	129	136	136	136	Oklahoma.
Oregon.....	148	115	120	117	122	49	256	150	107	135	129	136	136	Oregon.
Puerto Rico.....	1	2	3	9	11	15	32	35	50	84	35	22	299	Puerto Rico.
Rhode Island.....	1	2	3	9	11	15	32	35	50	84	35	22	299	Rhode Island.
South Carolina.....	1	2	3	9	11	15	32	35	50	84	35	22	299	South Carolina.
Vermont.....	1	1	2	5	9	9	7	9	7	4	6	6	65	Vermont.
Virginia.....	3	4	2	5	9	9	7	9	7	4	6	6	65	Virginia.
Wisconsin.....	1	1	Wisconsin.

Malaria—Cases reported, deaths registered, indicated morbidity and mortality rates, and number of cases reported for each death registered, 1919.

State.	Estimated population July 1, 1919.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.	State.	Estimated population July 1, 1919.	Cases per 1,000 inhabitants.	Total cases reported.	Cases per 1,000 inhabitants.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.	
Alabama.....	2,336,521	2,517	1.077	257	0.110	0.211	Montana.....	538,758	9.8	1	0.002	1	0.001	
Arkansas.....	1,741,903	5,015	2,879	367	.211	.008	Nebraska.....	1,260,182	13.7	124	.040	2	.001	62.0
Colorado.....	3,372,541	1,056	313	28	.4	.004	New Jersey.....	3,123,335	37.7	50	.005	15	.001	3.3
Connecticut.....	932,148	8	... ¹	... ¹	.006	.001	Ohio.....	10,318,709	8.0	5,708,265	.009	10	.002	5.3
Delaware.....	221,938	221	1.893	440	.014	.461	Oklahoma.....	2,088,487	4.3	91	.045	2	.003	...
Florida.....	935,291	1,894	1.984	384	.133	.133	Oregon.....	777,692	8.7	1	.001	1	.001	...
Georgia.....	2,879,976	3,345	1,161	102	.016	.016	Pennsylvania.....	8,665,822	9	1,367	.023	1	.002	...
Illinois.....	6,441,501	2,918,716	441	27	.009	.009	Rhode Island.....	601,215
Indiana.....	2,918,716	South Carolina.....	1,674,906	...	737	...	440
Iowa.....	2,364,418	Vermont.....	352,663	1	...	2.5
Kansas.....	1,765,224	Virginia.....	2,393,756	...	4,440	...	1,636
Louisiana.....	2,460,518	Wisconsin.....	2,616,492	1	...	68.3
Maine.....	1,790,515	2,411	1.347	471	.263	.263
Maryland.....	706,693	1	.001
Massachusetts.....	1,441,665	135	.094	7	.005	.005
Minnesota.....	3,827,329	72	.019	4	.001	.001
Mississippi.....	2,370,371	5	.002	2	.001	.001
Missouri.....	1,789,752	112,654	.02,887	155	.046	.046

¹ See discussion, p. 337.

February 25, 1921.

Measles—Monthly averages of cases reported during the years for which data are available, 1914-1918.

State.	Years included.	January	February	March	April	May	June	July	August	September	October	November	December	Average per year.
Alabama.....	1915-1918.....	4	783	1,351	1,830	1,261	627	192	74	63	77	67	120	296
Arizona.....	1918.....	1	5	38	73	6	8	8	2	2	1	0	0	6,741
Arkansas.....	1917-1918.....	2	1,066	1,715	1,378	835	418	108	33	5	55	40	270	162
California.....	1914-1918.....	1	2,372	2,331	2,606	2,390	2,136	1,166	464	263	300	423	330	6,590
Colorado.....	1914-1918.....	4	411	858	1,265	1,147	923	72	35	35	32	117	117	14
Connecticut.....	1914-1918.....	5	634	688	883	900	1,110	807	388	89	47	129	219	5,259
District Columbia.....	1914-1918.....	5	133	365	672	599	548	539	163	35	14	219	332	6,836
Florida.....	1918.....	1	368	599	297	172	151	76	62	111	69	33	64	163
Hawaii.....	1914-1917-1918.....	4	93	73	49	62	55	12	9	14	101	101	101	2,187
Illinois.....	1914-1917-1918.....	3	2,700	2,941	4,740	4,735	4,480	2,089	724	183	111	113	206	23,461
Indiana.....	1914-1918.....	5	1,349	2,088	2,969	3,425	2,715	1,612	346	79	45	131	346	15,686
Iowa.....	1918.....	1	419	248	2,560	1,118	63	30	15	5	6	2	4	1,198
Kansas.....	1914-1918.....	5	765	1,454	2,528	2,916	2,314	826	173	49	33	82	182	205
Louisiana.....	1914-1918.....	5	1,636	1,820	1,774	1,888	1,144	79	62	53	27	117	117	3,798
Maine.....	1916-1918-1919.....	3	282	183	199	123	104	157	172	40	33	36	241	347
Maryland.....	1915-1918-1919.....	4	724	913	1,713	2,111	1,536	480	151	96	110	110	117	1,937
Massachusetts.....	1916-1918.....	3	2,234	2,634	3,423	4,183	5,002	3,894	1,933	487	228	387	712	541
Michigan.....	1914-1918-1919.....	5	664	829	1,386	1,533	1,604	1,004	329	166	225	257	257	8,495
Minnesota.....	1914-1918-1919.....	5	347	604	1,022	1,635	1,071	735	240	49	22	47	109	155
Mississippi.....	1914-1918-1919.....	5	3,929	4,285	4,466	5,677	1,888	837	357	178	184	311	1,269	5,436
Montana.....	1914-1916-1918.....	4	466	505	5175	4,491	4,475	214	52	22	15	43	27	2,815
Nebraska.....	1918.....	1	296	255	214	460	165	43	20	11	69	16	17	2,824
Nevada.....	1918.....	1	129	145	345	583	214	43	43	1	0	8	8	1,584
New Jersey.....	1918-1919.....	1	2,457	3,925	5,422	6,545	5,660	2,796	1,121	279	103	84	47	28,437
New York.....	1914-1918-1919.....	5	4,903	5,923	9,050	9,842	11,899	4,939	1,153	1,150	493	797	277	2,917
North Carolina.....	1918-1919.....	1	1,419	1,700	1,837	1,269	945	364	111	77	100	127	34	8,495
North Dakota.....	1917-1918.....	2	80	113	269	130	130	59	27	3	11	9	5	8,069
Ohio.....	1914-1918-1919.....	5	2,116	3,302	4,865	5,529	4,634	2,633	981	229	137	290	589	10,101
Oklahoma.....	1915-1917-1919.....	2	322	4,161	2,007	1,665	4,487	114	29	5	6	8	35	2,917
Oregon.....	1914-1916-1918.....	5	326	565	726	550	336	149	47	32	42	48	108	6,101
Pennsylvania.....	1916-1918-1919.....	3	5,832	7,344	11,620	12,008	10,136	6,231	2,611	784	414	933	1,036	6,892
Porto Rico.....	1917-1918-1919.....	2	211	419	436	449	3,982	1,899	535	232	175	273	431	4,374
Rhode Island.....	1914-1916-1918.....	4	105	91	215	475	419	274	132	15	6	16	50	31
South Carolina.....	1914-1917-1918.....	3	489	672	527	356	1,330	37	26	2	9	27	149	1,829
South Dakota.....	1917-1918.....	3	103	126	121	201	161	97	33	18	7	17	45	2,805
Texas.....	1917-1918-1919-1918.....	2	1,042	1,219	1,112	3,739	1,47	69	8	4	15	33	46	4,531
Utah.....	1916-1917-1918-1919-1918.....	4	1,322	1,125	1,887	786	648	224	82	37	32	43	80	5,625
Vermont.....	1914-1916-1918-1919-1918.....	5	222	301	594	429	517	326	221	69	53	57	79	2,971
Virginia.....	1916-1918-1919-1918.....	4	1,892	2,685	3,269	3,222	3,077	1,316	203	120	177	423	794	18,448
Washington.....	1914-1918-1919-1918.....	5	1,119	1,350	2,499	1,387	1,287	1,281	858	310	112	66	245	9,012
West Virginia.....	1917-1918-1919-1918.....	2	636	604	403	489	257	123	55	25	7	16	29	2,680
Wisconsin.....	1914-1918-1919-1918.....	5	954	1,316	1,905	1,666	1,870	1,027	463	305	66	222	274	10,355
Wyoming.....	1914-1918-1919-1918.....	5	55	95	164	88	141	53	18	4	5	20	78	2,727

Cases of measles reported, 1919.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.	
Alabama.....	148	179	312	225	112	46	24	6	13	10	15	16	1,106	Alabama.	
Arkansas.....	49	128	123	69	94	8	27	5	9	11	6	21	615	Arkansas.	
California.....	79	71	96	94	85	92	71	69	572	572	828	1,743	3,609	California.	
Colorado.....	10	2	2	16	16	4	9	6	5	5	5	144	146	Colorado.	
Connecticut.....	362	671	869	878	157	58	84	327	473	683	107	111	5,864	Connecticut.	
District of Columbia.....	11	6	18	17	27	14	9	3	3	5	4	11	187	District of Columbia.	
Florida.....	237	169	142	106	68	16	10	6	6	5	14	11	775	Florida.	
Georgia.....	82	210	274	177	197	90	37	20	10	30	52	77	250	Georgia.	
Hawaii.....	23	21	14	8	14	13	20	3	5	8	3	3	135	Hawaii.	
Indiana.....	328	692	1,088	4,717	5,204	3,142	820	181	110	291	542	969	18,844	Indiana.	
Iowa.....	230	381	713	782	1,238	584	234	31	30	47	126	659	5,055	Iowa.	
Kansas.....	4	4	29	29	2	2	2	2	2	16	29	60	144	Kansas.	
Louisiana.....	59	110	227	180	92	73	48	6	6	17	26	45	100	Louisiana.	
Maine.....	44	32	53	54	58	33	13	11	13	34	29	30	418	Maine.	
Maryland.....	3	18	4	1	2	2	2	2	4	1	5	6	55	Maryland.	
Massachusetts.....	246	353	328	779	546	531	204	37	24	54	74	351	3,709	Massachusetts.	
Michigan.....	409	452	778	1,045	1,308	880	468	131	179	562	1,050	2,603	9,984	Michigan.	
Minnesota.....	96	197	403	447	839	806	291	104	99	725	873	2,216	7,006	Minnesota.	
Mississippi.....	40	122	320	636	1,010	961	332	52	46	225	247	478	4,409	Mississippi.	
Montana.....	390	432	525	582	308	241	138	413	37	40	30	41	3,215	Montana.	
Nebraska.....	17	80	140	170	91	45	45	54	6	12	7	25	807	Nebraska.	
New Jersey.....	39	36	122	38	232	81	43	4	2	9	4	15	655	New Jersey.	
New Mexico.....	151	173	382	480	763	347	90	65	65	227	344	1,040	4,774	New Mexico.	
New York.....	706	939	1,447	2,065	3,077	2,269	1,240	432	220	653	1,584	5,256	19,882	New York.	
North Carolina.....	228	1,316	1,316	1,080	1,313	1,212	115	149	85	85	81	152	3,708	North Carolina.	
North Dakota.....	2	1	18	81	56	67	25	25	5	22	84	562	562	North Dakota.	
Ohio.....	583	734	1,335	1,940	2,638	2,634	1,030	271	168	548	1,543	3,324	16,788	Ohio.	
Oklahoma.....	124	77	108	21	35	33	47	11	12	12	12	19	19	Oklahoma.	
Oregon.....	124	15	56	57	43	25	19	12	26	56	48	407	407	Oregon.	
Pennsylvania.....	1,438	4,270	6,157	7,282	7,730	4,823	1,871	833	718	1,760	2,920	5,908	45,710	Pennsylvania.	
Rhode Island.....	12	5	18	12	6	5	6	1	13	5	5	21	7	133	Rhode Island.
South Dakota.....	62	45	16	40	29	26	31	5	4	6	19	23	218	South Dakota.	
Utah.....	12	7	12	31	31	37	22	2	1	54	41	82	1	369	Utah.
Vermont.....	68	19	29	26	11	20	7	4	4	7	10	6	137	Vermont.	
Virginia.....	316	115	329	311	213	93	39	13	34	72	130	311	1,728	Virginia.	
Washington.....	57	144	247	279	802	438	124	52	65	50	91	67	4,823	Washington.	
West Virginia.....	50	68	277	482	417	297	132	20	7	15	152	198	1,894	West Virginia.	
Wisconsin.....	168	574	712	449	632	434	137	45	60	175	394	492	4,382	Wisconsin.	
Wyoming.....	15	61	48	68	68	35	35	4	2	50	63	177	646	Wyoming.	

Deaths registered as due to measles, 1919.

State.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	State.
Alabama.....	9	7	19	7	4	3	2	2	2	7	1	2	54	Alabama.
Arkansas.....	6	7	4	5	9	3	2	2	2	2	2	6	51	Arkansas.
California.....	1	1	1	1	1	2	1	1	1	2	2	8	14	California.
Colorado.....	4	10	16	11	7	7	3	2	3	3	8	9	69	Colorado.
Connecticut.....	9	11	10	16	11	1	1	1	1	1	1	1	1	Connecticut.
District Columbia.....	10	13	8	3	5	3	1	1	1	1	1	1	1	District Columbia.
Florida.....	10	10	6	7	6	7	1	1	1	1	1	1	43	Florida.
Georgia.....	12	27	28	51	60	42	23	11	3	5	5	8	22	Georgia.
Hawaii.....	15	8	14	11	5	5	1	1	1	1	1	1	1	Hawaii.
Illinois.....	1	1	8	2	2	2	2	2	2	2	2	3	5	Illinois.
Indiana.....	1	1	4	3	2	1	1	1	1	1	1	1	1	Indiana.
Iowa.....	19	32	66	38	16	11	5	2	1	1	1	1	12	Iowa.
Kansas.....	3	6	6	3	3	6	2	3	1	1	1	1	8	Kansas.
Louisiana.....	1	1	1	1	1	1	1	1	1	1	1	1	4	Louisiana.
Maine.....	4	3	7	11	4	2	6	1	1	1	1	1	5	Maine.
Maryland.....	10	6	21	19	21	24	31	7	6	3	8	14	44	Maryland.
Massachusetts.....	8	8	9	12	15	20	15	14	5	7	7	10	183	Massachusetts.
Michigan.....	3	2	16	17	27	9	8	4	1	1	3	11	170	Michigan.
Montana.....	1	1	3	4	1	1	1	1	1	1	1	1	10	Montana.
Nebraska.....	3	4	9	13	8	3	1	1	1	1	1	1	3	Nebraska.
New Jersey.....	18	17	26	48	63	32	22	11	7	9	1	1	10	New Jersey.
New Mexico.....	12	1	10	22	26	1	1	1	1	1	1	1	1	New Mexico.
New York.....	12	10	16	22	32	23	19	6	1	1	1	1	13	New York.
North Dakota.....	9	3	5	8	7	2	1	1	1	1	1	1	10	North Dakota.
Oklahoma.....	1	2	3	1	1	1	6	2	1	1	1	1	3	Oklahoma.
Oregon.....	1	2	3	2	2	3	1	1	1	1	1	1	3	Oregon.
Puerto Rico.....	2	2	1	1	1	1	1	1	1	1	1	1	2	Puerto Rico.
Rhode Island.....	1	1	2	1	1	1	1	1	1	1	1	1	2	Rhode Island.
South Carolina.....	1	1	1	1	1	1	1	1	1	1	1	1	8	South Carolina.
Utah.....	1	1	2	7	2	1	1	1	1	1	1	1	2	Utah.
Vermont.....	1	1	2	16	16	5	2	1	1	1	1	1	2	Vermont.
Virginia.....	3	6	22	3	3	4	1	1	1	1	1	1	73	Virginia.
Washington.....	2	9	11	8	6	6	2	2	1	1	1	4	20	Washington.
Wisconsin.....	3	9	11	8	6	6	2	2	1	1	1	5	54	Wisconsin.
Wyoming.....	1	Wyoming.

Measles—Average number of cases reported per annum and average indicated morbidity rates, 1914-1918; cases reported, deaths registered, and indicated mortality, morbidity, and fatality rates, 1919.

State.	Estimated population July 1, 1919.	Average.			1919			State.		
		Years included.	Number of years.	Cases reported per annum.	Cases per 1,000 inhabitants.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.
Alabama.....	2,335,521	1915-1918.	4	6,741	2.87	1,106	0.47	54	0.023	4.9
Arizona.....	326,633	1918.	1	1,162	.60	615	.35	55	.015	8.3
Arkansas.....	1,711,903	1917-1918.	2	6,276	3.70	3,969	1.18	51	.029	8.4
California.....	3,372,511	1914-1918.	5	14,276	4.86	3,969	1.16	14	.004	2.1
Colorado.....	932,118	1916-1918.	4	5,259	5.43	1,146	1.16	13	.003	1.7
Connecticut.....	1,366,894	1914-1918.	5	6,356	5.00	5,884	4.30	99	.072	5.5
Delaware.....	221,938									5.5
District of Columbia.....	452,080	1914-1918.	5	3,267	8.98	187	.43	1	.002	2.7
Florida.....	935,291	1918.	1	2,187	2.33	775	.81	43	.012	7.7
Georgia.....	2,870,976									7.7
Hawaii.....	232,616	1914-1917.	4	763	3.57	1,35	.53	1	.004	1.6
Illinois.....	6,441,501	1914-1917-1918.	3	23,461	3.80	18,844	2.83	298	.046	1.4
Indiana.....	2,918,716	1914-1918.	5	15,886	3.57	5,055	1.73	70	.024	1.1
Iowa.....	2,394,418	1918.	1	1,198	.54	144	.06	24	.010	16.7
Kansas.....	1,765,224	1914-1918.	5	6,623	6.35	998	.57	12	.007	1.2
Kentucky.....	2,469,518									1.2
Louisiana.....	1,790,515	1914-1918.	5	3,798	2.08	418	.23	204	.085	5.5
Maine.....	706,663	1916-1918.	3	1,917	2.49	55	.07	30	.017	7.2
Maryland.....	1,441,665	1917-1918.	4	10,790	7.7	3,709	2.57	44	.005	7.3
Massachusetts.....	3,827,329	1916-1918.	3	20,184	6.93	9,984	2.61	183	.030	1.2
Michigan.....	3,625,082	1914-1918.	5	8,465	2.75	7,066	1.96	170	.017	2.4
Minnesota.....	2,370,371	1914-1918.	5	5,436	4.38	4,669	1.89	101	.013	2.3
Mississippi.....	1,789,782	1914-1918.	5	22,815	11.69	3,215	1.80			
Missouri.....	3,397,871									
Montana.....	538,758	1914-1916-1918.	4	2,824	6.10	807	1.50	10	.019	1.2
Nebraska.....	1,290,182	1918.	1	1,584	1.22	655	.51	3	.002	5.5
New Jersey.....	3,123,535	1918.	1	28,437	9.23	1,53	1.53	18	.018	1.2
New York.....	10,318,700	1914-1918.	5	62,562	6.69	19,882	1.93	355	.034	1.8
North Carolina.....	2,385,450	1918.	1	8,069	3.27	5,768	2.27			North Carolina.
North Dakota.....	612,193	1917-1918.	2	8,715	1.12	5,522	.86	10	.016	1.8
Ohio.....	5,708,265	1914-1918.	5	26,316	5.11	16,788	2.94	197	.035	1.2
Oklahoma.....	2,008,487	1915-1917.	2	6,101	2.77	2,777	3.49	37	.018	1.2
Oregon.....	777,692	1914-1918.	5	2,917	3.49	407	.52	3	.004	7.7
Pennsylvania.....	8,665,822	1916-1918.	3	60,862	7.63	45,710	5.27	20	.004	Pennsylvania.
Porto Rico.....	4,374		2	3,53	133					Porto Rico.
Rhode Island.....	601,315	1914, 1916-1918.	4	1,829	2.96	218	.50	16	.027	Rhode Island.

February 25, 1921.

Cases of pneumonia (all forms) reported, 1919.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	911	448	282	174	163	66	63	63	33	26	34	27	2,270	Alabama.
California.....	700	87	116	166	171	76	54	56	114	137	143	207	1,987	Connecticut.
Connecticut.....	258	84	52	27	19	7	6	5	4	9	28	46	545	Delaware.
Delaware.....	3	3	5	6	12	Florida.
Florida.....	80	32	14	102	58	33	23	16	29	38	39	64	519	Georgia.
Georgia.....	184	293	160	145	122	40	23	21	27	29	66	108	1,218	Illinois.
Illinois.....	1,838	1,399	1,445	880	562	355	216	165	208	376	508	1,043	8,995	Indiana.
Indiana.....	661	474	510	256	87	73	39	57	69	111	122	212	2,261	Louisiana.
Louisiana.....	251	96	131	112	111	62	53	35	44	96	64	173	1,187	Maine.
Maine.....	33	4	7	1	2	1	1	9	9	67	Maryland.
Maryland.....	840	566	487	326	244	110	78	74	110	182	426	3,643	Massachusetts.	
Massachusetts.....	1,096	663	588	463	352	144	109	72	142	240	441	4,585	Michigan.	
Michigan.....	463	268	401	185	135	30	22	30	20	68	71	272	1,965	Minnesota.
Minnesota.....	164	142	212	189	111	58	34	48	45	98	130	203	1,425	Mississippi.
Mississippi.....	4,096	2,810	1,630	1,128	690	315	205	321	403	463	948	1,670	16,201	New Jersey.
New Jersey.....	1,883	1,359	1,088	669	351	170	124	84	135	224	314	606	7,017	New Mexico.
New Mexico.....	19	4	North Carolina.
New York.....	4,764	3,134	2,592	1,577	780	269	119	101	144	425	1,832	16,483	Ohio.	
North Carolina.....	416	385	272	192	95	30	22	19	20	53	68	216	1,788	Pennsylvania.
Ohio.....	1,273	1,082	1,142	644	230	77	40	63	72	111	233	324	5,231	South Carolina.
Oklahoma.....	620	424	333	91	46	20	15	7	108	19	53	34	South Dakota.
Pennsylvania.....	4	7	24	31	369	Utah.
South Carolina.....	179	29	20	11	20	7	16	12	12	30	39	14	874	Vermont.
South Dakota.....	179	140	170	74	18	8	4	3	8	12	61	95	816	Washington.
Utah.....	219	70	148	83	30	22	13	17	19	39	17	32	177
Vermont.....	67	9	16	3	4	1	1	1	5	5	19	30	49	1,040
Washington ²	429	113	169	63	132	17	16	16	16	49	64	49

¹ Includes lobar pneumonia cases only.
² City of Seattle not included.

Deaths registered as due to pneumonia (all forms), 1919.

State,	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.	
Alabama.....	893	521	272	248	154	78	68	60	83	59	121	194	2,721	Alabama.	
Arizona.....	176	112	81	60	63	35	25	36	18	27	29	41	411	Arizona.	
Arkansas.....	686	258	291	272	185	140	113	33	36	29	44	87	197	Arkansas.	
California.....	362	283	363	174	176	41	41	130	103	103	234	372	2,973	California.	
Connecticut.....	234	226	289	175	188	56	36	41	46	77	84	114	114	Connecticut.	
Delaware.....	115	59	41	31	20	11	13	3	6	71	105	192	1,631	Delaware.	
District Columbia.....	125	96	112	40	28	23	24	20	24	28	31	31	31	District of Columbia.	
Florida.....	173	84	67	55	38	30	21	19	34	37	65	86	863	Florida.	
Georgia.....	110	147	119	115	124	119	59	70	84	93	167	277	1,484	Georgia.	
Illinois.....	1,101	936	1,137	602	433	276	181	146	169	266	432	744	6,303	Illinois.	
Indiana.....	1,534	472	832	423	210	73	56	48	68	121	174	320	3,340	Indiana.	
Iowa.....	399	231	367	228	134	66	41	54	67	133	150	217	2,077	Iowa.	
Kansas.....	339	344	636	239	90	28	22	29	28	55	99	190	2,230	Kansas.	
Kentucky.....	596	481	504	237	142	91	59	54	78	63	178	282	2,685	Kentucky.	
Louisiana.....	539	259	187	146	105	67	73	64	64	63	99	165	1,831	Louisiana.	
Maine.....	350	132	160	135	110	51	34	18	40	34	62	62	116	1,237	Maine.
Maryland.....	610	409	271	175	153	48	56	54	70	80	192	192	2,226	Maryland.	
Massachusetts.....	643	355	354	287	181	89	43	51	62	105	126	207	2,533	Massachusetts.	
Michigan.....	745	556	651	418	320	121	90	83	102	172	228	383	3,809	Michigan.	
Minnesota.....	164	192	212	190	111	58	34	43	43	96	116	204	1,416	Minnesota.	
Montana.....	88	61	110	92	38	16	7	14	14	39	42	37	567	Montana.	
Nebraska.....	332	221	403	258	126	72	38	23	36	59	63	73	1,704	Nebraska.	
New Jersey.....	970	769	767	514	257	132	132	96	135	184	241	375	4,545	New Jersey.	
New Mexico.....	3,784	2,632	2,828	1,932	1,136	368	489	419	436	616	708	1,163	17,081	New Mexico.	
North Dakota.....	313	180	171	177	44	53	30	46	30	30	43	36	1,634	North Dakota.	
Ohio.....	1,157	1,060	1,472	976	468	187	136	152	174	235	394	631	7,042	Ohio.	
Oklahoma.....	364	168	176	120	55	26	16	31	25	56	61	139	1,246	Oklahoma.	
Oregon.....	58	50	63	53	51	27	16	12	24	41	37	56	480	Oregon.	
Rhode Island.....	184	121	143	96	63	27	14	27	40	40	47	81	865	Rhode Island.	
South Carolina.....	1,140	585	266	196	144	66	47	57	41	59	112	201	2,833	South Carolina.	
Utah.....	65	565	48	30	38	17	9	14	7	32	45	45	13	Utah.	
Vermont.....	48	53	53	42	27	16	12	6	11	24	26	40	363	Vermont.	
Virginia.....	265	234	186	62	67	60	52	60	70	72	121	239	1,670	Virginia.	
Washington.....	146	97	106	98	76	56	46	51	38	101	138	1,025	Washington.		
Wisconsin.....	402	267	407	235	158	87	71	90	169	200	248	2,864	Wisconsin.		
Wyoming.....	80	26	58	49	12	12	1	9	7	10	11	13	288	Wyoming.	

¹ Includes lobar pneumonia deaths only.

Pneumonia (all forms)—Cases reported, deaths registered, indicated morbidity and mortality rates, and number of cases reported for each death registered, 1919.

State.	Estimated population, July, 1919.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	State.	Cases reported for each death registered.	Estimated population, July, 1919.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.	
Alabama.....	2,326,521	2,270	..	2,721	1.16	Minnesota.....	1,425	2,370,371	1,416	0.60	1,416	0.60	1.0	
Arizona.....	326,633	1,010	3.09	Mississippi.....	1,786,782	15,261	8.53	
Arkansas.....	1,741,903	962	.55	Missouri.....	3,367,871	4,271	..	1,26	..	
California.....	3,372,511	1,967	..	2,973	.88	Montana.....	538,758	567	..	1.05	..	
Colorado.....	932,148	1,738	1.86	Nebraska.....	1,200,182	1.32	..	
Connecticut.....	1,366,894	545	..	1,631	1.19	New Jersey.....	3,123,533	
Delaware.....	221,938	537	1.61	New York.....	10,318,709	16,483	2.25	4,545	..	1.46	1.5	
District of Columbia.....	432,080	635	1.47	North Carolina.....	2,588,450	1,788	.70	17,081	..	1.66	..	
Florida.....	955,291	519	..	718	.75	North Dakota.....	62,193	
Georgia.....	2,879,976	2,128	..	1,484	.52	Ohio.....	5,705,265	5,251	
Illinois.....	6,441,501	8,935	1.40	6,503	1.01	1.4	Oklahoma.....	2,098,487
Indiana.....	2,918,716	2,261	..	3,340	1.14	Oregon.....	777,692	496	..	.62	..	
Iowa.....	2,394,418	6,077	.87	Rhode Island.....	601,21503	..	
Kansas.....	1,705,224	1,081	..	2,209	1.30	South Carolina.....	1,674,996	1.44	..	
Kentucky.....	2,409,518	2,685	1.11	South Dakota.....	633,163	874	1.38	2,963	..	1.75	..	
Maine.....	1,790,515	1,167	..	1,831	1.02	Utah.....	445,527	816	1.83	
Maryland.....	766,685	1,257	1.64	Vermont.....	32,663	390	..	.88	2.1	
Massachusetts.....	1,441,665	3,643	2.63	2,226	1.54	Virginia.....	2,295,756	
Michigan.....	3,623,082	1,905	1.20	1,251	.65	Washington.....	1,352,278	1,670	..	.73	..	
..	3,869	1.07	Wisconsin.....	2,616,492	191,307	
..	Wyoming.....	

¹ Includes lobar pneumonia only.

Poliomyelitis (infantile paralysis)—Monthly averages¹ of cases reported during the years for which data are available, 1918-1915, 1917, 1918.

State.	Years included.	Number of years.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Average per year.	State.
Alabama.....	1913, 1915, 1917, 1918.	4	1	1	2	2	2	2	3	2	2	1	2	1	21	Alabama.
Arizona.....	1914.....	1	0	0	0	0	0	0	0	0	1	1	0	0	1	Arizona.
Arkansas.....	1917, 1918.....	2	1	(2)	2	2	0	0	1	2	1	1	0	0	0	Arkansas.
California.....	1913-1915, 1917, 1918.	5	7	2	3	4	3	0	5	1	2	1	6	9	7	California.
Colorado.....	1917, 1918.....	2	2	(2)	1	0	0	0	0	0	0	0	1	1	70	Colorado.
Connecticut.....	1913-1915, 1917, 1918.	5	1	(2)	1	1	1	1	2	1	2	1	2	1	31	Connecticut.
District Columbia.....	1913-1915, 1917, 1918.	5	(2)	1	0	0	0	0	0	0	0	0	1	1	5	District Columbia.

In computing the average number of cases reported during previous years, the year 1916 was not included, as during that year an epidemic of poliomyelitis occurred in many

AETIOLOGY OF ESSA ITHAN 1

Average less than 1.
1916 included, as the

卷之三

Cases of poliomyleitis (*infantile paralysis*) reported, 1919.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.	
Alabama...	2	1	1	2	1	1	12	8	6	4	2	2	35	Alabama.	
Arkansas...	1	1	1	1	1	1	5	2	1	3	1	1	12	Arkansas.	
Connecticut...	2	1	1	1	1	1	4	3	1	2	1	1	13	Connecticut.	
District Columbia...	1	1	1	1	1	1	1	1	1	1	1	1	11	District Columbia.	
Florida...	1	1	2	3	1	1	1	1	1	1	1	1	6	Florida.	
Georgia...	1	1	8	4	13	12	48	75	36	17	16	11	23	Georgia.	
Illinois...	10	4	8	4	1	1	1	1	1	6	13	2	273	Illinois.	
Indiana...	2	2	1	1	1	1	4	4	3	5	5	1	32	Indiana.	
Iowa...	1	1	1	1	1	1	4	3	6	4	2	3	13	Iowa.	
Louisiana...	2	1	1	1	1	1	4	3	4	6	4	3	31	Louisiana.	
Maine...	1	1	1	1	1	1	3	1	3	1	1	1	4	Maine.	
Maryland...	1	1	2	2	2	2	2	2	2	2	2	1	111	Maryland.	
Massachusetts...	4	2	3	2	2	2	2	2	2	2	2	2	96	Massachusetts.	
Michigan...	1	1	1	1	1	1	1	1	1	1	1	1	105	Michigan.	
Minnesota...	2	1	1	1	1	1	2	2	2	2	2	2	85	Minnesota.	
Mississippi...	17	7	1	1	1	1	1	1	10	10	9	8	9	Mississippi.	
Montana...	1	1	1	1	1	1	1	1	1	1	1	1	9	Montana.	
Nebraska...	1	1	2	2	2	2	2	2	2	2	2	2	34	Nebraska.	
New Jersey...	3	1	2	2	2	2	2	2	2	2	2	2	44	New Jersey.	
New Mexico...	2	1	1	1	1	1	1	1	1	1	1	1	116	New Mexico.	
New York...	4	3	3	3	3	3	3	3	3	3	3	3	116	New York.	
North Carolina...	2	2	3	3	3	3	3	3	3	3	3	3	43	North Carolina.	
Ohio...	4	8	5	7	2	3	3	3	6	11	8	30	11	98	Ohio.
Oregon...	1	1	4	1	1	1	10	8	17	20	14	11	8	Oregon.	
Pennsylvania...	1	1	1	1	1	1	1	1	1	1	1	1	103	Pennsylvania.	
Rhode Island...	1	1	1	1	1	1	1	1	1	1	1	1	2	Rhode Island.	
South Carolina...	1	1	1	1	1	1	1	1	1	1	1	1	2	South Carolina.	
South Dakota...	1	1	1	1	1	1	1	1	1	1	1	1	14	South Dakota.	
Tah...	1	1	1	1	1	1	1	1	1	1	1	1	7	Tah.	
Vermont...	1	1	1	1	1	1	1	1	1	1	1	1	15	Vermont.	
Virginia...	1	1	3	6	10	2	20	18	21	21	22	10	7	Virginia.	
Washington...	2	1	4	1	1	1	1	1	1	1	1	1	16	Washington.	
West Virginia...	1	1	1	1	1	1	1	1	1	1	1	1	4	West Virginia.	
Wisconsin...	3	2	1	3	9	2	2	2	80	71	9	10	261	Wisconsin.	
Wyoming...	2	1	1	1	1	1	1	1	1	1	1	1	2	Wyoming.	

Deaths registered as due to poliomyelitis (infantile paralysis), 1919.

State.	Jun.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.		
Alabama.....	3	1	1	2	1	2	1	1	5	1	3	1	2	22	Alabama,	
Arkansas.....	1	1	1	1	1	1	1	1	1	1	1	1	1	11	Arkansas,	
California.....	5	3	2	6	2	2	2	1	1	4	9	5	2	46	California,	
Colorado.....	1	1	1	1	1	1	1	1	1	2	1	1	2	10	Colorado,	
Connecticut.....	1	1	1	1	1	1	1	1	1	1	1	1	1	10	Connecticut.	
Delaware.....	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	Delaware.
Florida.....	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	Florida.
Georgia.....	10	3	11	5	14	11	3	8	21	15	16	4	10	10	Georgia,	
Illinois.....	41	5	5	5	5	5	5	5	5	5	5	5	5	125	Illinois,	
Iowa.....	1	1	1	1	1	1	1	1	1	1	1	1	1	14	Iowa.	
Indiana.....	2	2	1	2	1	1	2	1	3	4	3	2	1	26	Indiana.	
Kansas.....	1	1	1	1	1	1	1	1	3	3	3	2	1	13	Kansas.	
Kentucky.....	1	1	1	1	1	1	1	2	2	2	2	2	1	7	Kentucky.	
Louisiana.....	1	1	1	1	1	1	1	1	1	1	1	1	1	5	Louisiana.	
Maine.....	1	1	1	1	1	1	1	1	1	1	1	1	1	2	Maine.	
Maryland.....	1	1	1	1	1	1	1	1	1	1	1	1	1	7	Maryland.	
Massachusetts.....	3	1	1	2	1	2	1	2	10	10	5	5	3	34	Massachusetts.	
Minnesota.....	1	1	1	1	1	1	1	1	2	2	2	2	2	12	Minnesota.	
Montana.....	1	1	1	1	1	1	1	1	1	1	1	1	1	7	Montana.	
Nebraska.....	1	1	1	1	1	1	1	1	1	1	1	1	1	3	Nebraska.	
New Jersey.....	2	1	1	1	1	1	1	1	1	1	1	1	1	12	New Jersey.	
New York.....	2	3	1	1	3	4	1	1	6	6	3	3	2	31	New York.	
North Dakota.....	2	2	4	1	3	1	1	1	3	3	2	2	1	7	North Dakota.	
Ohio.....	1	1	1	1	1	1	1	1	3	7	7	7	1	16	Ohio.	
Oklahoma.....	1	1	1	1	2	1	1	2	4	4	3	1	2	17	Oklahoma.	
Rhode Island.....	1	1	1	1	1	1	1	1	1	1	1	1	1	4	Rhode Island.	
South Carolina.....	2	1	1	1	1	1	1	1	1	1	1	1	1	5	South Carolina.	
Utah.....	1	1	1	1	1	1	1	1	1	1	1	1	1	3	Utah.	
Virginia.....	1	1	1	1	1	1	1	1	1	1	1	1	1	5	Virginia.	
Washington.....	1	1	1	1	1	1	1	1	1	1	1	1	1	7	Washington.	
Wisconsin.....	2	1	1	1	2	1	1	1	12	14	10	3	2	46	Wisconsin.	
Wyoming.....	1	1	1	1	1	1	1	1	1	1	1	1	1	4	Wyoming.	

Poliomyelitis (infantile paralysis)—Average number of cases reported per annum and average indicated morbidity rates, 1915-1916,¹ 1917, 1918; cases reported, deaths registered, and indicated mortality, morbidity, and fatality rates, 1919.

State.	Estimated population July 1, 1919.	Average.				1919				State.
		Years included.	Number of years.	Cases reported per annum.	Cases per 1,000 inhabitants.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	
Alabama...	2,326,521	1913, 1915, 1917, 1918	4	21	.009	35	0.015	22	0.000	Alabama.
Arkansas...	1,741,903	1917, 1918	2	7	.004	12	.007	11	.006	Arkansas.
California...	3,372,511	1913-1915, 1917, 1918	5	70	.024	27	.008	9	.003	California.
Colorado...	932,148	1917, 1918	2	7	.007	46	.019	Colorado.
Connecticut...	1,266,804	1915-1917, 1918	5	31	.023	12	.009	10	.007	Connecticut.
Delaware...	221,338	1913-1915, 1917, 1918	3	3	.014	11	.025	2	.000	Delaware.
Florida...	432,086	1913-1915, 1917, 1918	1	6	.006	6	7	.007	Florida.
Georgia...	955,291	1913	1	23	23	10	Georgia.
Illinois...	2,870,976	1913, 1914, 1918	3	190	.031	273	.042	123	.019	Illinois.
Indiana...	6,441,501	1913-1915, 1917, 1918	5	65	.023	32	.011	26	Indiana.
Iowa...	2,918,716	1913-1915, 1917, 1918	5	100	.045	13	14	.006	Iowa.
Kansas...	2,384,418	1913, 1914, 1917, 1918	4	100	15	.008	Kansas.
Kentucky...	1,765,224	1913-1915, 1917, 1918	5	53	.029	61	.035	12	.005	Kentucky.
Louisiana...	2,408,518	1913-1915, 1917, 1918	4	16	.006	31	.017	9	.003	Louisiana.
Maine...	1,760,515	1913-1915, 1917, 1918	4	8	4	2	Maine.
Maryland...	706,683	1913-1915, 1917, 1918	3	81	.050	111	.055	34	.024	Maryland.
Massachusetts...	1,441,665	1913-1915, 1917, 1918	4	212	.057	66	.017	17	.004	Massachusetts.
Michigan...	3,623,329	1913-1915, 1917, 1918	5	70	.023	105	.029	Michigan.
Minnesota...	2,370,682	1913-1915, 1917, 1918	5	75	.033	85	.036	16	.007	Minnesota.
Mississippi...	2,758,371	1913-1915, 1917, 1918	5	78	.040	76	.042	Mississippi.
Missouri...	1,369,782	1913-1915, 1917, 1918	4	60	14	.004	Missouri.
Montana...	3,397,871	1913, 1914, 1917, 1918	4	14	.011	9	2	Montana.
Nebraska...	1,260,182	1913-1915, 1917, 1918	1	10	.008	24	.026	3	.002	Nebraska.
New Jersey...	3,123,535	1913-1915, 1917, 1918	5	35	.019	44	.014	12	.004	New Jersey.
New York...	10,318,700	1913-1915, 1917, 1918	5	298	.029	146	.014	31	.003	New York.
North Carolina...	2,338,450	1918	1	22	43	.017	North Carolina.
North Dakota...	642,163	1917, 1918	2	31	7	.011	North Dakota.
Ohio...	5,708,265	1913, 1915, 1917, 1918	4	250	.050	98	.017	36	.006	Ohio.
Oklahoma...	2,068,457	1913-1915, 1917, 1918	4	20	17	.008	Oklahoma.
Pennsylvania...	7,777,692	1913, 1915, 1917, 1918	4	7	2	0	Pennsylvania.
Rhode Island...	8,065,822	1917, 1918	2	428	.049	106	.012	Rhode Island.
South Carolina...	601,215	1917, 1918	2	10	.016	2	1	.002	South Carolina.
South Dakota...	1,674,906	1914, 1915, 1917, 1918	3	11	.007	2	11	.007	South Dakota.
Utah...	833,163	1913, 1915, 1918	3	22	.031	14	.022	Utah.
	445,527	1918	1	1	.002	1	3	.007	

February 25, 1921.

Vermont.....	352, 603	1914-1918.....	5	117	.322	15	.045	0		Vermont. ²
Virginia.....	2, 283, 756	1913, 1915, 1918.....	3	190	.087	143	.062	.007	17	Virginia.
Washington.....	1, 345, 278	1913, 1915, 1918.....	4	18	.012	16	.012	.005	7	Washington.
West Virginia.....	1, 431, 121	1918.....	1	30	.021	61	.002	.002		West Virginia.
Wisconsin.....	2, 616, 402	1913-1915, 1917, 1918.....	5	80	.066	226	.080	.018		Wisconsin.
Wyoming.....	198, 967	1917, 1918.....	2	2	.001	2	.011	.003		Wyoming.

¹ In computing the average number of cases reported during previous years, the year 1916 was not included, as during that year an epidemic of poliomyelitis occurred in many States.

² 1916 included, as the number of cases for that year was less than 1914 or 1917.

Cases of rabies in animals reported, 1919.

State.	Cases reported.	State.	Cases reported.	State.	Cases reported.	State.	Cases reported.
Arkansas.....	63	Maryland.....		Oregon.....	43	Oregon.	
District of Columbia.....	16	Massachusetts.....		Rhode Island.....	57	Rhode Island.	
Georgia.....	12	Minnesota.....		Wisconsin.....	5	Wisconsin.	
Indiana.....	62	Mississippi.....			74		30

Rabies in man—Deaths registered, 1919.

State.	Deaths registered.	State.	Deaths registered.	State.	Deaths registered.	State.	Deaths registered.
Colorado.....	1	Louisiana.....		Oklahoma.....	2	Oklahoma.	
Delaware.....	1	Maryland.....		South Carolina.....	2	South Carolina.	
Florida.....	2	Massachusetts.....		Utah.....	1	Utah.	
Georgia.....	2	Missouri.....		Virginia.....	1	Virginia.	
Illinois.....	4	New Jersey.....		Washington.....	1	Washington.	
Indiana.....	1	New York.....			9		
Kansas.....	2	Ohio.....					

Cases of Rocky Mountain spotted or tick fever reported, 1919.

Deaths registered as due to Rocky Mountain spotted fever, 1919.

Rocky Mountain spotted or tick fever—Cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1919.

Scarlet fever—Monthly averages of cases reported during the years for which data are available, 1914-1918.

State,	Years included.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Average per year.	State,	
Alabama.....	1915-1918.....	4	55	35	51	36	32	23	28	62	99	97	69	703	Alabama.	
Arizona.....	1914-1916, 1918.....	3	15	6	9	7	5	2	1	1	3	1	2	38	Arizona.	
Arkansas.....	1914-1918.....	2	53	39	38	11	35	4	15	24	18	25	45	321	Arkansas.	
California.....	1914-1918.....	5	466	403	285	316	163	144	132	167	314	321	343	3,447	California.	
Colorado.....	1914-1916-1918.....	4	142	163	141	140	115	81	43	30	39	74	107	1,125	Colorado.	
Connecticut.....	1914-1918.....	5	186	171	183	133	112	57	40	61	106	137	158	1,589	Connecticut.	
District Columbia.....	1914-1918.....	5	93	88	87	78	55	36	16	11	23	30	40	61	District Columbia.	
Florida.....	1918.....	10	35	9	4	3	8	4	7	5	6	16	11	138	Florida.	
Hawaii.....	1914-1917, 1918.....	3	1,227	1,388	1,724	2,011	1,132	615	374	230	357	381	416	50	Hawaii.	
Illinois.....	1914-1918.....	5	588	535	501	436	290	163	100	91	179	234	447	10,360	Illinois.	
Indiana.....	1914-1916-1918.....	4	207	247	278	212	89	43	38	54	94	114	141	4,117	Indiana.	
Iowa.....	1914-1918.....	5	251	271	235	201	225	92	52	48	68	172	218	241	Iowa.	
Kansas.....	1914-1918.....	5	19	12	13	14	12	9	4	11	14	23	30	24	Kansas.	
Louisiana.....	1914-1918.....	5	15	16	16	17	16	18	20	41	41	23	10	11	Louisiana.	
Maine.....	1916-1918.....	4	262	210	217	194	139	96	67	62	76	117	131	150	Maine.	
Maryland.....	1915-1918.....	4	733	635	713	638	377	220	110	208	323	317	320	5,750	Maryland.	
Massachusetts.....	1916-1918.....	3	801	730	775	826	477	369	216	211	352	448	578	5,370	Massachusetts.	
Michigan.....	1914-1918.....	5	492	565	722	635	453	394	132	128	202	243	329	6,059	Michigan.	
Minnesota.....	1914-1918.....	5	51	42	19	41	31	23	25	32	42	43	58	4,328	Minnesota.	
Mississippi.....	1914-1916-1918.....	4	142	122	111	97	91	65	36	42	43	87	98	504	Mississippi.	
Montana.....	1914-1916-1918.....	4	171	217	143	192	160	32	292	26	39	23	25	90	Montana.	
Nebraska.....	1915-1917.....	2	95	111	119	8	4	12	6	5	13	45	31	187	Nebraska.	
Nevada.....	1914-1918.....	5	549	528	603	614	504	394	165	122	221	314	392	4,572	Nevada.	
New Jersey.....	1914-1918.....	5	1,671	1,633	2,027	2,025	1,750	1,117	606	325	676	921	1,443	14,101	New Jersey.	
New York.....	1918.....	1	86	32	22	21	23	32	86	106	125	114	74	71	New York.	
North Dakota.....	1917-1918.....	2	83	118	111	91	58	34	15	14	11	18	16	40	North Dakota.	
Ohio.....	1914-1918.....	5	1,066	1,015	1,007	915	725	434	258	230	410	533	883	806	8,602	Ohio.
Oklahoma.....	1915-1917.....	2	182	235	102	59	66	32	35	80	172	225	345	269	Oklahoma.	
Oregon.....	1914-1918.....	5	58	51	62	63	74	40	36	29	42	65	60	590	Oregon.	
Pennsylvania.....	1916-1918.....	3	989	913	1,013	891	769	492	233	315	582	657	726	7,943	Pennsylvania.	
Porto Rico.....	1914-1917.....	2	40	0	0	0	0	0	0	0	0	0	0	0	Porto Rico.	
Rhode Island.....	1914-1916-1918.....	4	85	75	103	89	93	52	34	34	67	75	68	738	Rhode Island.	
South Carolina.....	1914-1918.....	5	19	11	9	11	6	1	10	18	31	42	45	41	South Carolina.	
South Dakota.....	1914-1917, 1918.....	3	82	112	98	92	74	43	26	19	23	31	31	259	South Dakota.	
Texas.....	1915-1917, 1918.....	3	152	130	131	106	45	33	41	30	58	143	197	220	Texas.	
Utah.....	1914-1915, 1917, 1918.....	4	214	207	195	137	149	93	46	40	85	121	102	1,418	Utah.	
Vermont.....	1914-1918.....	5	56	73	57	50	51	36	32	23	35	40	41	52	Vermont.	
Virginia.....	1914-1918.....	5	209	164	108	83	48	39	57	103	183	224	155	1,422	Virginia.	
Washington.....	1914-1918.....	5	113	138	130	126	113	66	34	37	85	83	82	1,202	Washington.	
West Virginia.....	1917-1918.....	2	55	61	39	36	24	16	23	43	63	40	40	479	West Virginia.	
Wisconsin.....	1914-1918.....	5	492	461	658	512	441	242	174	110	137	241	290	333	4,121	Wisconsin.
Wyoming.....	1914-1918.....	5	29	125	39	28	34	15	9	15	11	20	341	341	Wyoming.	

1 Average less than 1.

Cases of scarlet fever reported, 1919.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	28	35	36	25	36	19	60	107	69	120	43	69	647	Alabama, Arkansas,
Arkansas.....	10	9	15	12	8	13	4	67	155	153	132	132	628	Arkansas,
California.....	219	139	220	238	144	178	148	118	155	313	497	501	2,870	California,
Colorado.....	76	169	165	118	87	97	30	12	25	60	130	82	968	Colorado,
Connecticut.....	198	242	239	234	191	127	65	67	120	320	358	28	2,063	Connecticut,
Delaware.....	7	10	5	4	4	11	25	25	25	Delaware,
District of Columbia.....	31	38	97	115	88	52	14	9	30	37	65	69	663	District of Columbia,
Florida.....	10	16	11	13	4	9	7	8	17	30	14	14	146	Florida,
Georgia.....	27	32	62	31	47	39	46	81	97	87	107	708	708	Georgia,
Hawaii.....	1	3	2	1	1	2	2	2	3	3	4	4	Hawaii,
Illinois.....	301	490	512	526	495	289	157	141	257	365	1,082	1,307	1,334	Illinois,
Indiana.....	411	469	404	316	160	100	100	100	213	490	506	4,105	4,105	Indiana,
Iowa.....	116	130	200	150	127	24	30	115	118	271	197	1,061	1,061	Iowa,
Kansas.....	108	294	298	252	215	167	45	48	148	358	482	328	2,791	Kansas,
Louisiana.....	17	12	13	24	21	23	8	3	21	26	29	28	257	Louisiana,
Maine.....	66	35	84	87	81	68	39	31	47	30	165	106	879	Maine,
Maryland.....	265	596	919	1,125	910	264	127	131	138	301	280	342	5,507	Maryland,
Massachusetts.....	563	562	715	810	492	268	248	407	789	1,054	1,392	8,019	8,019	Massachusetts,
Michigan.....	407	438	642	607	489	316	298	242	380	282	337	1,027	5,308	Michigan,
Minnesota.....	205	366	406	322	284	180	64	66	122	222	216	234	2,657	Minnesota,
Mississippi.....	43	76	67	61	38	38	99	89	143	226	163	180	1,256	Mississippi,
Montana.....	152	244	267	262	196	128	74	33	52	94	132	148	1,901	Montana,
Nebraska.....	68	60	84	63	43	10	6	32	47	84	173	173	757	Nebraska,
New Jersey.....	344	374	479	477	516	272	198	121	193	362	471	543	4,250	New Jersey,
New Mexico.....	73	73	New Mexico,
New York.....	1,096	1,285	1,357	1,207	1,214	731	445	286	546	907	1,172	1,566	12,075	New York,
North Carolina.....	65	46	37	45	37	25	44	123	242	345	272	259	1,312	North Carolina,
North Dakota.....	20	140	141	111	57	34	25	55	55	42	42	104	800	North Dakota,
Ohio.....	480	643	725	694	680	390	230	262	437	938	1,044	1,365	8,017	Ohio,
Oklahoma.....	39	39	Oklahoma,
Oregon.....	41	35	88	99	124	86	39	38	64	121	121	142	1,104	Oregon,
Pennsylvania.....	566	861	963	1,020	1,117	602	380	417	776	1,352	1,367	1,715	11,336	Pennsylvania,
Porto Rico.....	57	43	80	82	57	43	2	2	3	1	1	1	Porto Rico,
Rhode Island.....	14	19	19	10	1	2	3	8	14	29	28	36	792	Rhode Island,
South Carolina.....	70	101	134	103	74	72	19	13	60	115	151	132	1,063	South Carolina,
Utah.....	33	44	44	42	60	53	22	49	32	28	34	35	588	Utah,
Vermont.....	34	84	57	47	50	39	16	18	21	30	39	44	458	Vermont,
Virginia.....	69	73	70	113	130	62	30	121	231	306	310	322	1,872	Virginia,
Washington.....	168	217	194	219	319	306	141	111	197	191	212	208	2,223	Washington,
West Virginia.....	77	32	90	152	275	127	73	133	196	352	360	346	2,223	West Virginia,
Wisconsin.....	243	229	497	331	345	166	157	117	213	473	390	485	3,776	Wisconsin,
Wyoming.....	12	19	27	30	7	16	4	9	13	33	40	40	252	Wyoming.

Deaths registered as due to scarlet fever, 1919.

State	January	Febrary	March	April	May	June	July	August	September	October	November	December	Total	State.	
Alabama.....	2	1				1		1		1	3	1	4	36	Alabama.
Arizona.....	1	6	5	2		1		1		1	1	1	2	2	Arizona.
Arkansas.....	1	3	5	5	2	3	1	1	4	9	4	3	15	8	Arkansas.
California.....	1	7	3	2	3	3	1	1	1	1	1	2	7	31	California.
Colorado.....	1	1	1	1	1	1	1	1	1	1	1	1	1	10	Colorado.
Connecticut.....	4	7	2	3	3	3	1	1	3	2	2	7	46	Connecticut.	
Delaware.....	1	1				1							1	4	Delaware.
District of Columbia.....						1							1	3	District of Columbia.
Florida.....	1	1					1							4	Florida.
Georgia.....	1	25	29	20	19	12	3	7	4	5	3	1	1	218	Georgia.
Illinois.....	19	10	15	7	11	4	1	3	4	4	4	4	34	218	Illinois.
Indiana.....	7	14	8	16	16	2	1	3	1	6	7	7	9	70	Indiana.
Iowa.....	7	4	8	10	1	4	1	1	2	2	5	5	9	76	Iowa.
Kansas.....	2	4	5	5	4	2	1	2	2	5	9	5	11	40	Kansas.
Kentucky.....	1	4	7	5	5	4	2	1	2	2	5	5	5	47	Kentucky.
Louisiana.....	1			1										2	Louisiana.
Maine.....														11	Maine.
Maryland.....														32	Maryland.
Massachusetts.....	8	5	11	11	7	5	1	1	1	1	1	1	1	32	Massachusetts.
Michigan.....	11	8	19	16	8	6	7	7	4	8	9	12	23	167	Michigan.
Minnesota.....	10	11	20	18	20	8	7	7	4	9	12	12	28	96	Minnesota.
Montana.....	9	12	16	16	13	4	3	3	5	2	6	6	8	50	Montana.
Nebraska.....	4	6	6	6	13	9	1	3	2	1	2	1	1	21	Nebraska.
New Jersey.....	3	1	2	2	2	2	1	1	1	1	2	2	2	70	New Jersey.
New Mexico.....	4	5	9	14	5	4	6	2	1	1	2	7	6	6	New Mexico.
New York.....	25	23	27	27	19	17	13	12	12	12	15	15	22	268	New York.
North Dakota.....	6	4	7	3	1	1	4	4	4	1	1	1	2	28	North Dakota.
Ohio.....	12	9	16	14	7	5	3	12	10	18	18	18	24	135	Ohio.
Oklahoma.....	3	2	1	1	1	1	2	2	1	3	2	2	4	16	Oklahoma.
Oregon.....	2	1				1	2	1	1	1	3	3	2	12	Oregon.
Puerto Rico.....													1	1	Puerto Rico.
Rhode Island.....	1	1	3	1	2		1				2	2	2	13	Rhode Island.
South Carolina.....	2	1	2	1	1	1	1	1	1	1	1	1	1	13	South Carolina.
Utah.....														1	Utah.
Vermont.....	2	1	3	2	2	3	1	1	1	1	1	1	1	9	Vermont.
Virginia.....	1	1	3	2	1	6	1	1	2	6	6	6	2	28	Virginia.
Washington.....	3	2	1	1	6	5	1	2	2	7	5	4	4	40	Washington.
Wisconsin.....	14	8	16	12	19	10	5	6	11	15	14	14	14	144	Wisconsin.
Wyoming.....						2							4	4	Wyoming.

Scarlet fever—Average number of cases reported per annum and average indicated morbidity rates, 1914-1918; cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1919.

State.	Estimated population July 1, 1919.	Years included.	Average.				1919				State.
			Number of years.	Cases reported per annum, inhabitants.	Cases per 1,000 inhabitants.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.	
Alabama.....	2,336,321	1915-1918.	4	703	0.30	647	0.28	16	2	0.007	Alabama.
Arizona.....	326,633	1914-1916, 1918.....	3	358	.23	628	8	.006	Arizona.
Arkansas.....	1,741,933	1917-1918.	2	321	.18	628	35	.005	4.3	Arkansas.
California.....	3,372,511	1914-1918.	3	447	1.17	870	1,07	1.06	1.9	California.
Colorado.....	3,932,148	1914-1916-1918	4	1,125	1.16	968	1.05	31	.035	3.1	Colorado.
Connecticut.....	1,366,804	1914-1918.....	3	1,380	1.37	2,663	1.05	46	.034	1.7	Connecticut.
Delaware.....	221,938	1914-1918.	1	620	1.70	693	1.34	4	.018	Delaware.
District of Columbia.....	432,086	1914-1918.	3	138	.15	146	1.15	4	.007	2.7	District of Columbia.
Florida.....	955,291	1918.	1	21	.15	25	1.18	18	.004	2.7	Florida.
Georgia.....	2,870,976	1914-1917.	4	10,300	.84	7,334	1.14	218	.034	2.5	Georgia.
Hawaii.....	232,616	1914-1917.	3	1,71	1.17	4,105	1.11	79	.027	3.0	Hawaii.
Illinois.....	6,441,501	1914-1917.	3	5,147	1.47	1,061	1.11	76	.012	1.9	Illinois.
Indiana.....	2,918,716	1914-1918.	3	1,743	1.78	1,661	1.69	49	.028	1.6	Indiana.
Iowa.....	2,394,418	1914-1916-1918.	4	2,341	1.22	2,701	1.38	47	.020	1.8	Iowa.
Kansas.....	1,765,224	1914-1918.	5	183	1.07	257	1.14	2	.000	Kansas.
Kentucky.....	2,400,518	1914-1918.	3	244	.31	879	1.15	11	.014	1.3	Kentucky.
Louisiana.....	1,700,515	1914-1918.	3	1,750	1.29	5,207	3.82	32	.026	1.9	Louisiana.
Maine.....	766,693	1916-1918.	3	5,370	1.48	8,019	2.10	130	.034	1.6	Maine.
Maryland.....	1,441,665	1915-1918.	3	5,370	1.48	5,398	1.49	167	.046	3.1	Maryland.
Massachusetts.....	3,827,329	1916-1918.	3	6,659	1.98	5,328	1.90	2,637	1.12	3.6	Massachusetts.
Michigan.....	3,623,082	1914-1918.	5	4,328	1.00	6,604	1.26	70	.026	1.6	Michigan.
Minnesota.....	2,370,371	1914-1918.	5	304	.26	1,256	1.25	87	.026	1.6	Minnesota.
Mississippi.....	1,789,782	1914-1918.	5	183	1.07	2,23	1.901	50	.003	2.6	Mississippi.
Missouri.....	3,387,871	1914-1916-1918.	4	1,034	1.10	1,757	1.50	21	.016	2.8	Missouri.
Montana.....	538,758	1914-1918.	4	1,129	1.33	4,205	1.36	70	.022	1.7	Montana.
Nebraska.....	1,901,665	1918.	1	4,472	1.33	12,075	1.17	268	.026	2.2	Nebraska.
New Jersey.....	3,123,535	1914-1918.	5	14,191	1.38	1,512	1.60	1,17	New Jersey.
New York.....	10,318,709	1914-1918.	5	804	.33	800	1.25	28	.014	3.5	New York.
North Dakota.....	2,642,435	1917-1918.	2	609	.78	8,017	1.40	135	.024	1.7	North Dakota.
Ohio.....	5,708,265	1914-1918.	5	8,902	1.67	1,024	1.50	16	.008	2.8	Ohio.
Oklahoma.....	2,008,487	1915-1917.	2	1,813	.82	1,034	1.33	12	.015	1.2	Oklahoma.
Oregon.....	1,777,692	1914-1918.	3	360	.71	1,943	1.31	11	Oregon.
Pennsylvania.....	8,665,822	1916-1918.	3	7,943	.92	11,396	1.31	1	Pennsylvania.
Porto Rico.....	1914-1917	1914-1918.	2	2	1	Porto Rico.
Rhode Island.....	601,215	1914-1918.	4	708	1.29	702	1.32	13	.022	1.6	Rhode Island.
South Carolina.....	1,674,966	1914-1918.	4	250	.16	173	.10	1	.001	6	South Carolina.
South Dakota.....	1,653,163	1914-1917.	3	706	1.00	1,063	1.08	1	South Dakota.

Utah.....	445,327	1914-1915, 1917, 1918.	4	1,418	3,27	588	1,32	13	.026	2.2
Vermont.....	352,903	1914-1918.....	5	1,45	526	1,24	9	.026	2.1	
Virginia.....	2,288,756	1914-1918.....	5	1,45	422	1,872	.92	28	.012	1.5
Washington.....	1,345,278	1914-1918.....	5	1,262	78	2,483	1,80	40	.030	1.6
West Virginia.....	1,451,121	1917, 1918.....	2	479	34	2,223	1,63	West Virginia.
Wisconsin.....	2,616,482	1914-1918.....	5	4,121	1,65	3,756	1,44055	3.8
Wyoming.....	191,367	1914-1918.....	5	311	1,30	232	1,21	4	.021	1.7

Cases of septic sore throat reported, 1919.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.	
Connecticut.....	13	1	4	5	5	22	15	20	17	2	4	2	24	Connecticut.	
Georgia.....	3	26	33	26	38	4	2	3	3	63	49	2	41	Georgia.	
Illinois.....	5	8	16	11	6	4	2	3	3	17	39	38	150	Illinois.	
Maine.....	2	1	3	4	1	3	8	1	1	6	Maine.	
Maryland.....	19	22	19	17	36	5	9	16	18	22	12	21	4	Maryland.	
Massachusetts.....	1	1	1	6	22	12	21	216	Massachusetts.	
Montana.....	1	1	2	2	11	Montana.	
Nebraska.....	1	1	1	3	Nebraska.	
New Mexico.....	30	23	38	27	22	9	35	7	16	32	2	2	310	New Mexico.	
New York.....	30	41	41	310	New York.	
North Carolina.....	30	12	14	18	13	7	12	33	61	107	37	27	371	North Carolina.	
Ohio.....	2	2	2	47	33	Ohio.	
Oregon.....	1	1	1	1	Oregon.	
Rhode Island.....	2	9	3	5	3	28	21	8	37	7	3	6	51	Rhode Island.	
South Carolina.....	12	2	8	34	37	8	3	152	South Carolina.

Deaths registered as due to septic sore throat, 1919.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Connecticut.....	1	8	12	11	11	10	8	10	2	13	15	1	14	Connecticut.
Illinois.....	7	2	5	1	1	2	3	5	7	3	4	6	42	Illinois.
Iowa.....	2	2	1	1	1	2	2	2	1	1	3	5	21	Iowa.
Louisiana.....	1	1	1	1	1	1	1	1	1	1	1	1	7	Louisiana.
Maine.....	1	1	1	1	1	1	1	1	1	1	1	1	8	Maine.
Maryland.....	1	3	1	4	8	1	4	4	3	1	5	3	30	Maryland.
Massachusetts.....	1	1	1	1	1	1	1	1	1	1	1	1	4	Massachusetts.
Montana.....	1	1	1	1	1	1	1	1	1	1	1	1	1	Montana.
Nebraska.....	1	1	2	2	2	2	1	2	3	3	3	2	6	Nebraska.
North Dakota.....	1	1	1	1	1	1	1	1	1	1	1	1	3	North Dakota.
Rhode Island.....	1	1	1	1	1	1	1	1	1	1	1	1	3	Rhode Island.
Vermont.....	1	1	1	1	1	1	1	1	1	1	1	1	1	Vermont.

Sepic sore throat—Cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1919.

State.	Estimated population, July 1, 1919.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.	State.	Estimated population, July 1, 1919.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.
Connecticut.....	1,366,894	24	0.018	6	0.004	25.0	Nebraska.....	1,290,182	3	0.000	0	0	0.005
Georgia.....	2,870,976	411	0.143	0	0	0	New York.....	10,318,799	310	0.030	371	371	0.146
Illinois.....	6,441,501	150	.023	12	.022	94.7	North Carolina.....	2,385,450	104,103	0	0	0	0
Iowa.....	2,394,418	22	.012	14	.020	94.7	North Dakota.....	5,708,265	33	0.000	0	0	0
Kansas.....	1,763,224	22	.012	14	.020	94.7	Ohio.....	5,708,265	33	0.000	0	0	0
Louisiana.....	1,790,515	24	.013	8	.010	100.0	Oregon.....	777,692	1	0.000	0	0	0
Maine.....	766,693	6	0.000	3	0.000	100.0	Rhode Island.....	601,215	51	0.085	3	3	0.005
Maryland.....	1,441,665	73	.051	3	.002	4.1	South Carolina.....	1,674,906	152	0.001	0	0	0
Massachusetts.....	3,827,329	216	.056	40	.010	18.5	Vermont.....	352,603	91	0.001	1	1	0.03
Montana.....	358,158	11	.020	1	.002	9.1							

Smallpox—Monthly averages of cases reported during the years for which data are available, 1914-1918.

State.	Years included.	January	February	March	April	May	June	July	August	September	October	November	December	Average per year.	State.	
Alabama.....	1914-1918.....	4	190	311	249	155	96	53	32	26	17	26	20	129	Alabama.	
Arizona.....	1918.....	1	12	5	66	56	17	4	3	1	1	0	0	1,304	Arizona.	
Arkansas.....	1917-1918.....	2	439	485	391	354	223	15	9	29	33	33	33	144	Arkansas.	
California.....	1914-1918.....	2	5	59	82	66	55	38	30	22	32	32	32	238	California.	
Colorado.....	1914-1918.....	4	61	66	86	73	90	51	39	18	21	33	33	50	Colorado.	
Connecticut.....	1914-1918.....	5	23	19	28	13	18	17	9	0	2	7	8	18	Connecticut.	
District Columbia.....	1914-1918.....	4	6	11	10	3	9	5	4	1	1	1	1	2	District Columbia.	
Florida.....	1918.....	6	11	10	3	8	6	6	3	2	1	1	1	2	Florida.	
Illinois.....	1914-1917-1918.....	3	569	660	638	516	372	264	178	82	50	166	175	285	Illinois.	
Indiana.....	1914-1918.....	3	382	322	582	452	412	295	142	92	61	127	122	360	Indiana.	
Iowa.....	1914-1918.....	4	412	346	400	299	166	91	29	26	31	72	146	206	Iowa.	
Kansas.....	1914-1918.....	5	394	479	616	444	433	249	82	37	30	57	57	247	Kansas.	
Louisiana.....	1914-1918.....	6	101	167	102	103	71	40	24	14	5	19	34	88	Louisiana.	
Maine.....	1915-1918.....	2	46	51	62	72	17	17	73	51	14	30	118	110	Maine.	
Maryland.....	1915-1918.....	4	11	9	7	34	17	5	5	3	2	2	2	15	Maryland.	
Massachusetts.....	1916-1918.....	3	2	1	6	4	10	4	1	0	1	1	1	4	Massachusetts.	
Michigan.....	1914-1918.....	5	361	295	253	221	200	159	91	42	62	119	119	175	Michigan.	
Minnesota.....	1914-1918.....	5	229	230	251	223	180	165	92	48	40	86	86	146	Minnesota.	
Mississippi.....	1914-1918.....	5	299	294	324	214	166	53	41	51	51	80	80	176	Mississippi.	
Montana.....	1914-1918.....	4	173	153	113	102	101	96	55	32	34	34	34	97	Montana.	
Nebraska.....	1918.....	1	451	606	640	545	323	139	1	1	1	1	1	96	Nebraska.	
Nevada.....	1915, 1917.....	2	4	567	606	440	24	8	1	1	0	0	0	3	Nevada.	
New Jersey.....	1914-1918.....	3	2	1	19	17	3	4	2	1	0	0	0	2	New Jersey.	
New York.....	1914-1918.....	5	162	75	26	29	38	16	11	6	3	23	14	26	New York.	
North Carolina.....	1918.....	1	45	150	147	105	80	48	68	40	34	41	98	800	North Carolina.	
North Dakota.....	1917-1918.....	2	42	47	67	60	57	61	16	6	10	17	22	52	455	North Dakota.
Ohio.....	1914-1918.....	5	586	770	640	666	588	550	375	239	111	86	227	436	5,080	Ohio.
Oklahoma.....	1915, 1917.....	2	539	424	578	385	317	243	140	83	124	100	538	3,650	Oklahoma.	
Oregon.....	1914-1918.....	3	30	47	41	44	66	27	23	17	14	10	21	26	Oregon.	
Pennsylvania.....	1916-1918.....	3	36	43	43	53	55	32	29	9	7	8	24	363	Pennsylvania.	
Porto Rico.....	1917-1918.....	2	6	6	9	22	5	2	2	(1)	2	1	0	0	Porto Rico.	
Rhode Island.....	1918.....	1	0	0	0	0	0	0	0	0	0	0	0	0	Rhode Island.	
South Carolina.....	1914-1918.....	5	58	40	43	32	19	17	12	4	4	25	16	19	South Carolina.	
South Dakota.....	1914, 1917, 1918.....	3	138	168	173	145	133	113	57	20	10	39	97	95	1,193	South Dakota.
Texas.....	1915, 1917, 1918.....	2	253	409	531	360	320	161	68	38	33	34	106	208	2,575	Texas.
Utah.....	1914, 1915, 1917, 1918.....	4	171	148	109	113	121	108	69	49	60	70	79	92	1,189	Utah.
Vermont.....	1914-1918.....	5	13	10	16	17	7	7	1	0	1	3	3	5	102	Vermont.
Virginia.....	1914-1918.....	5	231	214	229	226	161	65	58	29	23	39	34	62	1,401	Virginia.
Washington.....	1914-1918.....	5	82	50	94	89	82	81	53	42	35	35	47	55	741	Washington.
West Virginia.....	1915-1918.....	2	112	153	96	129	82	46	36	22	26	59	59	83	839	West Virginia.
Wisconsin.....	1914-1918.....	5	338	247	238	174	123	99	63	32	118	117	117	183	1,966	Wisconsin.
Wyoming.....	1914-1918.....	6	6	17	17	18	9	8	7	3	11	11	11	4	118	Wyoming.

¹Average less than 1.

Cases of smallpox reported, 1919.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.		
Alabama.....	211	140	143	98	89	34	25	22	17	23	63	90	935	Alabama.		
Arkansas.....	33	81	111	82	86	31	10	10	6	15	58	65	588	Arkansas.		
California.....	169	169	196	164	123	153	116	131	10	149	290	342	2,902	California.		
Colorado.....	110	47	128	170	122	135	104	73	23	180	272	343	1,713	Colo.		
Connecticut.....			1									5	5	Connecticut.		
Delaware.....												229	229	Delaware.		
District of Columbia.....	13	13	18	39	50	13	2	2		6	18	1	1	173	District of Columbia.	
Florida.....														45	Florida.	
Georgia.....	101	213	214	272	361	142	492	477	60	17	60	43	71	710	Georgia.	
Illinois.....	229	250	463	690	554	142	101	131	43	110	134	232	423	334	Illinois.	
Indiana.....	255	130	163	218	254	294	162	162	77	88	156	141	513	3,833	Indiana.	
Iowa.....	115	202	339	238	246	351	80	80	12	19	337	71	222	1,794	Iowa.	
Kansas.....	131	231	256	196	158	98	49	49	12	71	81	312	251	2,437	Kansas.	
Louisiana.....	22	56	86	16	14	30	41	25	21	29	29	13	15	1,226	Louisiana.	
Maine.....	35	41	53	43	17	11	5	11	5	25	24	57	41	443	Maine.	
Maryland.....												1	1	4	220	Maryland.
Massachusetts.....	101	145	207	387	413	136	82	82	45	45	131	130	273	2,460	Massachusetts.	
Michigan.....	153	285	266	291	293	287	135	72	51	122	237	102	448	Michigan.		
Minnesota.....	167	229	314	380	429	258	139	122	84	112	126	171	2,402	Minnesota.		
Mississippi.....	39	77	135	135	125	134	41	8	14	64	107	83	1,970	Mississippi.		
Montana.....	162	178	359	284	473	382	61	65	37	74	215	524	2,844	Montana.		
New Jersey.....	7	2	18	40	27	10			1		1	1	3	100	New Jersey.	
New Mexico.....															New Mexico.	
New York.....	15	9	12	27	28	11	38	3	6	15	49	57	57	191	New York.	
North Carolina.....	32	201	323	463	343	205	117	63	71	116	114	31	31	31	North Carolina.	
North Dakota.....	11	19	38	68	13	7	1	5	3	31	31	15	15	2,321	North Dakota.	
Ohio.....	443	379	635	445	578	440	168	115	122	96	238	446	4,407	Ohio.		
Oklahoma.....			506	358	413	282	208	154	33	5	31	100	60	60	Oklahoma.	
Oregon.....	51	70	139	163	248	335	276	158	114	116	406	523	2,629	Oregon.		
Pennsylvania.....	15	25	48	32	31	22	20	10	8	6	6	6	6	6	Pennsylvania.	
Puerto Rico.....	4		4	1								1	1	10	Puerto Rico.	
Rhode Island.....														5	Rhode Island.	
South Carolina.....	25	5	16	23	55	70	8	7	3	17	22	31	35	394	South Carolina.	
South Dakota.....	177	72	111	119	103	72	36	39	31	22	66	211	39	920	South Dakota.	
Utah.....	32	80	92	91	55	71	42	51	28	12	21	211	283	1,238	Utah.	
Vermont.....	1		2						1					5	Vermont.	
Virginia.....	131	113	236	270	286	138	87	62	123	239	120	147	1,972	Virginia.		
Washington.....	149	240	396	499	403	308	163	200	233	606	705	4,380	4,380	Washington.		
West Virginia.....	145	130	255	327	327	276	84	68	50	206	303	407	2,217	West Virginia.		
Wisconsin.....	137	131	305	346	311	143	51	82	205	407	740	3,288	3,288	Wisconsin.		
Wyoming.....	49	70	39	69	48	19	19	19	4	6	4	4	44	462	Wyoming.	

Deaths registered as due to smallpox, 1919.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	1	2			1								5	Alabama.
Arkansas.....		2			2								5	Arkansas.
California.....	2				1								3	California.
Colorado.....			1			3							4	Colorado.
Georgia.....			1		2								4	Georgia.
Illinois.....	1	1	2		1								3	Illinois.
Indiana.....	1	1	1		1	2	2						3	Indiana.
Iowa.....	1	1			1	3					1		7	Iowa.
Kansas.....			1										1	Kansas.
Kentucky.....	1	1	2	1	5	1		3	1				16	Kentucky.
Louisiana.....	14	33	37	32	32	6	4	4	1	2	3	4	172	Louisiana.
Maine.....						1	1						2	Maine.
Massachusetts.....													2	Massachusetts.
Michigan.....						2			1				2	Michigan.
Minnesota.....	1	3				3	1	1					9	Minnesota.
Montana.....	1	1	1			1			1				6	Montana.
Nebraska.....													1	Nebraska.
Ohio.....			2	4		1	1	2					10	Ohio.
Oklahoma.....	3	1	4		1		2						13	Oklahoma.
Oregon.....			1						1				2	Oregon.
Puerto Rico.....	1												1	Puerto Rico.
South Carolina.....			1						1				2	South Carolina.
Utah.....			1		1								4	Utah.
Virginia.....			2	1	2	3	2						10	Virginia.
Washington.....			1	1	1				1				7	Washington.
Wisconsin.....									1				4	Wisconsin.
Wyoming.....										1	1	1	1	Wyoming.

Smallpox.—Average number of cases reported per annum and average indicated morbidity rates, 1914-1918; cases reported, deaths registered, and indicated mortality, morbidity, and fatality rates, 1919.

State.	Estimated population July 1, 1919.	Years included.	Average.			1919				State.
			Number of years.	Cases reported per annum.	Cases per 1,000 inhabitants.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	
Alabama.....	2,325,321	1915-1918.....	4	1,304	0.56	935	0.40	5	0.002	Alabama.
Arizona.....	326,633	1918.....	1	200	.74	2,303	1.20	588	.34	Arizona.
Arkansas.....	1,741,903	1917-1918.....	2	529	.38	2,002	.30	5	.003	Arkansas.
California.....	3,372,511	1913-1918.....	5	529	.18	1,715	1.84	4	.002	California.
Colorado.....	932,148	1914-1916-1918.....	4	637	.66	6	.66	0	.004	Colorado.
Connecticut.....	1,306,844	1914-1918.....	4	162	.13	173	.40	0	.000	Connecticut.
District of Columbia.....	432,080	1914-1918.....	5	46	.13	45	.05	0	.000	District of Columbia.
Florida.....	958,291	1918.....	1	50	.06	1,710	.50	4	.001	Florida.
Georgia.....	2,878,976	1914-1917-1918.....	3	4,263	.60	3,763	.34	3,833	.32	Georgia.
Illinois.....	6,441,501	1914-1917-1918.....	3	3,763	1.34	3,763	1.34	12	.001	Illinois.
Indiana.....	2,918,716	1914-1918.....	3	2,517	1.13	1,744	.73	12	.001	Indiana.
Iowa.....	2,394,418	1914-1916-1918.....	4	3,263	.78	2,437	1.38	1	.003	Iowa.
Kansas.....	1,765,221	1914-1918.....	5	2,088	.12	2,088	.12	1	.001	Kansas.
Kentucky.....	2,408,518	1914-1918.....	6	208	.38	1,226	.68	16	.007	Kentucky.
Louisiana.....	1,766,643	1917-1918.....	2	568	.76	1,446	.58	172	.005	Louisiana.
Maine.....	1,441,665	1915-1918.....	4	120	.00	229	.16	0	.000	Maine.
Massachusetts.....	3,827,329	1916-1918.....	3	41	.01	40	.01	2	.001	Massachusetts.
Michigan.....	3,622,082	1914-1918.....	5	2,211	.72	2,460	.68	8	.002	Michigan.
Minnesota.....	2,370,371	1914-1918.....	5	1,959	.86	2,448	1.03	9	.004	Minnesota.
Mississippi.....	1,780,782	1914-1918.....	5	2,033	1.04	2,502	1.40	0	.000	Mississippi.
Missouri.....	3,367,571	1914-1918.....	4	1,682	.51	970	.51	15	.004	Missouri.
Montana.....	3,538,738	1914-1916-1918.....	4	2,344	1.50	1,500	1.50	6	.01	Montana.
Nebraska.....	1,290,182	1918.....	1	5,906	3.01	2,844	2.20	1	.001	Nebraska.
New Jersey.....	3,125,335	1914-1918.....	5	51	.02	100	.05	0	.000	New Jersey.
New York.....	10,318,709	1914-1918.....	3	369	.04	191	.02	0	.000	New York.
North Carolina.....	2,528,450	1918.....	1	860	*.36	2,321	.91	0	.000	North Carolina.
North Dakota.....	612,193	1917-1918.....	2	435	.58	211	.35	0	.000	North Dakota.
Ohio.....	5,708,265	1914-1918.....	5	5,080	.90	4,107	.72	10	.002	Ohio.
Oklahoma.....	2,008,457	1915-1917.....	2	3,650	1.66	2,320	1.33	13	.006	Oklahoma.
Oregon.....	777,692	1914-1918.....	5	325	.42	2,629	3.18	2	.003	Oregon.
Pennsylvania.....	8,965,822	1916-1918.....	3	368	.04	229	.05	1	.000	Pennsylvania.
Rhode Island.....	601,215	1917-1918.....	1	2	.05	10	.01	0	.000	Rhode Island.
South Carolina.....	1,674,996	1914-1917-1918.....	5	280	.18	304	.18	2	.001	South Carolina.
South Dakota.....	632,163	1914-1917-1918.....	3	1,165	1.70	920	1.45	4	.000	South Dakota.
Utah.....	445,527	1914, 1916, 1917, 1918.....	4	1,189	2.74	1,238	2.75	0	.000	Utah.

February 25, 1921.

Cases of tuberculosis (pulmonary) reported, 1919.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Vermont.....	332	603	1914	9918	5	102	28	0	0	0	0	0	102	Vermont.
Virginia.....	2,203	736	1914	1918	5	1,401	04	1,972	0	0	0	0	10	Virginia.
Washington.....	1,295	278	1914	1918	5	741	48	4,390	5	25	56	56	7	Washington.
West Virginia.....	1,431	121	1914	1918	5	829	59	2,217	1,33	0	0	0	4	West Virginia.
Wisconsin.....	2,616	492	1914	1918	5	1,966	79	3,288	1,26	4	002	002	1	Wisconsin.
Wyoming.....	101	961	1914	1918	5	118	66	462	21	1	005	005	1	Wyoming.
Alabama.....	149	170	218	184	170	158	165	121	129	83	102	102	1,847	Alabama.
California.....	636	481	465	1,723	2,071	572	587	543	628	495	568	568	9,351	California.
Delaware.....	117	11	11	11	11	32	17	18	13	18	19	19	19	Delaware.
District of Columbia.....	14	64	113	129	108	88	108	64	98	81	121	121	1,186	District of Columbia.
Georgia.....	38	64	53	53	53	57	72	65	68	57	70	69	786	Georgia.
Maryland.....	243	234	326	268	261	280	287	204	226	198	187	187	3,056	Maryland.
Massachusetts.....	769	536	676	630	681	636	546	517	572	564	558	558	6,981	Massachusetts.
Nebraska.....	6	12	18	14	14	19	19	1	16	25	30	30	232	Nebraska.
New York.....	1,942	1,896	2,232	2,128	2,272	2,132	1,977	1,046	1,760	2,511	1,911	1,911	24,652	New York.
North Dakota.....	11	20	24	9	20	11	27	18	23	19	14	14	205	North Dakota.
Oklahoma.....	102	91	91	34	72	81	68	19	32	33	17	17	117	Oklahoma.
Puerto Rico.....	83	81	129	98	83	72	85	100	103	113	115	115	1,137	Puerto Rico.
Rhode Island.....	66	66	87	82	90	76	65	63	58	55	55	55	852	Rhode Island.
South Dakota.....	11	8	13	16	14	11	11	12	9	3	13	13	128	South Dakota.
Vermont.....	16	7	20	10	11	6	13	6	11	57	10	10	186	Vermont.
Washington.....	70	105	98	96	96	90	84	84	84	102	84	84	1,059	Washington.

Deaths registered as due to tuberculosis (pulmonary), 1919.

State.	January	February	March	April	May	June	July	August	September	October	November	December	Total	State.
Alabama.....	1,57	177	177	161	165	112	146	138	122	100	118	136	1,758	Alabama.
Arizona.....	77	80	93	75	87	65	57	70	67	82	102	102	... 045	Arizona.
Arkansas.....	588	431	512	458	444	465	377	321	62	65	99	372	433	Arkansas.
California.....	1,65	167	177	168	167	122	126	136	124	141	143	143	4,975	California.
Colorado.....	135	121	121	120	131	118	132	102	84	105	96	97	1,734	Colorado.
Connecticut.....	192	333	28	32	25	24	31	22	24	23	18	21	4,484	Connecticut.
Delaware.....	317	333	54	48	58	40	51	50	34	41	37	41	318	Delaware.
District of Columbia.....	56	53	54	54	54	48	58	51	51	50	50	50	563	District of Columbia.
Florida.....	111	79	80	75	90	55	81	65	74	72	68	72	922	Florida.
Georgia.....	34	47	72	101	133	133	133	147	142	161	168	147	1,431	Georgia.
Illinois.....	627	636	676	665	610	522	488	487	387	440	442	442	6,370	Illinois.
Indiana.....	306	280	280	276	278	211	216	177	177	183	173	212	2,769	Indiana.
Iowa.....	100	90	96	110	97	79	67	67	77	68	64	78	1,056	Iowa.
Kansas.....	83	83	61	76	75	78	55	57	41	53	62	61	790	Kansas.
Kentucky.....	380	365	365	359	312	260	244	245	173	204	224	224	3,415	Kentucky.
Louisiana.....	242	214	243	206	187	230	208	175	158	147	157	169	2,326	Louisiana.
Maine.....	57	66	52	64	53	41	52	50	50	44	45	45	638	Maine.
Maryland.....	223	223	213	202	188	138	137	141	164	144	145	167	2,080	Maryland.
Massachusetts.....	480	385	460	409	387	321	321	300	271	296	273	280	4,182	Massachusetts.
Michigan.....	241	217	230	256	257	181	211	185	167	163	167	210	2,513	Michigan.
Nebraska.....	34	33	39	34	33	35	39	33	24	34	33	33	366	Nebraska.
New Mexico.....	1,371	1,223	1,380	1,213	1,186	1,071	979	907	817	810	784	805	12,666	New Mexico.
North Dakota.....	22	26	26	26	17	18	28	22	12	13	18	20	222	North Dakota.
Ohio.....	563	562	639	571	539	465	437	386	347	380	376	406	5,621	Ohio.
Oklahoma.....	89	81	96	50	68	65	68	57	41	52	62	57	846	Oklahoma.
Oregon.....	48	41	66	64	64	42	45	41	54	37	40	30	337	Oregon.
Puerto Rico.....	210	206	228	208	171	80	279	184	153	179	183	188	2,260	Puerto Rico.
Rhode Island.....	82	79	76	99	67	36	50	50	39	40	39	39	39	Rhode Island.
South Carolina.....	113	123	144	135	147	146	130	139	115	123	146	146	1,616	South Carolina.
Vermont.....	19	17	15	13	15	13	12	12	13	14	10	15	166	Vermont.
Virginia.....	22	28	26	28	25	21	21	24	14	14	24	18	261	Virginia.
Washington.....	100	89	108	97	101	89	226	233	192	173	203	220	2,941	Washington.
Wisconsin.....	162	163	200	189	141	141	178	147	110	144	118	125	1,024	Wisconsin.

Tuberculosis (pulmonary)—Cases reported, deaths registered, indicated morbidity and mortality rates, and number of cases reported for each death registered, 1919.

State.	Estimated population, July 1, 1919.	Total census reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.	State.	Estimated population, July 1, 1919.	Total cases reported.	Total deaths registered.	Cases per 1,000 inhabitants.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.
Alabama.....	2,328,521	1,847	0.79	1,748	.75	1,1	Massachusetts.....	3,827,329	6,991	1,83	4,182	1.00	1,7
Arizona.....	326,633	—	—	1,030	3.15	4	Michigan.....	3,623,082	—	—	2,7913	—	—
Arkansas.....	1,741,963	—	—	1,045	1.60	1	Missouri.....	3,387,871	—	—	3,207	.94	—
California.....	3,372,511	9,351	2.77	4,975	1.48	1.9	Nebraska.....	1,280,182	252	—	31	.31	—
Colorado.....	3,632,148	—	—	1,734	1.86	1	New York.....	10,318,700	24,652	2.39	12,666	1.23	1.9
Connecticut.....	1,306,804	—	—	1,384	1.00	1	North Dakota.....	10,632,193	205	—	222	.35	—
Delaware.....	221,958	—	—	318	1.43	1	Ohio.....	5,708,265	—	—	5,621	.98	—
District of Columbia.....	432,080	1,136	2.74	563	1.30	2.1	Oklahoma.....	2,068,487	—	—	846	.42	—
Florida.....	965,291	—	—	922	.97	1	Oregon.....	777,602	—	—	387	.69	—
Georgia.....	2,879,976	786	—	1,431	.50	1	Puerto Rico.....	—	—	—	2,260	—	—
Illinois.....	6,441,501	—	—	6,379	.90	1	Rhode Island.....	1,137	—	—	733	1.22	1.2
Indiana.....	2,918,716	—	—	2,769	.95	1	South Carolina.....	601,215	832	1.42	—	—	—
Iowa.....	2,394,418	—	—	3,056	.44	1	South Dakota.....	1,674,906	128	—	9,616	.96	—
Kansas.....	1,768,224	—	—	1,760	.45	1	Tennessee.....	465,527	—	—	26	.166	—
Kentucky.....	2,406,518	—	—	3,415	1.42	1	Vermont.....	322,603	186	—	—	.37	—
Louisiana.....	1,730,515	—	—	2,926	1.30	1	Virginia.....	2,283,736	—	—	2,941	1.28	—
Maine.....	766,693	—	—	638	.83	1	Washington.....	1,353,278	1,059	.79	1,024	.76	1.0
Maryland.....	1,441,665	3,036	2.12	2,980	1.44	1.5	Wisconsin.....	2,616,492	—	—	1,883	.71	—

Cases of tuberculosis (all forms) reported, 1919.

State.	January	Febr-	March.	April.	May.	June.	July.	August.	Septem-	Octo-	Novem-	Decem-	Total.	State.
Arkansas.....	34	25	66	42	35	58	42	109	87	125	83	760	Arkansas,	
Connecticut.....	183	175	190	175	172	175	164	162	214	150	119	2,960	Connecticut,	
District of Columbia.....	74	123	134	85	109	90	64	109	101	84	123	1,299	District of Columbia,	
Florida.....	74	35	122	117	80	78	84	81	112	78	85	1,000	Florida,	
Georgia.....	41	67	89	64	105	60	81	73	72	58	73	846	Georgia,	
Hawaii.....	87	54	73	84	48	72	71	100	95	87	83	934	Hawaii,	
Illinois.....	1,301	1,410	1,448	1,889	1,586	1,725	1,579	1,220	1,374	1,565	1,516	18,048	Illinois,	
Indiana.....	167	182	160	209	246	138	134	109	127	97	72	748	Indiana,	
Kansas.....	160	106	180	110	174	163	110	125	132	105	108	1,392	Kansas,	
Louisiana.....	135	123	169	117	129	134	135	129	143	135	135	1,579	Louisiana,	
Maine.....	34	20	79	81	70	56	91	120	51	43	84	810	Maine,	
Massachusetts.....	643	623	738	719	767	716	614	567	646	626	513	7,774	Massachusetts,	
Michigan.....	335	243	340	314	487	322	347	392	406	392	361	3,892	Michigan,	
Minnesota.....	432	406	456	455	488	467	436	407	389	411	373	4,131	Minnesota,	
Mississippi.....	356	406	422	447	415	387	414	478	491	384	310	3,523	Mississippi,	
Montana.....	62	62	22	63	56	58	41	40	58	50	48	46	606	Montana,
New Jersey.....	655	539	730	609	618	684	744	637	555	638	531	400	7,460	New Jersey,
New Mexico.....	154	178	225	254	249	255	273	214	194	195	195	1,555	New Mexico,	
North Carolina.....	301	483	545	582	614	583	604	606	543	458	220	4,086	North Carolina,	
Oregon.....	36	51	60	43	66	43	70	61	101	50	38	62	681	Oregon,
Pennsylvania.....	73	73	138	99	101	95	116	74	66	62	62	636	Pennsylvania,	
Rhode Island.....	14	17	11	4	35	32	33	36	18	30	31	1,029	Rhode Island,	
South Carolina.....	11	8	13	16	11	11	12	13	11	3	3	302	South Carolina,	
South Dakota.....	165	265	253	319	296	244	255	199	226	262	217	1,333	South Dakota,	
Virginia.....	20	27	21	23	45	41	26	34	25	34	26	2,830	Virginia,	
West Virginia.....	110	128	134	169	106	147	183	121	129	168	114	1,311	West Virginia,	
Wisconsin.....												1,640	Wisconsin.	

Deaths registered as due to tuberculosis (all forms), 1919.

State,	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sep.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	172	184	187	166	180	157	163	154	138	114	149	149	1,809	Alabama.
Arizona.....	83	94	96	79	93	88	67	76	74	88	111	113	1,113	Arizona.
Arkansas.....	631	633	560	523	512	468	439	411	404	381	426	426	5,678	Arkansas.
California.....	148	178	187	183	181	135	140	148	131	149	138	140	1,878	California.
Colorado.....	224	141	203	140	152	141	143	119	96	125	110	110	1,704	Colorado.
Connecticut.....	40	37	31	36	28	26	32	26	27	28	19	19	355	Connecticut.
Delaware.....	61	59	57	54	63	44	58	53	50	43	46	46	625	Delaware.
District of Columbia.....	116	87	89	82	94	61	92	68	77	77	77	77	993	District of Columbia.
Florida.....	34	51	73	111	141	153	138	157	152	170	177	177	1,517	Florida.
Georgia.....	46	31	48	39	29	28	36	39	36	42	54	54	462	Georgia.
Hawaii.....	701	710	765	703	698	632	588	564	401	494	463	463	7,468	Hawaii.
Illinois.....	319	323	315	329	243	276	210	208	221	221	251	251	3,251	Illinois.
Indiana.....	346	111	118	136	112	93	87	92	81	92	95	95	1,296	Indiana.
Iowa.....	112	95	80	83	83	82	66	64	46	60	72	72	894	Iowa.
Kansas.....	85	405	383	368	356	323	341	277	213	237	248	248	3,859	Kansas.
Kentucky.....	256	226	266	225	202	233	229	190	173	160	169	169	2,518	Kentucky.
Louisiana.....	68	77	78	81	98	67	46	64	49	66	53	53	786	Louisiana.
Maine.....	255	201	249	237	206	138	169	172	192	172	165	165	2,424	Maine.
Maryland.....	533	445	568	494	484	368	396	346	318	312	320	320	3,832	Maryland.
Massachusetts.....	272	214	292	301	310	207	217	251	230	206	204	204	2,907	Massachusetts.
Michigan.....	393	38	6	48	38	39	33	32	17	18	166	166	2,244	Michigan.
Minnesota.....	35	44	48	41	37	43	47	41	31	40	42	42	3,347	Minnesota.
Montana.....	407	394	398	371	259	337	299	306	243	267	270	271	3,820	Montana.
Nebraska.....	222	19	19	15	18	14	14	12	14	12	15	15	1,58	Nebraska.
New Jersey.....	1,322	1,345	1,375	1,409	1,371	1,223	1,154	1,054	952	943	900	900	14,404	New Jersey.
New Mexico.....	622	613	736	650	633	530	523	445	411	404	442	442	6,512	New Mexico.
North Dakota.....	60	46	80	49	63	55	61	46	52	38	40	40	4,674	North Dakota.
Ohio.....	223	221	243	219	187	285	190	169	192	194	196	196	2,393	Ohio.
Puerto Rico.....	94	92	95	116	70	63	65	55	55	40	52	52	482	Puerto Rico.
Rhode Island.....	120	132	145	150	138	164	170	154	147	121	133	133	1,750	Rhode Island.
South Carolina.....	22	27	32	33	27	23	24	31	23	19	27	27	1,163	South Carolina.
Utah.....	27	35	35	294	262	249	267	203	180	180	227	227	3,224	Utah.
Vermont.....	121	116	143	125	128	102	98	97	100	100	248	248	3,255	Vermont.
Virginia.....	191	187	225	208	162	187	198	166	126	111	108	108	2,108	Virginia.
Wisconsin.....	7	6	4	11	4	7	8	6	5	5	3	3	66	Wyoming.

Tuberculosis (all forms)—Cases reported, deaths registered, indicated morbidity and mortality rates, and number of cases reported for each death registered, 1919.

State.	Estimated population July 1, 1919.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.	State.	Estimated population July 1, 1919.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.
Alabama.....	2,356,221	1,866	0.81	Mississippi.....	1,750,752	4,803	2.68	3,616	1.00
Arizona.....	326,633	769	2.38	1,104	1.113	1.64	Missouri.....	3,397,871	606	1.12	347	1.7
Arkansas.....	1,741,903	709	5,678	3.48	5.68	Montana.....	538,758	64
Colorado.....	3,372,511	1,878	1.68	1.01	Nebraska.....	1,260,182	482	37
Connecticut.....	932,148	2,060	2.21	1,744	1.75	1.31	New Jersey.....	3,123,335	7,460	2.30	3,820	2.10
Delaware.....	221,638	355	1.60	1.00	New York.....	10,318,706	2,388,430	2.384	1.02	11,464	1.40
District of Columbia.....	4,921,086	1,269	2.50	625	1.45	1.45	North Carolina.....	6,432,183
Florida.....	965,201	1,060	1.06	963	1.04	1.04	Ohio.....	5,708,265	6,404	6,342	1.15
Georgia.....	2,579,976	846	3.35	1,517	1.33	1.33	Oregon.....	777,092	68188	.86	1.0
Hawaii.....	252,616	904	3.58	462	1.88	2.0	Puerto Rico.....
Illinois.....	6,441,501	18,018	2.80	7,358	1.14	2.5	Rhode Island.....	601,215	1,029	1.71	2,393	1.2
Indiana.....	2,918,716	1,948	1.11	3,247	1.11	1.11	South Carolina.....	1,671,996	302	1.33	887	1.48
Iowa.....	2,394,418	1,352	1.11	2,366	.53	.53	South Dakota.....	635,163	133	21	1,750	1.04
Kansas.....	1,765,224	1,352	.87	894	.51	.51	Utah.....	445,527	163
Kentucky.....	2,409,518	1,570	1.60	3,850	1.60	1.60	Vermont.....	352,603	433
Louisiana.....	1,700,515	1,061	2,518	1.41	1.41	Virginia.....	2,263,756	2,890	324	.92
Maine.....	700,063	810	1.06	796	1.03	1.03	Washington.....	1,345,278	3,230	1.41
Maryland.....	1,441,065	4,424	1.68	1.68	West Virginia.....	1,451,131	346	1.325	1,325
Massachusetts.....	3,827,329	7,774	2.03	4,574	1.27	1.27	Wisconsin.....	2,616,492	1,640	24	2,108	.98
Michigan.....	3,925,082	4,231	1.17	2,907	.88	.88	Wyoming.....	191,90766	.34
Minnesota.....	2,370,371	6,131	2.16	2,244	.95	.95							

February 25, 1921.

Typhoid fever—Monthly averages of cases reported during the years for which data are available, 1914-1918.

State.	Years included.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Average per year.	State.	
Alabama.....	1915-1918.....	4	75	65	47	69	124	337	663	595	320	254	146	85	Alabama.	
Arizona.....	1916, 1918.....	2	16	38	22	20	35	46	113	106	6	8	3	61	Arizona.	
Arkansas.....	1917, 1918.....	2	100	76	77	93	101	107	136	173	99	49	38	34	Arkansas.	
California.....	1914-1918.....	4	19	7	9	24	14	20	34	88	111	95	45	18	California.	
Colorado.....	1914-1916-1918.....	5	16	18	22	22	23	38	47	126	148	82	69	30	Colorado.	
Connecticut.....	1914-1918.....	5	12	11	10	12	12	15	33	65	62	43	32	12	Connecticut.	
District Columbia.....	1914-1918.....	5	17	14	27	23	73	38	99	69	56	31	24	14	District Columbia.	
Florida.....	1914-1917.....	4	15	16	14	15	15	13	9	15	39	31	20	12	Florida.	
Hawaii.....	1914, 1917, 1918.....	3	165	120	103	152	94	111	247	372	507	286	220	125	Hawaii.	
Illinois.....	1914-1917.....	5	107	91	114	87	78	93	163	425	407	284	171	108	Illinois.	
Indiana.....	1914-1918.....	5	37	33	40	47	49	61	247	370	358	320	201	109	Indiana.	
Kansas.....	1914-1918.....	5	14	42	34	30	51	93	164	204	167	108	77	47	Kansas.	
Louisiana.....	1914-1918.....	5	16	9	6	8	10	9	16	27	42	37	22	16	Louisiana.	
Maine.....	1916-1918.....	3	80	61	75	77	88	110	220	497	501	364	196	73	Maine.	
Maryland.....	1913-1918.....	4	67	41	55	72	71	80	116	233	298	174	95	47	Maryland.	
Massachusetts.....	1916-1918.....	3	113	111	111	95	76	105	131	231	270	226	125	73	Massachusetts.	
Michigan.....	1914-1918.....	5	72	57	55	52	71	46	140	146	144	82	62	1,013	Michigan.	
Minnesota.....	1914-1918.....	5	182	163	136	287	613	987	1,088	795	575	435	273	579	Minnesota.	
Mississippi.....	1914-1918.....	5	25	19	28	37	20	29	45	62	38	34	12	414	Mississippi.	
Montana.....	1914, 1916-1918.....	4	46	28	19	37	34	20	29	45	42	30	11	5	Montana.	
Nebraska.....	1918.....	1	4	3	3	6	9	16	69	20	Oklahoma.	
Nevada.....	1915, 1917.....	5	5	4	5	6	11	11	11	17	12	12	11	11	Oklahoma.	
New Jersey.....	1914-1918.....	5	61	43	56	51	61	67	113	294	261	184	96	65	New Jersey.	
New York.....	1914-1918.....	5	235	224	226	243	205	275	372	675	821	628	300	4,601	New York.	
North Carolina.....	1918.....	5	20	17	30	31	31	266	879	769	203	757	109	3,388	North Carolina.	
North Dakota.....	1917, 1918.....	2	11	11	15	15	13	9	29	29	32	14	14	7	North Dakota.	
Ohio.....	1914-1918.....	5	186	168	177	207	236	321	562	829	515	393	187	3,923	Ohio.	
Oklahoma.....	1915, 1917.....	2	82	63	82	26	41	103	238	299	235	229	141	87	Oklahoma.	
Oregon.....	1914-1918.....	5	12	12	17	9	10	12	18	29	47	25	25	12	Oregon.	
Pennsylvania.....	1916-1918.....	3	301	311	320	294	271	352	449	834	1,319	1,072	347	206	Pennsylvania.	
Porto Rico.....	1914, 1915, 1917, 1918.....	4	25	19	32	33	36	25	32	29	31	23	15	23	Porto Rico.	
Rhode Island.....	1914, 1916-1918.....	4	6	8	8	14	13	13	18	33	37	34	18	14	Rhode Island.	
South Carolina.....	1914-1918.....	5	24	14	19	15	31	185	265	154	147	73	38	16	South Carolina.	
South Dakota.....	1914-1918.....	5	222	186	168	177	176	207	236	321	562	829	515	393	South Dakota.	
Texas.....	1915, 1917.....	2	82	63	41	37	41	103	238	299	235	229	141	87	Texas.	
Utah.....	1914-1918.....	3	4	13	10	10	17	27	35	46	61	32	123	128	Utah.	
Vermont.....	1915, 1917, 1918.....	3	12	12	11	11	11	11	11	10	22	22	18	18	Vermont.	
Virginia.....	1914-1918.....	5	137	99	85	111	130	130	218	737	839	643	418	126	126	Virginia.
Washington.....	1914-1918.....	5	47	32	32	33	38	45	69	108	132	117	91	35	759	Washington.
West Virginia.....	1917, 1918.....	2	39	60	29	79	76	165	245	266	245	117	32	132	West Virginia.	
Wisconsin.....	1914-1918.....	5	38	55	56	55	52	52	56	56	56	56	38	31	56	Wisconsin.
Wyoming.....	1914-1918.....	5	38	38	38	38	38	38	38	38	38	38	38	38	38	Wyoming.

1 Average less than 1.

Cases of typhoid fever reported, 1919.

State.	January	Febr-	March	April	May	June	July	August	Septem-	Octo-	Novem-	Decem-	Total.	State.
		uary.							ber.	ber.	ber.	ber.		
Alabama.....	29	17	30	54	36	114	207	160	94	66	25	1,073	Alabama.	
Arkansas.....	16	13	13	5	2	30	71	96	98	74	74	677	Arkansas.	
California.....	33	53	41	57	52	105	162	94	118	130	72	964	California.	
Colorado.....	6	4	5	1	6	5	38	33	30	45	7	216	Colorado.	
Connecticut.....	6	17	19	29	23	48	73	67	68	43	16	415	Connecticut.	
Delaware.....	25	10	Delaware.	
District of Columbia.....	3	5	7	10	5	17	38	22	22	46	8	153	District of Columbia.	
Florida.....	29	34	98	49	48	48	60	27	41	40	42	536	Florida.	
Georgia.....	14	22	24	94	290	243	261	171	94	68	1,448	Georgia.		
Hawaii.....	17	6	3	8	12	10	11	14	26	20	20	173	Hawaii.	
Illinois.....	34	40	50	32	64	138	162	163	207	170	113	1,200	Illinois.	
Indiana.....	30	21	33	33	44	42	113	134	147	145	118	974	Indiana.	
Kansas.....	14	12	11	17	26	56	170	150	147	118	30	838	Kansas.	
Louisiana.....	33	21	68	99	94	210	171	132	129	100	90	1,253	Louisiana.	
Maine.....	13	8	16	15	14	26	27	18	49	59	11	251	Maine.	
Maryland.....	53	32	39	47	66	88	180	111	353	194	86	1,616	Maryland.	
Massachusetts.....	35	70	96	44	42	45	60	134	146	207	133	940	Massachusetts.	
Michigan.....	33	17	23	23	44	73	130	126	184	46	65	940	Michigan.	
Minnesota.....	24	23	32	43	39	36	42	73	75	80	77	688	Minnesota.	
Mississippi.....	90	91	132	134	186	377	683	648	512	338	150	3,611	Mississippi.	
Montana.....	5	4	10	19	14	7	35	66	61	37	13	15	Montana.	
Nebraska.....	15	6	8	1	1	3	5	5	11	19	18	110	Nebraska.	
New Jersey.....	24	16	17	22	20	45	47	92	111	96	45	617	New Jersey.	
New Mexico.....	16	15	New Mexico.	
New York.....	124	80	77	81	101	136	236	291	563	408	125	2,956	New York.	
North Carolina.....	36	30	21	2	6	9	2	29	29	277	220	1,741	North Carolina.	
North Dakota.....	5	6	68	64	66	96	282	475	468	300	17	13	North Dakota.	
Ohio.....	120	100	50	68	64	66	223	221	125	144	21	144	Ohio.	
Oklahoma.....	4	3	2	10	11	14	27	13	9	19	28	Oklahoma.	
Oregon.....	1	4	3	2	10	11	14	14	14	16	11	134	Oregon.	
Pennsylvania.....	218	150	140	162	174	201	343	616	635	532	370	3,802	Pennsylvania.	
Puerto Rico.....	22	5	8	40	44	30	27	9	8	3	11	190	Puerto Rico.	
Rhode Island.....	5	1	3	1	2	11	11	10	17	12	14	19	Rhode Island.	
South Carolina.....	10	6	6	2	58	186	140	163	47	39	29	13	South Carolina.	
South Dakota.....	3	4	4	2	7	5	14	25	21	11	17	113	South Dakota.	
Utah.....	2	4	3	6	23	15	26	56	71	36	44	Utah.	
Vermont.....	3	3	2	3	2	13	13	17	14	9	102	Vermont.	
Virginia.....	32	55	48	68	70	288	533	311	227	211	91	2,456	Virginia.	
Washington.....	12	19	15	11	20	27	70	70	48	175	92	379	Washington.	
West Virginia.....	30	30	27	21	37	121	182	384	271	161	84	1,510	West Virginia.	
Wisconsin.....	7	13	17	13	17	12	17	20	38	21	25	11	Wisconsin.	
Wyoming.....	1	1	1	1	1	3	2	4	4	16	16	46	Wyoming.	

Deaths registered as due to typhoid fever, 1919.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	16	14	15	10	12	26	56	54	43	31	25	30	332	Alabama.
Arizona.....	12	5	1	3	8	7	15	10	10	5	27	45	178	Arizona.
Arkansas.....	13	8	7	9	8	15	24	19	16	20	20	25	185	Arkansas.
California.....	6	4	1	3	1	7	7	10	22	14	14	6	79	California.
Colorado.....	1	2	4	2	5	3	1	2	4	4	15	5	56	Colorado.
Connecticut.....	1	2	3	1	1	1	1	1	1	1	15	5	16	Connecticut.
Delaware.....	1	1	1	1	1	1	1	1	1	1	1	1	2	Delaware.
District of Columbia.....	10	10	12	12	24	18	21	17	17	16	14	11	176	District of Columbia.
Florida.....	6	5	7	20	47	58	68	66	91	92	59	33	477	Florida.
Georgia.....	3	1	1	1	1	3	3	3	3	6	6	8	43	Georgia.
Hawaii.....	30	17	19	8	22	11	16	16	32	32	38	46	377	Hawaii.
Illinois.....	12	20	21	16	19	21	20	42	51	42	50	14	337	Illinois.
Indiana.....	6	3	2	7	7	8	8	12	17	17	15	15	112	Indiana.
Iowa.....	5	3	3	6	7	7	8	23	26	21	13	6	134	Iowa.
Kansas.....	20	27	20	27	23	48	91	103	80	57	61	65	622	Kansas.
Kentucky.....	22	14	21	27	26	65	46	45	43	41	36	24	400	Kentucky.
Louisiana.....	3	3	2	3	2	2	5	5	5	5	7	3	44	Louisiana.
Maine.....	11	11	8	3	13	7	13	29	26	18	21	10	170	Maine.
Maryland.....	11	9	6	3	5	6	3	15	12	16	10	6	102	Maryland.
Massachusetts.....	16	7	18	19	12	27	2	22	39	31	33	18	264	Massachusetts.
Michigan.....	4	4	3	5	6	5	4	13	10	11	5	8	78	Michigan.
Minnesota.....	3	2	3	2	3	3	1	3	5	5	5	4	42	Minnesota.
Montana.....	1	1	6	2	2	3	3	3	4	7	8	4	45	Montana.
Nebraska.....	7	6	7	4	5	5	7	11	10	10	10	9	92	Nebraska.
New Jersey.....	26	22	21	16	26	14	34	41	58	48	31	35	372	New Jersey.
New Mexico.....	1	1	1	1	1	1	1	3	3	1	2	4	29	New Mexico.
New York.....	31	10	20	15	21	20	35	68	67	55	63	46	460	New York.
North Dakota.....	17	4	8	7	5	1	3	37	46	62	50	43	34	North Dakota.
Ohio.....	1	1	3	1	1	1	1	9	5	6	2	2	3	Ohio.
Oklahoma.....	3	3	7	8	8	4	11	9	9	9	7	4	36	Oklahoma.
Oregon.....	1	1	1	1	2	2	5	2	3	2	1	1	82	Oregon.
Puerto Rico.....	1	1	1	1	1	1	1	1	1	1	1	1	21	Puerto Rico.
Rhode Island.....	1	1	1	1	1	1	1	1	1	1	1	1	21	Rhode Island.
South Carolina.....	4	3	2	1	2	1	1	2	5	5	32	33	355	South Carolina.
Utah.....	1	1	1	2	1	2	1	1	1	1	1	1	42	Utah.
Vermont.....	1	1	1	1	1	1	1	1	1	1	1	1	12	Vermont.
Virginia.....	9	6	13	9	9	28	54	54	39	47	16	27	333	Virginia.
Washington.....	3	3	2	1	3	1	2	2	6	6	12	7	49	Washington.
Wisconsin.....	7	4	18	8	3	8	6	6	7	8	6	4	85	Wisconsin.
Wyoming.....	1	2	2	1	2	1	1	1	2	4	2	2	21	Wyoming.

Typhoid fever—Average number of cases reported per annum and average indicated morbidity rates, 1914-1918; cases reported, deaths registered, and indicated mortality, morbidity, and fatality rates, 1919.

State.	Estimated population July 1, 1919.	Average.			1919			State.
		Years included.	Number reported per year.	Cases per 1,000 inhabitants.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	
Alabama.....	2,336,521	1915-1918.....	4	2,840	1.21	.23	.46	Alabama, Arizona, Arkansas, California, Colorado, Connecticut, Delaware, District of Columbia, Florida, Georgia, Hawaii, Illinois, Indiana, Iowa, Kansas, Kentucky, Louisiana, Maine, Maryland, Massachusetts, Michigan, Minnesota, Mississippi, Missouri, Montana, Nebraska, New Jersey, New York, North Carolina, North Dakota, Ohio, Oklahoma, Oregon, Pennsylvania, Porto Rico, Rhode Island, South Carolina, South Dakota, Texas, Virginia, Washington, West Virginia, Wisconsin, Wyoming.
Arizona.....	326,633	1916-1918.....	2	61	.35	.77	.39	332
Arkansas.....	1,741,903	1917-1918.....	2	621	.45	.94	.15	44
California.....	3,372,511	1914-1918.....	3	1,322	.32	.20	.29	178
Colorado.....	932,148	1914-1916-1918.....	4	501	.32	.20	.23	185
Connecticut.....	1,366,894	1914-1918.....	5	611	.52	.45	.30	195
Delaware.....	221,938	1914-1918.....	5	312	.86	.13	.30	179
District of Columbia.....	432,066	1914-1918.....	1	415	.52	.56	.16	16
Florida.....	953,291	1918.....	1	485	.52	.56	.36	176
Georgia.....	2,879,976	1914-1917.....	4	213	1.00	1.44	.30	177
Hawaii.....	252,616	1914-1917.....	3	2,547	.41	1.20	.19	43
Illinois.....	6,441,501	1914-1917, 1918.....	2	1,212	.75	.97	.33	377
Indiana.....	2,918,716	1914-1917, 1918.....	5	1,892	1.03	.86	.12	102
Iowa.....	2,394,418	1914-1918.....	5	1,892	.65	.47	.12	337
Kansas.....	1,763,224	1914-1918.....	3	1,162	.65	.25	.12	112
Kentucky.....	2,409,518	1914-1918.....	3	1,160	.26	.25	.12	112
Louisiana.....	1,790,515	1916-1918.....	3	1,160	1.81	1.016	.12	112
Maine.....	766,693	1916-1918.....	4	2,477	.36	.90	.25	102
Maryland.....	1,441,665	1915-1918.....	3	1,375	.55	.940	.25	102
Massachusetts.....	3,827,329	1916-1918.....	5	1,676	.44	.641	.25	264
Michigan.....	3,623,082	1914-1918.....	5	1,013	.44	.641	.25	78
Minnesota.....	2,370,371	1914-1918.....	5	5,709	2.96	3,611	.20	134
Mississippi.....	1,789,532	1914-1918.....	5	5,709	.65	.25	.08	112
Missouri.....	3,307,871	1914-1918.....	4	414	.80	.274	.51	112
Montana.....	338,758	1914-1916-1918.....	1	156	.12	.110	.09	42
Nebraska.....	1,290,182	1918.....	5	1,250	.43	.617	.09	42
New Jersey.....	3,123,535	1914-1918.....	5	4,601	.45	2,531	.20	92
New York.....	10,318,700	1914-1918.....	5	3,388	.37	2,656	1.16	372
North Carolina.....	2,528,450	1918.....	5	1,777	.23	1,319	.22	20
North Dakota.....	642,186	1917, 1918.....	2	1,777	.76	2,708	.17	460
Ohio.....	5,708,263	1915, 1917.....	2	1,187	.68	.17	.16	112
Oklahoma.....	2,008,487	1915, 1917.....	2	1,228	.71	1,344	.36	321
Oregon.....	177,692	1914-1918.....	3	6,166	.80	3,802	.44	82
Pennsylvania.....	8,665,822	1916-1918.....	4	3,228	.27	1,189	.21	112
Porto Rico.....	194,195,1917, 1918.....	4	3,228	.35	1,380	.15	112	
Rhode Island.....	601,215	1914-1906-1918.....	4	216	.35	1,216	.03	112
South Carolina.....	1,674,966	1914-1918.....	5	951	.39	633	.21	56.1
South Dakota.....	1,674,966	1914, 1917, 1918.....	3	1,121	.16	112	.18	112
Texas.....	637,113	1914, 1917, 1918.....	3	1,121	.16	112	.18	112

Telch.....	445,327	1914,1915,1917,1918,	4	436	1,66	320	.72	42	.06	13,1
Vermont.....	332,033	1914,1915,1917,1918,	4	194	.33	102	.29	12	.03	13,2
Virginia.....	2,283,736	1914-1918.....	3	3,266	1,63	2,156	1.07	433	.15	13,6
Washington.....	1,315,278	1914-1918.....	5	760	.50	379	.28	49	.04	12,9
West Virginia.....	1,451,121	1917,1918.....	2	1,328	.93	1,510	1.04	West Virginia,
Wisconsin.....	2,616,492	1911-1918.....	5	561	.68	22	.08	85	.63	39,5
Wyoming.....	191,907	1911-1918.....	5	66	.37	49	.26	21	.11	42,9

Cases of typhus fever reported, 1919.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
California.....														California.
Colorado.....														Colorado.
Florida.....														Florida.
Maryland.....														Maryland.
New York.....														New York.
	1													11

Deaths registered as due to typhus fever, 1919.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
California.....														California.
Colorado.....														Colorado.
Florida.....														Florida.
Maryland.....														Maryland.
New York.....														New York.
	1													1

Typhus fever—Cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1919.

State.	Estimated population, July 1, 1919, reported.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 1,000 cases reported.	Estimated population, July 1, 1919, reported.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.	State.
California.....	3,372,511	2	0.001	1	0.001	1	1,441,065	1	0.001	1	0.001	1	California.
Colorado.....	932,148	1	0.001	1	0.001	1	10,318,709	11	0.001	1	0.001	1	Colorado.
Florida.....	935,291	1	0.001	1	0.001	1	2,008,487	1	0.001	1	0.001	1	Florida.

February 25, 1921.

SMALLPOX IN THE UNITED STATES, 1920.

The accompanying table shows the reported prevalence of smallpox in the United States during the calendar year 1920 as compared with the preceding seven years.

Annual case rates per thousand population are shown, the first nine months being given by quarters and the last three months being given separately.

The median rate for the quarter (or month) was obtained by using the median number of cases reported for each State for each quarter (or month) during the last seven years, and the median-year rate was obtained by using the number of cases reported for the median year during the years 1913 to 1919, inclusive. When data were not available for the full seven years, as many years as possible were included, but no data earlier than 1913 were used.

The table as a whole shows a decided increase during 1920 in the number of cases of smallpox reported. During December, 1920, the rate for the 38 States combined was more than three times the median rate for that month, and the rate for the year 1920 was twice that for the median year.

The northeastern States show comparatively few cases of smallpox, while many of the western States show a decided increase in the number of cases reported.

Smallpox—Annual case rates per 1,000 population; comparison of 1920 with the median of the period 1913-1919.

State.	1920												Median, 1913-1919.						
	Jan., Feb., Mar.	Apr., May, June.	July, Aug., Sept.	Oct.	Nov.	Dec.	Year.	Jan., Feb., Mar.	Apr., May, June.	July, Aug., Sept.	Oct.	Nov.	Dec.	Median year.					
Alabama.....	0.7	1.0	0.2	0.2	0.2	1.0	0.6	0.7	0.4	0.1	0.1	0.1	0.3	0.3	0.4				
Arizona.....	.6	1.2	.2	.0	.2	.2	.5	1.1	1.4	.1	.0	.0	.0	.0	.6				
Arkansas.....	.8	.7	.2	.1	.1	.1	.4	1.4	1.2	.1	.1	.1	.5	.5	1.2				
California.....	1.6	.9	.6	1.3	2.0	2.5	1.3	.3	.2	.1	.1	.1	.1	.1	.2				
Colorado.....	4.6	3.7	1.1	1.8	4.0	2.6	3.1	.6	.6	.2	.1	.8	.6	.6	.4				
Connecticut.....	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1			
District of Columbia.....	.3	.4	.1	.1	.0	.0	.2	.1	.2	.0	.0	.0	.0	.0	.0	.1			
Florida.....	1.1	.2	.1	.1	.3	.7	.4	.1	.1	.0	.0	.1	.0	.0	.1				
Idaho.....	7.7	7.1	1.9	2.1	7.3	4.2	5.3	2.2	2.1	.8	.2	1.1	3.9	3.9	1.7				
Illinois.....	1.0	1.7	.4	.6	1.0	2.4	1.1	.9	.7	.2	.3	.5	.6	.6	.6	.6			
Indiana.....	2.5	2.3	.7	.9	1.8	3.2	1.9	1.7	1.8	.5	.5	.8	1.0	1.0	1.3				
Iowa.....	1.8	2.2	.7	1.2	2.7	3.0	1.8	1.5	1.3	.2	.3	.7	1.1	1.1	.9				
Kansas.....	2.9	3.5	.9	1.0	1.0	2.0	2.1	1.6	1.8	.3	.6	1.1	1.2	1.2	1.4				
Louisiana.....	1.4	.9	.3	.2	.6	1.7	.9	.8	.5	.1	.2	.1	.5	.5	.5				
Maine.....	.6	.3	.1	.2	.3	.3	.3	.9	.4	.4	.4	.9	.6	.8					
Maryland.....	.2	.2	.0	.0	.0	.1	.1	.1	.2	.0	.0	.0	.0	.0	.1				
Massachusetts.....	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0				
Michigan.....	1.4	1.5	.7	1.0	1.2	2.6	1.5	.6	.6	.3	.4	.6	.7	.6	.6				
Minnesota.....	2.1	2.2	1.0	1.9	4.3	7.1	2.5	1.2	1.0	.3	.4	.7	1.3	1.0	1.0				
Mississippi.....	3.7	2.2	.5	.4	.8	.8	1.8	1.6	1.3	.3	.4	.6	1.1	1.1	1.1				
Montana.....	2.4	2.8	.7	1.3	1.8	2.6	1.9	2.9	2.4	.7	1.3	2.1	2.0	2.1					
Nebraska.....	5.4	4.2	.8	.9	1.8	4.1	3.2	3.6	1.1	1.0	1.1	1.5	2.9	2.6					
New Jersey.....	.1	.1	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0				
New York.....	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0				
North Carolina.....	2.3	1.4	.4	.3	4	.7	1.2	.8	.9	.3	.4	.4	.7	.6	.6				
North Dakota.....	.4	.7	.3	.5	1.9	3.4	.8	.8	.9	.2	.0	.6	.3	.5	.5				
Ohio.....	1.2	1.5	.5	.9	1.9	2.5	1.2	.9	.9	.5	.4	.8	.7	.8					
Oregon.....	7.6	3.0	1.3	1.9	2.3	2.0	3.5	.9	.9	.3	.1	.3	.6	.7	.7				
Pennsylvania.....	.0	.0	.0	.0	.0	.0	.0	.0	.1	.0	.0	.0	.0	.0	.0				
Rhode Island.....	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0				

February 25, 1921.

Smallpox—Annual case rates per 1,000 population; comparison of 1920 with the median of the period 1913-1919—Continued.

State.	1920							Median, 1913-1919.						
	Jan., Feb., Mar.	Apr., May, June	July, Aug., Sept.	Oct.	Nov.	Dec.	Year.	Jan., Feb., Mar.	Apr., May, June	July, Aug., Sept.	Oct.	Nov.	Dec.	Median year.
South Carolina.....	1.0	0.7	0.2	3.1	0.4	1.4	0.6	0.1	0.2	0.0	0.1	.1	0.2	0.2
South Dakota.....	2.4	2.9	.5	.4	1.8	2.8	1.9	2.2	1.9	.6	.5	.5	1.3	1.7
Vermont.....	.6	.6	.0	1.0	.9	1.5	.3	.2	.4	.1	.0	.0	.1	.2
Virginia.....	2.9	1.7	.7	.4	.4	.6	1.4	.8	.7	.2	.3	.2	.5	.7
Washington.....	8.1	4.6	1.7	1.6	3.2	4.7	4.4	.9	1.0	.4	.2	.4	.5	.6
West Virginia.....	2.7	2.1	1.0	.7	.9	2.1	1.8	1.3	1.2	.2	.3	.8	.8	.9
Wisconsin.....	2.9	2.2	1.1	1.3	2.6	3.2	2.1	.9	.9	.3	.5	.7	1.2	.8
Wyoming.....	8.0	6.3	2.4	1.8	1.0	2.6	4.6	1.0	.5	.5	.3	.4	.3	.5
All above States	1.4	1.2	.4	.5	1.0	1.6	1.0	.7	.7	.2	.2	.4	.5	.5

PRINCIPAL CAUSES OF DEATH, 1920.

DEATH RATES FROM PRINCIPAL CAUSES DURING NOVEMBER AND DECEMBER AND THE LAST QUARTER OF 1920, AND COMPARISON OF RATES FOR 1920 WITH THOSE FOR PREVIOUS YEARS.

The accompanying tables are reprinted from the Statistical Bulletin of the Metropolitan Life Insurance Co. for January, 1920. The rates in these tables for the different periods of 1920 are based on a strength of approximately 13,000,000 insured persons.

Death rates (annual basis) per 100,000 lives exposed for principal causes, November and December, 1920, and year 1919.

[Industrial Department, Metropolitan Life Insurance Co.]

Cause of death.	Death rate per 100,000 lives exposed.		
	December, 1920.	November, 1920.	Year 1919.
Total, all causes.....	940.1	813.7	1,063.0
Typhoid fever.....	5.0	9.0	7.3
Measles.....	3.4	2.1	3.5
Scarlet fever.....	8.7	6.8	3.9
Whooping cough.....	4.3	2.6	3.2
Diphtheria.....	34.8	30.4	20.9
Influenza.....	8.5	5.5	96.0
Tuberculosis (all forms).....	124.1	109.7	156.5
Cancer.....	76.1	67.7	67.0
Meningitis (all forms).....	4.5	4.0	6.4
Cerebral hemorrhage.....	65.4	54.8	59.8
Organic diseases of heart.....	121.0	101.6	113.9
Pneumonia (all forms).....	85.9	51.9	117.2
Other respiratory diseases.....	17.1	14.6	17.0
Diarrhea and enteritis.....	9.6	14.3	16.9
Bright's disease.....	74.6	65.0	73.5
Puerperal state.....	17.6	14.9	20.0
Suicides.....	5.6	5.8	6.8
Homicides.....	6.8	5.1	6.9
Other external causes (excluding suicides and homicides).....	57.5	58.9	80.4
Traumatism by automobile.....	10.2	14.5	10.7
War deaths.....		.4	16.6
All other causes.....	209.5	191.0	184.9

Death rates (annual basis) per 100,000 lives exposed—Last quarters of 1918, 1919, and 1920, compared, by color, for principal causes of death.

[Industrial Department, Metropolitan Life Insurance Co.]

Cause of death.	Death rate per 100,000 lives exposed.					
	White.			Colored.		
	Oct.-Dec. 1920.	Oct.-Dec. 1919.	Oct.-Dec. 1918.	Oct.-Dec. 1920.	Oct.-Dec. 1919.	Oct.-Dec. 1918.
All causes of death.....	756.4	781.3	2,824.0	1,280.2	1,305.3	2,861.0
Typhoid fever.....	7.3	6.9	14.0	14.3	18.2	29.4
Measles.....	2.6	2.8	2.2	2	1.5	6
Scarlet fever.....	7.0	4.8	3.1	3.2	1.2	—
Whooping cough.....	3.7	2.5	11.2	6.2	2.9	14.3
Diphtheria and croup.....	31.5	33.2	28.0	9.1	10.7	6.3
Influenza.....	5.4	9.8	1,058.8	13.8	18.2	724.2
Tuberculosis (all forms).....	95.3	106.2	106.7	255.2	281.2	343.4
Tuberculosis of the lungs.....	85.4	95.8	152.9	231.0	259.3	316.3
Tuberculous meningitis.....	4.7	5.1	5.9	6.7	6.7	7.4
Other forms of tuberculosis.....	5.2	5.4	7.9	17.5	15.2	19.7
Meningitis (total).....	3.9	5.3	6.8	3.2	4.3	5.7
Cerebrospinal meningitis.....	3.2	4.4	5.5	3.0	2.9	4.3
Cerebral hemorrhage; apoplexy.....	32.4	53.3	61.3	90.5	99.5	94.5
Organic diseases of heart.....	95.6	95.5	157.8	149.4	154.6	221.8
Total respiratory diseases.....	65.4	70.5	705.9	113.2	178.3	690.5
Bronchitis.....	5.5	6.6	11.4	10.1	10.1	13.7
Broncho-pneumonia.....	20.1	21.4	122.4	25.4	25.6	103.6
Pneumonia-alobar and undefined.....	32.3	34.8	558.3	66.1	71.8	560.0
Other diseases of respiratory system.....	7.5	7.5	10.7	11.6	10.7	13.1
Diarrhea and enteritis.....	15.5	15.9	22.3	10.8	17.9	20.8
Under 2 years.....	7.2	7.2	11.5	4.2	4.5	6.6
2 years and over.....	8.3	8.7	10.9	12.6	13.4	14.3
Nephritis and Bright's disease.....	62.7	67.4	81.9	121.3	124.4	150.0
Total puerperal state.....	15.4	14.9	55.8	27.4	26.7	43.1
Puerperal septicemia.....	6.0	4.6	6.5	14.5	13.1	10.3
Puerperal albuminuria and convulsions.....	3.9	4.5	5.1	5.2	6.4	6.9
Other diseases of puerperal state.....	5.5	5.8	44.3	7.6	7.2	26.0
Total external causes ¹	66.2	67.4	107.2	96.2	99.5	141.6
Suicides.....	6.5	4.9	8.3	3.0	5.6	5.1
Homicides.....	3.1	3.1	3.3	28.8	27.0	31.1
Accidental and unspecified violence ²	56.3	59.8	78.3	64.4	56.6	81.1
Accidental drowning.....	3.6	3.8	6.3	4.9	3.5	6.3
Automobile accidents.....	34.3	32.8	13.7	6.4	10.4	9.7
War deaths.....	3	2.6	112.3	—	1.3	24.3
All other and ill-defined causes of death.....	226.4	225.0	251.0	362.2 ³	345.3	365.9

¹ Includes "war deaths."

² Excludes "war deaths."

Death claims paid per 1,000 policies in force (annual basis) during specified months of 1918, 1919, and 1920.

Month.	Year.			Month.	Year.			
	1918	1919	1920		1918	1919	1920	
January.....	13.3	19.1	10.5	July.....	10.1	9.2	8.4	
February.....	12.6	17.7	16.0	August.....	10.1	8.3	8.4	
March.....	14.3	15.7	15.8	September.....	9.6	8.4	7.9	
April.....	14.4	13.2	11.1	October.....	18.2	8.2	8.3	
May.....	12.9	11.2	9.5	November.....	38.0	8.6	8.5	
June.....	10.5	9.8	9.8	December.....	22.4	9.1	9.8	

February 25, 1921.

Death rates per 100,000 lives exposed, for principal causes, 1911 to 1920.

[Industrial Department, Metropolitan Life Insurance Co.]

Cause of death.	Death rate per 100,000 lives exposed.									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
All causes of death.....	968.4	1,063.0	1,559.2	1,161.1	1,168.1	1,130.9	1,152.8	1,199.4	1,201.2	1,253.0
Typhoid fever.....	6.5	7.3	11.5	12.1	13.0	12.9	16.1	18.4	19.1	22.8
Communicable diseases of children.....	42.3	31.5	41.6	46.8	40.8	36.4	48.2	58.1	46.2	58.9
Measles.....	8.3	3.5	8.6	11.1	9.9	5.7	6.9	12.3	7.6	11.4
Scarlet fever.....	5.9	3.9	6.6	6.0	4.1	4.6	9.8	12.7	9.0	13.1
Whooping cough.....	6.5	3.2	10.1	5.1	5.8	4.7	5.8	5.9	5.1	7.1
Diphtheria.....	21.6	20.9	19.3	24.6	21.0	21.4	25.7	27.2	24.5	27.3
Influenza and pneumonia.....	156.2	214.1	542.2	135.4	138.1	119.5	111.6	118.4	116.2	131.2
Influenza.....	52.3	96.9	272.4	14.4	23.8	13.0	11.3	12.3	12.3	15.9
Pneumonia (all forms).....	103.9	117.2	209.8	121.0	114.3	106.5	100.3	106.1	103.9	115.3
Tuberculosis (all forms).....	135.0	156.5	189.0	188.9	190.2	197.8	204.5	206.7	212.9	224.6
Tuberculosis of the lungs.....	121.5	141.6	171.1	172.3	172.8	180.0	185.2	186.6	191.5	203.0
Cancer (all forms).....	68.3	67.0	67.2	70.9	70.3	70.9	69.8	70.5	70.3	68.0
Meningitis (total).....	5.1	6.4	8.8	8.1	5.4	5.7	6.4	8.3	9.8	12.2
Cerebrospinal fever.....	1.0	1.3	2.8	3.5	1.5	1.3	1.5	1.7	3.0	(1)
Cerebral hemorrhage, apoplexy.....	60.1	58.8	64.0	66.8	68.7	68.5	69.2	67.2	70.3	64.2
Organic diseases of the heart.....	114.6	113.9	141.7	142.0	140.2	136.7	138.1	140.6	143.8	141.8
Diarrhea and enteritis.....	15.5	16.9	23.4	25.5	26.2	24.4	24.7	27.7	27.6	28.0
Under 2 years.....	6.9	7.5	11.6	11.9	12.5	11.3	11.9	13.2	12.8	13.0
2 years and over.....	8.6	9.5	11.8	13.6	13.7	13.1	12.8	14.5	14.8	15.0
Bright's disease.....	69.4	73.5	86.8	95.7	96.0	95.7	95.4	96.0	99.4	95.0
Puerperal state.....	22.5	20.0	27.4	18.2	17.6	18.0	19.8	20.0	18.4	19.8
Puerperal septicemia.....	8.4	6.7	7.3	7.5	7.2	7.2	8.4	9.1	8.0	8.8
Puerperal albuminuria and convulsions.....	4.9	4.8	4.9	5.1	5.0	4.8	5.1	5.3	4.8	4.7
Accidents of pregnancy.....	3.0	3.0	6.9	1.6	1.4	1.8	1.7	1.7	1.5	1.7
Total external causes.....	69.7	94.2	128.9	106.7	99.5	88.2	89.2	98.3	92.9	97.9
Suicides.....	6.0	6.8	7.6	9.3	9.8	12.2	12.3	13.5	12.4	13.3
Homicides.....	5.7	6.9	6.2	7.4	6.9	6.9	7.0	7.2	6.7	7.2
Accidents (total).....	57.6	63.8	75.5	76.5	73.2	67.3	69.9	77.6	73.8	77.4
Burns.....	7.9	8.1	9.0	8.9	8.8	8.6	8.4	9.0	9.1	8.8
Accidental drowning.....	6.6	8.6	9.4	8.7	9.7	11.9	10.0	12.1	10.2	10.2
Traumatism by fall.....	7.1	8.0	10.4	11.9	13.1	11.9	12.6	13.7	12.7	13.2
Traumatism by machines.....	1.6	1.6	2.4	2.0	1.7	1.4	1.5	2.0	1.7	1.8
Railroad accidents.....	5.1	5.7	7.8	8.5	7.9	7.4	7.5	9.0	9.2	9.5
Automobile accidents.....	10.9	10.7	10.3	9.7	7.4	5.4	4.8	4.1	3.0	2.3
Other accidents.....	18.3	21.2	26.1	26.8	24.6	20.7	25.1	27.7	27.9	31.6
War deaths.....	.5	16.6	39.7	13.5	9.6	1.8				
Other diseases and conditions.....	203.1	201.8	226.7	243.9	259.1	256.2	259.8	269.2	274.3	288.6

¹ Not available.

The rates presented here indicate that the year of 1920 was the best from the standpoint of mortality conditions in the history of the company and probably the best in the sanitary history of the United States. As stated above, the mortality rates of this more or less selected group are very good indices of comparative mortality conditions of the general population. The death rate in this selected group is usually from 82 to 87 per cent of the death rate in the registration area.

Among the persons insured in the industrial department of the company, the death rate for 1920 was only 9.7 per 1,000. This is 9 per cent less than the death rate for 1919, and 23 per cent lower than that for 1911. Using figures representing deaths instead of rates, this low mortality record for 1920 means that 13,000 fewer deaths occurred among the policyholders during 1920 than would have occurred had the rate for 1919 prevailed, and 38,000 fewer deaths than would have occurred if the 1911 rate had obtained.

Marked declines in the mortality from tuberculosis and influenza and pneumonia were a large factor in the improvement noted in the total mortality. Tuberculosis, which caused 13.9 per cent of the deaths in 1920, showed a death rate 14 per cent less than that for 1919, and 40 per cent less than that for 1911. Mortality from influenza-pneumonia was 27 per cent lower in 1920 than in 1919, despite the sharp return of the disease in the early months of the year.

Mortality from Bright's disease declined 27 per cent from the figures registered in 1911, and 5.6 per cent from those for 1919. According to the records of the company, the most pronounced declines in the mortality from this disease have occurred since 1917.

DEATHS DURING WEEK ENDED FEB. 12, 1921.

Summary of information received by telegraph from industrial insurance companies for week ended Feb. 12, 1921. (From the "Weekly Health Index," Feb. 15, 1921, issued by the Bureau of the Census, Department of Commerce.)

Policies in force.....	45,626	730
Number of death claims.....	8,364	
Death claims per 1,000 policies in force, annual rate.....	9.6	

Deaths from all causes in certain large cities of the United States during the week ended Feb. 12, 1921, infant mortality, annual death rate, and comparison with corresponding week of preceding years. (From the "Weekly Health Index," Feb. 15, 1921, issued by the Bureau of the Census, Department of Commerce.)

City.	Estimated population, July 1, 1921.	Week ended Feb. 12, 1921.		Average annual death rate per 1,000. ¹	Deaths under 1 year.		Infant mortality rate. ²	
		Total deaths.	Death rate. ³		Week ended Feb. 12, 1921.	Previous year or years. ⁴	Week ended Feb. 12, 1921. ⁵	Corresponding week, 1919.
Akron, Ohio.....	229,193	24	5.5	5 11.1	7	5 1	67	106
Albany, N. Y.....	115,071	46	20.8	C 17.8	2	C 3	45	81
Atlanta, Ga.....	207,473	66	16.6	C 21.0	13	C 9		
Baltimore, Md.....	751,537	261	18.1	A 19.1	38	A 32	107	98
Birmingham, Ala.....	186,133	47	13.2	A 18.5	6	A 6		
Boston, Mass.....	757,634	291	13.8	A 18.1	23	A 40	.62	97
Bridgeport, Conn.....	149,967	31	10.8	A 17.2	1	A 7	13	88
Buffalo, N. Y.....	519,608	139	13.0	C 19.7	21	C 39	81	110
Cambridge, Mass.....	110,441	22	10.4	A 17.5	2	A 5	.36	70
Camden, N. J.....	119,672	41	17.9		7			
Chicago, Ill.....	2,780,655	710	13.3	A 16.0	134	A 145		
Cincinnati, Ohio.....	403,418	112	14.5	C 20.5	14	C 18	92	88
Cleveland, Ohio.....	831,138	204	12.8	C 13.8	32	C 32	86	95
Columbus, Ohio.....	245,358	73	15.5	C 14.8	7	C 6	81	91
Dallas, Tex.....	165,282	38	12.0	A 15.2	6	A 4		
Dayton, Ohio.....	158,119	28	9.2	C 19.0	3	C 4	49	89
Denver, Colo.....	263,152	70	13.9	A 16.1	9			
Detroit, Mich.....	1,070,450	210	10.2		45		85	97
Fall River, Mass.....	120,668	39	16.9	C 15.2	31	C 7	165	119
Grand Rapids, Mich.....	141,197	33	12.2	C 15.6	2	C 8	34	85
Houston, Tex.....	143,340	33	11.9		2			

¹ Annual rates per 1,000 population.

² "A" indicates data for the corresponding week of the years 1913 to 1917, inclusive. "C" indicates data for the corresponding week of the year 1918.

³ Cities left blank are not in the registration area for births.

⁴ Deaths under 1 year per 1,000 births—an annual rate based on deaths under 1 year for the week and estimated births for 1920.

⁵ Data are based on statistics of 1915, 1916, and 1917.

February 25, 1921.

Deaths from all causes in certain large cities of the United States during the week ended Feb. 12, 1921, infant mortality, annual death rate, and comparison with corresponding week of preceding years—Continued.

City.	Estimated population July 1, 1921.	Week ended Feb. 12, 1921.		Average annual death rate per 1,000.	Death under 1 year.		Infant mortality rate.		
		Total deaths.	Death rate.		Week ended Feb. 12, 1921.	Previous year or years.	Week ended Feb. 12, 1921.	Corresponding week, 1921.	
Indianapolis, Ind.	325,215	64	10.3	C 16.3	13	C 14	101	80	
Jersey City, N. J.	302,788	91	15.7	C 14.0	14	C 11	215	108	
Kansas City, Kans.	103,908	26	13.0		9				
Kansas City, Mo.	336,157	98	15.2	C 20.3	20	C 11			
Los Angeles, Calif.	611,636	181	15.4	A 15.5	14	A 13	66	67	
Louisville, Ky.	236,083	55	12.1	C 27.0	5	C 12	58	96	
Lowell, Mass.	113,757	28	12.8	A 16.7	5	A 7	80	124	
Milwaukee, Wis.	468,386	105	11.7	A 13.8	22	A 27	107	101	
Minneapolis, Minn.	392,815	98	13.0	C 11.2	16	C 13	91	65	
Nashville, Tenn.	119,536	38	16.6	C 21.4	5	C 3			
New Bedford, Mass.	125,012	48	20.0	A 16.6	12	A 9	184	122	
New Haven, Conn.	167,007	38	11.9	C 18.2	6	C 13	71	73	
New Orleans, La.	394,657	152	20.1	A 22.1	22	A 20			
New York, N. Y.	5,751,867	1,467	13.3	C 16.8	209	C 272	82	81	
Newark, N. J.	424,885	95	11.7	C 16.4	12	C 15			
Norfolk, Va.	121,260	32	13.8		4		71	108	
Oakland, Calif.	226,472	51	11.7	A 13.2	5	A 4	63	61	
Omaha, Nebr.	197,066	48	12.7		6				
Paterson, N. J.	137,463	28	10.6		3				
Philadelphia, Pa.	1,866,212	467	13.0	5 17.7	52	5 81	99	91	
Pittsburgh, Pa.	596,413	190	16.6	C 20.9	30	C 40	106	114	
Portland, Oreg.	264,859	56	11.0	C 11.4	11	C 10	110	69	
Providence, R. I.	239,645	68	14.8	C 19.0	9	C 15			
Richmond, Va.	175,686	51	15.1	C 18.4	7	C 13	85	106	
Rochester, N. Y.	303,229	93	15.9	C 14.9	20	C 9	155	74	
St. Louis, Mo.	786,164	216	14.3	C 17.0	26	C 30			
St. Paul, Minn.	237,781	52	11.4	C 11.9	4	C 11	40	68	
Salt Lake City, Utah.	121,595	33	14.2	A 13.8	3		46	77	
San Francisco, Calif.	520,546	131	13.1	C 14.1	7	C 10	41	62	
Seattle, Wash.	327,227	53	8.4	A 9.3	7	A 6	58	55	
Spokane, Wash.	104,442	36	18.0	C 14.0	3	C 3	66	55	
Springfield, Mass.	135,877	35	13.4		2		30	84	
Syracuse, N. Y.	177,265	58	17.1	C 15.7	8	C 10	96	91	
Toledo, Ohio.	253,696	67	13.8	A 14.0	7	A 10	71	90	
Trenton, N. J.	122,760	31	13.2	A 22.5	4	A 10			
Washington, D. C.	454,026	102	11.7	A 18.3	10	A 13	58	85	
Wilmington, Del.	113,408	47	21.6	C 21.8	8				
Worcester, Mass.	184,972	52	14.7	C 17.0	8	C 5	86	92	
Yonkers, N. Y.	103,324	28	14.1	A 12.1	5	A 4	113	89	
Youngstown, Ohio.	139,432	26	9.7		6		76	99	

* Data are based on statistics of 1915, 1916, and 1917.

28610°—21—5

PREVALENCE OF DISEASE.

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring.

UNITED STATES.

CURRENT STATE SUMMARIES.

Telegraphic Reports for Week Ended Feb. 19, 1921.

These reports are preliminary, and the figures are subject to change when later returns are received by the State health officers.

ALABAMA.	Cases.	CONNECTICUT—continued.	Cases.
Chicken pox.....	93	Lethargic encephalitis.....	5
Diphtheria.....	16	Measles:	
Hookworm.....	263	Bristol.....	8
Influenza.....	11	Greenwich.....	92
Malaria.....	1	Manchester.....	9
Mumps.....	31	Middletown (C).....	26
Ophthalmia neonatorum.....	1	New Britain.....	52
Pellagra.....	2	Pomfret.....	13
Pneumonia.....	26	Scattering.....	57
Scarlet fever.....	8	Mumps.....	69
Smallpox:		Ophthalmia neonatorum.....	1
Jefferson County.....	59	Pneumonia (lobar).....	44
Scattering.....	61	Scarlet fever:	
Tuberculosis.....	13	Bridgeport.....	14
Typhoid fever.....	17	Hamden.....	10
Whooping cough.....	9	Meriden (C).....	11
ARKANSAS.		New Haven.....	51
Chicken pox.....	45	Orange.....	8
Diphtheria.....	4	Torrington (T).....	8
Influenza.....	19	Torrington (B).....	37
Malaria.....	11	Waterbury.....	11
Measles.....	221	Scattering.....	59
Pellagra.....	4	Septic sore throat.....	6
Scarlet fever.....	6	Tetanus.....	1
Smallpox.....	19	Tuberculosis (pulmonary).....	31
Tuberculosis.....	6	Typhoid fever.....	4
Typhoid fever.....	6	Whooping cough.....	86
Whooping cough.....	12		
CONNECTICUT.		DELAWARE.	
Cerebrospinal meningitis.....	3	Cerebrospinal meningitis—Laurel.....	1
Chicken pox.....	81	Chicken pox.....	6
Conjunctivitis (infectious).....	12	Diphtheria.....	3
Diphtheria:		Influenza.....	19
Bridgeport.....	11	Measles.....	1
Hartford.....	19	Mumps.....	4
New Britain.....	8	Pneumonia.....	3
New Haven.....	11	Scarlet fever.....	16
Scattering.....	49	Tuberculosis:	
German measles.....	2	Wilmington.....	8
Influenza.....	12	Scattering.....	2
		Whooping cough.....	16

February 25, 1921.

	FLORIDA.	Cases.		ILLINOIS—continued.	Cases.
Cerebrospinal meningitis.....		1		Smallpox—Continued.	
Diphtheria.....		19		Pontiac.....	8
Influenza.....		4		Rockford.....	24
Lethargic encephalitis.....		1		Scattering.....	99
Malaria.....		5		Typhoid fever.....	17
Pneumonia.....		2			
Scarlet fever.....		8			
Smallpox.....		35			
Typhoid fever.....		10			
	GEORGIA.				
Cerebrospinal meningitis.....		1			
Chicken pox.....		42			
Diphtheria.....		12			
Hookworm.....		14			
Influenza.....		35			
Malaria.....		14			
Measles.....		184			
Mumps.....		9			
Paratyphoid fever.....		1			
Pneumonia.....		27			
Scarlet fever.....		12			
Septic sore throat.....		2			
Smallpox.....		91			
Tuberculosis (pulmonary).....		8			
Typhoid fever.....		2			
Whooping cough.....		18			
	ILLINOIS.				
Cerebrospinal meningitis:					
Chicago.....		3		Actinomycosis.....	1
DeWitt County—Santa Anna Township..		2		Cerebrospinal meningitis.....	2
Standard.....		1		Chicken pox.....	69
Diphtheria:				Diphtheria.....	72
Chicago.....		187		Influenza.....	9
Scattering.....		79		Malaria.....	1
Influenza.....		34		Measles.....	351
Lethargic encephalitis:				Mumps.....	26
Chicago.....		14		Pneumonia.....	28
Chillicothe.....		1		Poliomyelitis.....	1
Clifton.....		1		Scarlet fever.....	155
Galesburg.....		1		Smallpox.....	175
Hamilton County—Twigg Township..		2		Tuberculosis.....	31
Highland Park.....		1		Typhoid fever.....	3
St. Charles.....		1		Whooping cough.....	69
St. Clair County—Lebanon Township..		1			
Pneumonia.....		294			
Poliomyelitis:					
Cicero.....		1			
Du Page County—Wayne Township....		1			
Scarlet fever:					
Canton.....		14			
Chicago.....		180			
Normal.....		9			
Oak Park.....		10			
Rockford.....		20			
Springfield.....		34			
Scattering.....		149			
Smallpox:					
Chester.....		10			
Chicago.....		17			
East St. Louis.....		28			
Freeport.....		11			
Hamilton County—Beaver Creek Township		9			
Moline.....		11			
	INDIANA.				
Diphtheria.....		69			
Poliomyelitis—Lake County.....		1			
Rabies in animals—Allen County.....		1			
Scarlet fever.....		294			
Smallpox.....		191			
Typhoid fever.....		6			
	IOWA.				
Diphtheria.....		32			
Lethargic encephalitis:					
Dyersville.....		1			
Panora.....		1			
Sumner.....		2			
Scarlet fever.....		106			
Smallpox:					
Davenport.....		10			
Hiteiman.....		19			
Ottumwa.....		15			
Scattering.....		160			
	KANSAS.				
Actinomycosis.....		1			
Cerebrospinal meningitis.....		2			
Chicken pox.....		69			
Diphtheria.....		72			
Influenza.....		9			
Malaria.....		1			
Measles.....		351			
Mumps.....		26			
Pneumonia.....		28			
Poliomyelitis.....		1			
Scarlet fever.....		155			
Smallpox.....		175			
Tuberculosis.....		31			
Typhoid fever.....		3			
Whooping cough.....		69			
	LOUISIANA.				
Cerebrospinal meningitis.....		3			
Diphtheria.....		6			
Influenza.....		22			
Scarlet fever.....		6			
Smallpox.....		50			
	MAINE.				
Anthrax.....		1			
Chicken pox.....		31			
Diphtheria.....		20			
German measles.....		1			
Influenza.....		2			
Lethargic encephalitis.....		3			
Measles.....		160			
Mumps.....		4			
Pneumonia.....		13			
Scarlet fever.....		19			
Septic sore throat.....		1			
Smallpox.....		1			
Tuberculosis.....		8			
Typhoid fever.....		6			
Whooping cough.....		66			

	MARYLAND. ¹	Cases.	MISSOURI—continued.	Cases.
Anthrax.....	1		Mumps.....	81
Chicken pox.....	112		Ophthalmia neonatorum.....	2
Diphtheria.....	60		Scarlet fever.....	161
German measles.....	2		Smallpox.....	238
Influenza.....	143		Tetanus.....	2
Lethargic encephalitis.....	4		Trachoma.....	1
Malaria.....	2		Tuberculosis.....	42
Measles.....	332		Typhoid fever.....	16
Mumps.....	48		Whooping cough.....	114
Ophthalmia neonatorum.....	1			
Pneumonia (all forms).....	179			
Scarlet fever.....	83			
Septic sore throat.....	9			
Smallpox.....	8			
Trachoma.....	1			
Tuberculosis.....	52			
Typhoid fever.....	10			
Whooping cough.....	134			
	MASSACHUSETTS.			
Cerebrospinal meningitis.....	2			
Chicken pox.....	344			
Conjunctivitis (suppurative).....	6			
Diphtheria.....	210			
German measles.....	24			
Influenza.....	32			
Measles.....	591			
Mumps.....	116			
Ophthalmia neonatorum.....	29			
Pneumonia (lobar).....	125			
Poliomyelitis.....	4			
Scarlet fever.....	285			
Septic sore throat.....	6			
Trachoma.....	1			
Tuberculosis (all forms).....	187			
Typhoid fever.....	13			
Whooping cough.....	175			
	MINNESOTA.			
Chicken pox.....	29		Cerebrospinal meningitis.....	3
Diphtheria.....	59		Chicken pox.....	390
Measles.....	60		Diphtheria.....	252
Pneumonia.....	2		Influenza.....	94
Scarlet fever.....	185		Malaria.....	2
Smallpox:			Measles.....	302
Minneapolis.....	163		Pneumonia.....	257
Scattering.....	314		Scarlet fever.....	388
Tuberculosis.....	127		Smallpox.....	3
Typhoid fever.....	6		Trachoma.....	1
Whooping cough.....	15		Typhoid fever.....	7
			Whooping cough.....	350
	MISSISSIPPI.			
Diphtheria.....	13			
Scarlet fever.....	4			
Smallpox.....	38			
Typhoid fever.....	5			
	MISSOURI.			
Anthrax.....	1			
Cerebrospinal meningitis.....	2			
Chicken pox.....	145			
Diphtheria.....	172			
Epidemic sore throat.....	30			
Influenza.....	30			
Measles.....	152			
	NEW MEXICO.			
Chicken pox.....	13			
Conjunctivitis.....	1			
Diphtheria.....	28			
Malaria.....	1			
Measles.....	98			
Mumps.....	25			
Paratyphoid fever.....	1			
Pneumonia.....	5			
Scarlet fever.....	4			
Smallpox.....	3			
Tuberculosis.....	40			
Whooping cough.....	36			

¹ Week ended Friday.

February 25, 1921.

	NEW YORK.	Cases.	VERMONT.	Cases.
81	(Exclusive of New York City.)			
2	Cerebrospinal meningitis.....	4	Chicken pox.....	74
161	Diphtheria.....	310	Diphtheria.....	8
238	Influenza.....	63	Measles.....	116
2	Lethargic encephalitis.....	20	Mumps.....	40
1	Measles.....	1,725	Pneumonia.....	4
42	Pneumonia.....	375	Smallpox.....	11
16	Poliomyelitis:		Scarlet fever.....	25
114	Whitehall.....	1	Typhoid fever.....	5
	Yonkers.....	1	Whooping cough.....	37
4	Scarlet fever.....	394		
11	Smallpox:		WEST VIRGINIA.	
25	Tonawanda.....	8	Diphtheria.....	16
1	Scattering.....	9	Measles:	
57	Typhoid fever.....	32	Bluefield.....	8
17	Typhus fever:		Charleston.....	73
	Cortland.....	2	Montgomery.....	25
	Whooping cough.....	616	Wheeling.....	10
			Scattering.....	13
	NORTH CAROLINA.		Scarlet fever.....	18
1	Cerebrospinal meningitis.....	1	Smallpox:	
1	Chicken pox.....	131	Clarksburg.....	9
57	Diphtheria.....	34	Scattering.....	15
19	German measles.....	3	Typhoid fever.....	6
13	Measles.....	738		
11	Scarlet fever.....	22	WISCONSIN.	
8	Septic sore throat.....	6	Milwaukee:	
21	Smallpox.....	96	Cerebrospinal meningitis.....	2
	Typhoid fever.....	8	Chicken pox.....	38
	Whooping cough.....	343	Diphtheria.....	37
	SOUTH DAKOTA.		German measles.....	3
15	Chicken pox.....	16	Measles.....	18
72	Diphtheria.....	22	Scarlet fever.....	46
1	Measles.....	55	Smallpox.....	18
1	Pneumonia.....	18	Tuberculosis.....	16
3	Scarlet fever.....	48	Whooping cough.....	9
390	Smallpox.....	105	Scattering:	
252	Tuberculosis.....	1	Cerebrospinal meningitis.....	1
94	Whooping cough.....	4	Chicken pox.....	114
2			Diphtheria.....	98
302	TEXAS.		German measles.....	3
257	Cerebrospinal meningitis.....	1	Influenza.....	22
188	Chicken pox.....	40	Lethargic encephalitis—Eau Claire.....	3
3	Diphtheria.....	25	Measles.....	155
1	Influenza.....	8	Scarlet fever.....	223
7	Measles.....	71	Smallpox.....	199
7	Mumps.....	5	Trachoma.....	1
1	Scarlet fever.....	15	Tuberculosis.....	11
26	Smallpox.....	22	Typhoid fever.....	14
			Whooping cough.....	132

District of Columbia and Kentucky Reports for Week Ended February 12, 1921.

	DISTRICT OF COLUMBIA.	Cases.	KENTUCKY—continued.	Cases.
1	Chicken pox.....	46	Influenza.....	21
28	Diphtheria.....	36	Lethargic encephalitis:	
1	Influenza.....	1	Jefferson County.....	10
98	Measles.....	88	Ohio County.....	1
25	Scarlet fever.....	24	Measles:	
1	Smallpox.....	1	Boyd County.....	64
5	Tuberculosis.....	24	Harlan County.....	10
4	Typhoid fever.....	1	Jefferson County.....	16
3	Whooping cough.....	43	Muhlenberg County.....	10
40			Scattering.....	23
36	KENTUCKY.		Mumps.....	11
	Chicken pox.....	39	Pneumonia.....	44
	Diphtheria:		Scabies.....	1
	Jefferson County.....	15		
	Scattering.....	22		

KENTUCKY—continued.		Cases.	KENTUCKY—continued.		Cases.
Scarlet fever:			Smallpox—Continued.		
Campbell County.....	10		Ohio County.....	8	
Jefferson County.....	19		Pike County.....	16	
Scattering.....	28		Whitley County.....	12	
Septic sore throat.....	11		Scattering.....	35	
Smallpox:			Trachoma.....	17	
Graves County.....	15		Tuberculosis.....	14	
Hart County.....	11		Typhoid fever.....	18	
Livingston County.....	23		Whooping cough.....	18	
Muhlenberg County.....	16				

SUMMARY OF CASES REPORTED MONTHLY BY STATES.

The following summary of monthly State reports is published weekly and covers only those States from which reports are received during the current week:

State.	Cerebrospinal meningitis.	Diphtheria.	Influenza.	Malaria.	Measles.	Pellagra.	Poliomyelitis.	Scarlet fever.	Smallpox.	Typhoid fever.
January, 1921.										
Louisiana.....	7	67	71	164	730	23	1	45	410	49
Maryland.....	1	322	368	326	2	348	17	31
South Dakota.....	1	23	10	176	133	188	3
West Virginia.....	5	263	111	1,815	1	293	512	66
Wisconsin.....	9	672	245	655	3	1,101	1,141	38

PLAQUE.¹**HUMAN CASES OF PLAGUE REPORTED.**

Place.	Period covered.	Cases.	Deaths.	Remarks.
California:				
San Benito County.....	1921. Feb. 7.....	1	
Florida:				
Pensacola.....	Jan. 1 to Feb. 19..	0	0	
Louisiana:				
New Orleans.....	do.....	0	0	
Texas:				
Beaumont.....	do.....	0	0	
Galveston.....	do.....	0	0	

PLAQUE-INFECTED RODENTS.

Place.	Period covered.	Rodents found plague infected.
Florida:		
Pensacola.....	1921. Feb. 1 to Jan. 12.. Feb. 13 to 19.....	3
Louisiana:		
New Orleans.....	Jan. 1 to Feb. 16.. Feb. 17 to 19.....	30
Texas:		
Beaumont.....	Jan. 1 to Feb. 19.. do.....	0
Galveston.....	do.....	0

¹ A summary of the reports received of the occurrence of plague and the finding of plague-infected rodents in the United States during 1920 was published in Public Health Reports, Jan. 7, 1921, p. 15.

February 25, 1921.

CITY REPORTS FOR WEEK ENDED FEB. 5, 1921.

ANTHRAX.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Delaware: Wilmington.....		1	Pennsylvania: Philadelphia.....	2	
Illinois: Chicago.....	1				

CEREBROSPINAL MENINGITIS.

The column headed "Median for previous years" gives the median number of cases reported during the corresponding weeks of the years 1915 to 1920, inclusive. In instances in which data for the full six years are incomplete, the median is that for the number of years for which information is available.

Place.	Median for pre- vious years.	Week ended Feb. 5, 1921.		Place.	Median for pre- vious years.	Week ended Feb. 5, 1921.	
		Cases.	Deaths.			Cases.	Deaths.
Alabama: Birmingham.....	0		1	New Hampshire: Keene.....	0		1
California: Los Angeles.....	0	1		New Jersey: Newark.....	0	2	1
Connecticut: New Britain.....	0		1	New York: Buffalo.....	1	1	2
District of Columbia: Washington.....	0	1		New York: New York.....	7	6	4
Illinois: Chicago.....	2	1	1	Rochester.....	0	1	
	East St. Louis.....	0	1	North Carolina: Greensboro.....	0		1
Kansas: Wichita.....	0	1	1	Ohio: Cleveland.....	0	1	
Kentucky: Louisville.....	0	1		Newark.....			1
Massachusetts: Chicopee.....	0	1		Pennsylvania: Johnstown.....	0	1	
	Malden.....	0	1	Lancaster.....	0	1	
	Springfield.....	0	1	Reading.....	0	1	
Michigan: Detroit.....	0		2	Schroon.....	0	1	
	Grand Rapids.....	0	1	Rhode Island: East Providence.....		1	
	Ironwood.....	0		Utah: Salt Lake City.....	0	1	1
				Wisconsin: Milwaukee.....	1	1	

DIPHTHERIA.

See p. 411; also Telegraphic weekly reports from States, p. 400, and Monthly summaries by States, p. 404.

INFLUENZA.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Alabama: Birmingham.....		1	Louisiana: New Orleans.....	1	
Mobile.....		3	Maryland: Baltimore.....	55	1
California: Los Angeles.....	1		Cumberland.....	1	
Sacramento.....	1		Massachusetts: Boston.....	8	1
San Diego.....	1		Haverhill.....	1	
San Francisco.....	10	2	Lynn.....		1
Colorado: Denver.....		1	North Adams.....	1	
Connecticut: Hartford.....	1		Worcester.....	3	
District of Columbia: Washington.....	2		Michigan: Detroit.....	3	1
Georgia: Atlanta.....	7		Grand Rapids.....	1	
Rome.....	4		Minnesota: Minneapolis.....	1	2
Savannah.....	4		Missouri: Independence.....	1	
Illinois: Chicago.....	24	4	Kansas City.....	3	1
Danville.....	1		St. Louis.....	4	
East St. Louis.....	1	1	Nebraska: Lincoln.....		1

CITY REPORTS FOR WEEK ENDED FEB. 5, 1921—Continued.**INFLUENZA—Continued.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
New Jersey:			Ohio—Continued.		
Atlantic City.....	1	1	Cleveland.....	1	1
Hackensack.....			Columbus.....	1	1
Jersey City.....	2		Hamilton.....		1
Kearny.....	1	1	Pennsylvania:		
Montclair.....	1		Philadelphia.....	12	3
Newark.....	1		Rhode Island:		
Phillipsburg.....	1	1	Providence.....		1
Trenton.....	3		South Carolina:		
New York:			Columbia.....	2	
Albany.....	5		South Dakota:		
Buffalo.....	1	1	Sioux Falls.....	1	
Hudson.....	2		Texas:		
Jamestown.....	3	2	Dallas.....	4	
New York.....	59	10	Virginia:		
Saratoga Springs.....	5		Richmond.....	1	1
Syracuse.....		1	Roanoke.....	9	
Yonkers.....	1	1	Wisconsin:		
Ohio:			Wausau.....	2	
Akron.....	2				
Cincinnati.....	2				

LEPROSY.

California:					
Alameda.....	1				
San Diego.....	1				

LETHARGIC ENCEPHALITIS.

California:			New York:		
San Francisco.....	1		Ithaca.....	2	
Illinois:			Ohio:		
Jacksonville.....	2		Lancaster.....	1	
Oak Park.....	2	1	Oregon:		
			Portland.....	1	1

MALARIA.

Arkansas:			Louisiana:		
Little Rock.....	1		Alexandria.....	17	
North Little Rock.....		1	New Orleans.....		1
California:			New York:		
Los Angeles.....	1	1	New York.....	1	
Georgia:			Texas:		
Atlanta.....		1	Dallas.....	1	
Rome.....	1				

MEASLES.

See p. 411; also Telegraphic weekly reports from States, p. 400, and Monthly summaries by States, p. 404.

PELLAGRA.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Alabama:			Georgia:		
Birmingham.....	2	1	Atlanta.....		1
Mobile.....		1	North Carolina:		
			Greensboro.....		1

February 25, 1921.

CITY REPORTS FOR WEEK ENDED FEB. 5, 1921—Continued.

PNEUMONIA (ALL FORMS).

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Alabama:			Kentucky:		
Birmingham.....		8	Covington.....	2	1
Mobile.....	2	4	Lexington.....	6	2
Montgomery.....			Louisville.....		
Arizona:			Louisiana:		
Tucson.....	2		Lake Charles.....		1
Arkansas:			New Orleans.....		12
Little Rock.....	2		Maine:		
North Little Rock.....		1	Auburn.....		1
California:			Biddeford.....		4
Eureka.....		1	Portland.....	3	2
Long Beach.....	1		Sanford.....	2	
Los Angeles.....	40	15	Maryland:		
Oakland.....		9	Baltimore.....	82	25
Pasadena.....		2	Cumberland.....		1
Sacramento.....		2	Massachusetts:		
San Bernardino.....		1	Attleboro.....		1
San Diego.....	4	3	Boston.....	25	21
San Francisco.....	18	5	Brookline.....	7	4
Stockton.....		2	Cambridge.....	5	1
Vallejo.....		2	Chester.....		1
Colorado:			Chicopee.....	1	
Colorado Springs.....	2	1	Clinton.....	3	1
Denver.....		15	Everett.....	1	
Pueblo.....		3	Fall River.....	6	5
Connecticut:			Greenfield.....	1	
Bridgewater.....		5	Haverhill.....		5
Bristol.....	1		Holyoke.....		1
Greenwich.....	2		Lawrence.....	2	1
Hartford.....	7	1	Leominster.....		
New Britain.....	3	2	Lowell.....		6
New Haven.....		2	Lynn.....		2
New London.....	4	1	Malden.....	2	1
Norwalk.....		1	Medford.....		3
Waerbury.....		5	Methuen.....		1
Delaware:			New Bedford.....		6
Wilmington.....		7	Newton.....	2	
District of Columbia:			North Adams.....		1
Washington.....		9	Pittsfield.....		2
Georgia:			Plymouth.....		2
Atlanta.....		7	Quincy.....		1
Rome.....	1		Somerville.....		
Savannah.....		4	Southbridge.....	2	
Illinois:			Springfield.....	1	
Aurora.....		2	Waltham.....		1
Bloomington.....		3	Watertown.....	1	
Chicago.....	295	88	Winthrop.....	1	
Danville.....	2		Worcester.....	10	4
East St. Louis.....		4	Michigan:		
Elgin.....	3		Ann Arbor.....	2	
Freeport.....		1	Battle Creek.....	1	
Jacksonville.....		1	Detroit.....	48	27
Kewanee.....	2		Flint.....		1
La Salle.....	1		Grand Rapids.....	6	1
Mattoon.....	1		Ironwood.....	4	2
Oak Park.....	2		Kalamazoo.....	4	1
Peoria.....		4	Marquette.....	1	
Rockford.....		5	Port Huron.....		2
Rock Island.....	4	3	Minnesota:		
Springfield.....		5	Duluth.....	3	1
Indiana:			Minneapolis.....	8	
East Chicago.....		3	Missouri:		
Elkhart.....		1	Independence.....	3	2
Gary.....		8	Kansas City.....	16	13
Hammond.....		4	St. Joseph.....		1
Indianapolis.....		21	Springfield.....	1	
La Fayette.....	1		Montana:		
Marion.....		1	Butte.....		4
South Bend.....		3	Great Falls.....	10	1
Terre Haute.....		4	Nebraska:		
Iowa:			Lincoln.....		1
Council Bluffs.....		2	New Hampshire:		
Mason City.....		1	Manchester.....		2
Kansas:			Nashua.....		2
Atchison.....	2		New Jersey:		
Kansas City.....	2		Atlantic City.....	5	4
Lawrence.....		1	Bayonne.....	1	
Topeka.....		2	East Orange.....	2	
Wichita.....	2	1	Elizabeth.....		1

CITY REPORTS FOR WEEK ENDED FEB. 5, 1921—Continued.

PNEUMONIA (ALL FORMS)—Continued.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
New Jersey—Continued.					
Englewood.....	1		Ohio—Continued.		
Gloucester City.....	2		Cincinnati.....		18
Hackensack.....	3	2	Cleveland.....	46	30
Harrison.....	2		Columbus.....		12
Hoboken.....		4	Dayton.....	1	
Jersey City.....	9		Findlay.....		1
Kearny.....		1	Fremont.....	1	
Montclair.....	3		Hamilton.....		2
Morristown.....		1	Lima.....		4
Newark.....	66	12	Lorain.....	1	
Orange.....	4		Mansfield.....	1	
Passaic.....	3	1	Newark.....		3
Paterson.....	2		Piqua.....	2	
Perth Amboy.....		1	Sandusky.....	1	
Phillipsburg.....	1		Springfield.....		2
Plainfield.....	3		Toledo.....		5
Trenton.....		4	Zanesville.....		2
West Hoboken.....		2	Oklahoma:		
West Orange.....	1		Oklahoma City.....		6
New York:					
Albany.....	12		Oregon:		
Buffalo.....	55	12	Portland.....		4
Cohoes.....	3		Salem.....		2
Geneva.....			Pennsylvania:		
Hudson.....	3		Philadelphia.....	153	111
Ithaca.....	2		Rhode Island:		
Jamestown.....	11	1	Providence.....		13
Lockport.....	8	1	South Carolina:		
Middletown.....	6	2	Charleston.....		1
Mount Vernon.....			Tennessee:		
Newburgh.....			Nashville.....		10
New York.....	342	189	Texas:		
Niagara Falls.....		2	Dallas.....	6	4
Olean.....		2	El Paso.....		7
Port Chester.....	5	1	Galveston.....		1
Poughkeepsie.....			Waco.....		1
Rochester.....	23	5	Utah:		
Rome.....	8		Salt Lake City.....		4
Saratoga Springs.....	1		Virginia:		
Schenectady.....	5	2	Alexandria.....		3
Syracuse.....	8	5	Lynchburg.....		1
Troy.....	6	4	Petersburg.....		1
White Plains.....	2		Richmond.....		4
Yonkers.....		2	Roanoke.....	7	2
North Carolina:					
Charlotte.....			West Virginia:		
Durham.....	2		Charleston.....		4
Greensboro.....	3		Huntington.....		2
Rocky Mount.....	1		Wheeling.....		8
Wilmington.....		1	Wisconsin:		
Winston-Salem.....	1		Beloit.....		2
Ohio:					
Akron.....	5		Green Bay.....	2	
Alliance.....		1	Janesville.....		1
Canton.....		2	Kenosha.....		2

POLIOMYELITIS (INFANTILE PARALYSIS).

The column headed "Median for previous years" gives the median number of cases reported during the corresponding weeks of the years 1915 to 1920, inclusive. In instances in which data for the full six years are incomplete, the median is that for the number of years for which information is available.

Place.	Median for pre- vious years.	Week ended Feb. 5, 1921.		Place.	Median for pre- vious years.	Week ended Feb. 5, 1921.	
		Cases.	Deaths.			Cases.	Deaths.
Connecticut:				Massachusetts:			
Bristol.....		1		Boston.....	0	1	
Illinois:				Leominster.....		1	1
Rock Island.....	0	1		New York:			
Maryland:				New York.....	0	1	
Baltimore.....	0	1	1				

February 25, 1921.

CITY REPORTS FOR WEEK ENDED FEB. 5, 1921—Continued.
RABIES IN ANIMALS.

Place.	Cases.
Massachusetts: Fall River.....	1

SCARLET FEVER.

See p. 411; also Telegraphic weekly reports from States, p. 400, and Monthly summaries by States, p. 404.

SMALLPOX.

The column headed "Median for previous years" gives the median number of cases reported during the corresponding weeks of the years 1915 to 1920, inclusive. In instances in which data for the full six years are incomplete, the median is that for the number of years for which information is available.

Place.	Median for previ- ous years.	Week ended Feb. 5, 1921.		Place.	Median for previ- ous years.	Week ended Feb. 5, 1921.	
		Cases.	Deaths.			Cases.	Deaths.
Alabama:				Iowa:			
Anniston.....	0	1	Burlington.....	0	1
Birmingham.....	0	14	Cedar Rapids.....	4	9
Mobile.....	0	6	Clinton.....	0	6
Montgomery.....	0	22	Council Bluffs.....	10	4
Arkansas:				Davenport.....	3	8
Fort Smith.....	2	1	Des Moines.....	1	7
Little Rock.....	0	2	Dubuque.....	0	28
North Little Rock.....	0	1	Mason City.....	2	3
California:				Muscatine.....	0	2
Alameda.....	0	1	Sioux City.....	2	41
Long Beach.....	0	1	Iowa:			
Los Angeles.....	4	9	Burlington.....	0	1
Oakland.....	0	21	Cedar Rapids.....	4	9
Riverside.....	1	2	Clinton.....	0	6
Sacramento.....	0	9	Council Bluffs.....	10	4
San Diego.....	0	2	Davenport.....	3	8
San Francisco.....	0	93	Des Moines.....	1	7
Santa Barbara.....	3	1	Dubuque.....	0	28
Santa Cruz.....	0	1	Mason City.....	2	3
Colorado:				Muscatine.....	0	2
Denver.....	14	23	Sioux City.....	2	41
Greeley.....	0	1	Kansas:			
Pueblo.....	1	3	Fort Scott.....	0	4
District of Columbia:				Hutchinson.....	0	2
Washington.....	2	1	Kansas City.....	2	3
Georgia:				Wichita.....	3	2
Atlanta.....	0	67	Kentucky:			
Illinois:				Lexington.....	0	2
Alton.....	0	4	Louisville.....	0	1
Bloomington.....	0	3	Louisiana:			
Chicago.....	2	64	New Orleans.....	5	22	3
East St. Louis.....	0	16	Maine:			
Freeport.....	0	1	Waterville.....	4
Galesburg.....	0	1	Massachusetts:			
Oak Park.....	0	1	Methuen.....	2
Rockford.....	0	35	Michigan:			
Rock Island.....	3	2	Battle Creek.....	0	11
Springfield.....	3	1	Detroit.....	8	43
Indiana:				Flint.....	3	2
Elkhart.....	0	4	Marquette.....	0	1
Evansville.....	2	1	Sault Ste. Marie.....	0	5
Frankfort.....				Minnesota:			
Gary.....	2	2	Duluth.....	1	18
Hammond.....	2	2	Hibbing.....	0	1
Indianapolis.....	6	19	Mankato.....	1	5
La Fayette.....	0	2	Minneapolis.....	19	156	2
Logansport.....	2	1	St. Cloud.....	1	1
Marion.....	1	13	Winona.....	0	8
Mishawaka.....	0	5	Kansas:			
Muncie.....	4	3	Kansas City.....	4	34
South Bend.....	0	19	St. Joseph.....	5	2
Terre Haute.....	0	4	St. Louis.....	3	27
Montana:				Missouri:			
Great Falls.....				Great Falls.....	2	2
Missoula.....				Missouri:			
Neb'rka:				St. Louis.....	0	1
Lincoln.....				Nebraska:			
Omaha.....				Great Falls.....	2	2
Nevada:				Missoula.....	0	1
Reno.....				Nebraska:			
North Carolina:				Lincoln.....	5	5
Durham.....				Omaha.....	16	17
Winston-Salem.....				Nevada:			
				Reno.....	0	1

CITY REPORTS FOR WEEK ENDED FEB. 5, 1921—Continued.

SMALLPOX—Continued.

Place.	Median for pre- vious years.	Week ended Feb. 5, 1921.		Place.	Median for pre- vious years.	Week ended Feb. 5, 1921.	
		Cases.	Deaths.			Cases.	Deaths.
North Dakota:				Texas:			
Fargo.....	0	13	Beaumont.....	1	2
Grand Forks.....	0	6	Dallas.....	25	7
Ohio:				El Paso.....	1	2
Akron.....	2	13	Galveston.....	0	5
Barberton.....	0	1	Utah:			
Canton.....	0	6	Salt Lake City.....	0	26
Cincinnati.....	0	2	Virginia:			
Cleveland.....	6	6	Roanoke.....	0	3
Columbus.....	2	8	Washington:			
Hamilton.....		2	Aberdeen.....	0	2
Lancaster.....	0	1	Bellingham.....	0	1
Lima.....	0	9	Everett.....	0	2
Lorain.....	0	4	Seattle.....	2	20
Marion.....	1	1	Spokane.....	0	25
Middletown.....	1	5	Tacoma.....	0	2
Norwood.....	0	1	Walla Walla.....	0	1
Springfield.....	1	4	Yakima.....	0	4
Toledo.....	1	9	West Virginia:			
Oklahoma:				Charleston.....	0	4
Oklahoma City.....	5	2	Parkersburg.....	0	4
Oregon:				Wisconsin:			
Portland.....	3	32	Appleton.....	1	3
Salem.....	2	2	Eau Claire.....	0	1
Pennsylvania:				La Crosse.....	0	10
Pittsburgh.....	0	1	Madison.....	2	13
South Carolina:				Manitowoc.....	0	2
Charleston.....	0	6	Milwaukee.....	3	29
South Dakota:				Racine.....	0	1
Sioux Falls.....	1	3	Sheboygan.....		25
Tennessee:				Superior.....	1	4
Nashville.....	0	2				

TETANUS.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Illinois:			North Carolina:		
Oak Park.....	1	Winston-Salem.....		1
New York:			West Virginia:		
New York.....	1	2	Parkersburg.....	1	1
Rochester.....		1			

TUBERCULOSIS.

See p. 411; also Telegraphic weekly reports from States, p. 400.

TYPHOID FEVER.

The column headed "Median for previous years" gives the median number of cases reported during the corresponding weeks of the years 1915 to 1920, inclusive. In instances in which data for the full six years are incomplete, the median is that for the number of years for which information is available.

Place.	Median for pre- vious years.	Week ended Feb. 5, 1921.		Place.	Median for pre- vious years.	Week ended Feb. 5, 1921.	
		Cases.	Deaths.			Cases.	Deaths.
Alabama:				Idaho:			
Birmingham.....	2	1	1	Boise.....	0	2	2
California:				Illinois:			
Los Angeles.....	2		1	Chicago.....	2	4
San Francisco.....	1	1	Springfield.....	0	6
Connecticut:				Indiana:			
Bridgewater.....	0		1	Elkhart.....	0	1	1
New Britain.....	0	1	Evansville.....	0	2
District of Columbia:				Hammond.....	2		1
Washington.....	1	4	1	Kansas:			
				Wichita.....	0	1

February 25, 1921.

CITY REPORTS FOR WEEK ENDED FEB. 5, 1921—Continued.

TYPHOID FEVER—Continued.

Place.	Median for pre- vious years.	Week ended Feb. 5, 1921.		Place.	Median for pre- vious years.	Week ended Feb. 5, 1921.	
		Cases.	Deaths.			Cases.	Deaths.
Kentucky:				Ohio:			
Louisville.....	0	2	—	Alliance.....	0	3	—
Maine:				Canton.....	0	2	—
Sanford.....	0	1	—	Cleveland.....	2	1	1
Maryland:				Lima.....	0	1	1
Baltimore.....	2	3	—	Newark.....	1	1	—
Cumberland.....	0	1	—	Oregon:			
Massachusetts:				Portland.....	0	1	—
Boston.....	2	—	1	Pennsylvania:			
Fall River.....	0	1	—	Beaver Falls.....	0	1	—
Lynn.....	0	2	—	Chester.....	0	1	—
New Bedford.....	0	1	—	New-Castle.....	0	1	—
Pittsfield.....	0	1	1	Oil City.....	0	1	—
Michigan:				Philadelphia.....	6	8	2
Flint.....	0	1	—	Pittsburgh.....	2	1	—
Minnesota:				Reading.....	1	1	—
Duluth.....	1	1	—	Scranton.....	0	1	—
Minneapolis.....	3	2	—	York.....	0	1	—
Missouri:				South Carolina:			
Independence.....	5	1	—	Charleston.....	0	—	1
Kansas City.....	1	1	1	Columbia.....	0	1	—
St. Louis.....	3	1	—	Texas:			
Montana:				Dallas.....	1	3	1
Great Falls.....	0	1	—	El Paso.....	0	—	2
Nebraska:				Virginia:			
Lincoln.....	0	2	—	Richmond.....	0	2	—
New Hampshire:				Washington.....	0	1	—
Dover.....	0	1	—	West Virginia:			
New York:				Charleston.....	0	1	—
Buffalo.....	2	3	—	Wheeling.....	0	1	—
New York.....	14	12	1	Wisconsin:			
Peekskill.....	0	1	—	Fond du Lac.....	0	1	—
Rochester.....	1	2	—	Milwaukee.....	2	2	—
Schenectady.....	0	1	—	Sheboygan.....	7	—	—
Syracuse.....	0	1	—				

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS.

Place.	Population Jan. 1, 1921, subject to correction.	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Alabama:										
Birmingham.....	178,270	70	3	—	5	—	5	—	7	4
Mobile.....	60,151	27	3	—	—	—	—	—	—	1
Montgomery.....	43,464	16	2	—	—	—	—	—	—	—
Arizona:										
Tucson.....	20,292	20	—	—	—	—	—	—	—	9
Arkansas:										
Fort Smith.....	28,811	—	—	—	26	—	—	—	—	1
Little Rock.....	64,997	—	—	—	51	3	—	—	10	—
North Little Rock.....	14,018	4	—	—	2	1	—	—	—	—
California:										
Alameda.....	28,806	6	2	—	1	1	—	—	—	—
Eureka.....	12,923	4	—	—	—	2	—	1	—	1
Long Beach.....	55,593	15	—	—	12	—	—	—	—	—
Los Angeles.....	576,673	185	65	1	217	—	13	—	64	23
Oakland.....	216,361	51	3	—	—	—	3	—	4	2
Pasadena.....	45,354	13	2	1	13	—	2	—	4	1
Riverside.....	19,341	5	1	—	95	—	1	—	—	—
Sacramento.....	65,857	26	4	—	—	—	2	—	4	4
San Bernardino.....	18,721	9	—	—	—	—	—	—	—	6
San Diego.....	74,683	32	1	—	2	—	—	—	3	2
San Francisco.....	508,410	130	22	3	24	1	18	1	22	13
Santa Barbara.....	19,441	6	1	—	1	—	—	—	6	—
Santa Cruz.....	10,917	3	—	—	—	—	—	—	—	—
Stockton.....	40,296	13	—	—	1	—	1	—	—	1
Vallejo.....	21,107	6	—	1	—	—	—	—	—	—

CITY REPORTS FOR WEEK ENDED FEB. 5, 1921—Continued.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

Place,	Population Jan. 1, 1920, subject to correction.	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Colorado:										
Colorado Springs.	30,105	10	2	1	60		5		5	3
Denver.	256,369	69	23		119		11			11
Greeley.	10,883	6								
Pueblo.	42,908	10	11	1	4		1		2	
Trinidad.	10,906		1		6		4			
Connecticut:										
Bridgeport (town)†.	143,538	41	10	1	2		21	2	4	2
Bristol (town)†.	20,620	5			1		2			1
Greenwich (town).	22,123		1		3		1		1	
Hartford (town)†.	138,636	37	16		5		3		6	1
Middletown (town).	18,370	2			5		1			
New Britain (town)†.	50,316	11	13		36		1			
New Haven (town)†.	162,519	42	14		3		47		19	1
New London (town)†.	25,688	13	2				5		2	2
Norwalk (town)†.	27,700	6	2							
Norwich (town)†.	29,685	7								
Waterbury (town)†.	91,410	16	2		4		4		5	1
Delaware:										
Wilmington.	110,168	34	2				3			3
District of Columbia:										
Washington.	437,571	129	34	2	99		44	1	32	
Georgia:										
Atlanta.	200,616	69	2	1	15		5		7	6
Brunswick.	14,413	3								
Rome.	13,252		1						1	
Savannah.	83,252	40	3						1	3
Idaho:										
Boise.	21,393	8	1							
Illinois:										
Alton.	24,682	6	2				1			
Aurora.	35,397	7					1			
Bloomington.	28,725	13	2				9		2	2
Centralia.	12,491	6	2				1			
Chicago.	2,701,705	702	212	17	220		165		238	34
Danville.	33,750	6					2			
Decatur.	43,818	14	10	1			2			
East St. Louis.	66,740	17	1				6			
Elgin.	27,454	13	2		3		3			
Evanston.	37,215	7	5		2		2			
Freeport.	19,669	7								
Galesburg.	23,834	3	1		17		4			
Jacksonville.	15,713	11	1		36		13			1
Kewanee.	16,026	6	3		50		10			
La Salle.	13,050	2								
Mattoon.	13,552								1	
Oak Park.	39,830	14	5		49		4		1	2
Pekin.	12,086		3		2		3			
Peoria.	76,121	20	1	1	2		14			1
Rockford.	65,651	16	1		13		13			
Rock Island.	35,177	9	3				2			
Springfield.	59,183	29	1		7		55	1		1
Indiana:										
East Chicago.	35,967	7		1						
Elkhart.	24,277	4	1				4		2	
Elwood.	10,790	6								
Evansville.	85,264	13	7	1	1		3			
Frankfort.	11,585	0			1		1			
Gary.	55,378	18	1		1		4			
Hammond.	36,004	10	3				1		1	
Huntington.	14,000	5					7			
Indianapolis.	314,194	92	3		3		74		8	7
Kokomo.	30,067	5							1	
La Fayette.	22,486	12	1				2			
Logansport.	21,626	2					1			
Marion.	23,747	8	1		1		3			
Mishawaka.	15,195	0					1			
Muncie.	36,624	12	1	..	1		13			1
Richmond.	26,765	4					6			
South Bend.	70,983	13	2				2		15	
Terre Haute.	66,083	20	1		3		7		1	
Iowa:										
Burlington.	24,057	5								
Cedar Rapids.	45,566		6				3			

† Coextensive with city of same name.

February 25, 1921.

CITY REPORTS FOR WEEK ENDED FEB. 5, 1921—Continued.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

Place.	Population Jan. 1, 1920, subject to correction.	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Iowa—Continued.										
Clinton.....	24,151				1					
Council Bluffs.....	36,162	12					7			
Davenport.....	56,727						6			
Des Moines.....	126,468		4		2		12			
Dubuque.....	39,141		1				2			
Keokuk.....	14,423	5	3		29					
Marshalltown.....	15,731				5		3			
Mason City.....	20,065	6					8			
Muscatine.....	16,068	3			8					
Sioux City.....	71,227		2				1			
Kansas:										
Atchison.....	12,630		4							
Coffeyville.....	13,452	3								
Fort Scott.....	10,693	2	18	1						
Hutchinson.....	23,293		1		12		3			
Kansas City.....	101,177		11		5		1			
Lawrence.....	12,456	5	1							
Leavenworth.....	16,912	8	3				3			
Salina.....	15,085	3			15					
Topeka.....	59,022	21			21		8	1		2
Wichita.....	72,128	21	9		3		12			1
Kentucky:										
Covington.....	57,121	19					3		2	1
Lexington.....	41,534	12					6			1
Louisville.....	234,891	58	14				18	1	14	2
Paducah.....	24,735				1		1			
Louisiana:										
Alexandria.....	17,510		1							2
Lake Charles.....	13,088	3								
New Orleans.....	387,219	146	10		95	5	8		19	14
Maine:										
Auburn.....	16,985	3			48					1
Bangor.....	25,978						2			1
Biddeford.....	18,008		1		3		1			
Lewiston.....	31,791	13	3		4				2	
Portland.....	69,272	18			13		5			1
Sanford.....	10,691	0								
Waterville.....	13,351				2		1			
Maryland:										
Baltimore.....	733,826	217	33	1	45	2	31	1	21	27
Cumberland.....	29,837	14	1				3		3	1
Massachusetts:										
Adams.....	12,967	2	1	1						
Amesbury.....	10,036	5		1						
Arlington.....	18,665	6			4		3			
Attleboro.....	19,731	4								
Beverly.....	22,561	2								
Boston.....	748,060	231	71	6	54		78	1	59	16
Brookline.....	37,748	15			1		1			
Cambridge.....	109,694	44	3	2	23		2		7	4
Chelsea.....	43,184	16	2		8		1		2	2
Chicopee.....	36,214	8			1		2			3
Clinton.....	12,979	4								1
Danvers.....	11,108		6		1		1		4	
Dedham.....	10,792	4								
Easthampton.....	11,261	3	6				2			1
Everett.....	40,120	11	1		1		1		1	1
Fall River.....	120,483	48	6		13		2		4	3
Gardiner.....	16,971	6			1		2		1	1
Greenfield.....	15,462	4			1					
Haverhill.....	53,884	13	15				5	1	1	
Holyoke.....	60,203	8	4		1					
Lawrence.....	91,270	16			2		6		5	
Leominster.....	19,744	9	1		18	1	2			1
Lowell.....	112,479	31	6	1	64	1	1		9	3
Lynn.....	99,148	28	10		1		8		2	1
Malden.....	49,103	8					5		11	
Medford.....	39,098	8	2		1					
Melrose.....	18,204	4					1			
Methuen.....	15,189	6	4				4			
New Bedford.....	121,217	25	10	1	1		14		14	4
Newburyport.....	15,618	2					3			
Newton.....	46,054	9			1		1		2	
North Adams.....	22,282	6					1		1	
Northampton.....	21,951	10					3		2	1
Pittsfield.....	41,751	11	5		19		3	1		1

CITY REPORTS FOR WEEK ENDED FEB. 5, 1921—Continued.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

Place.	Population Jan. 1, 1920, subject to correction.	Total deaths from all causes.	Diphtheria		Measles		Scarlet fever		Tuberculosis	
			Cases.	Deaths	Cases.	Deaths	Cases.	Deaths	Cases.	Deaths
Massachusetts—Continued.										
Plymouth	13,045	7								
Quincy	47,876	8					3		3	
Salem	42,529	11	1		3		1		1	
Somerville	93,091	24	10		3		13		3	
Southbridge	14,245	3								1
Springfield	129,563	32	5		6		13		5	3
Taunton	37,137	13	3		2		5		1	2
Wakefield	13,025	2					2			
Waltham	30,915	8	1				2			
Watertown	21,457	6	2				4			
Westfield	18,604	2								
Winthrop	15,455	1								
Woburn	16,574	1								
Worcester	179,754	41	6		51		12	1	3	5
Michigan:										
Ann Arbor	19,516	10	7				9			
Battle Creek	36,164	6	1	1			1			
Benton Harbor	12,233	9								
Detroit	993,739	215	123	3	31	3	114	8	33	23
Flint	91,599	27	6		2		9			1
Grand Rapids	137,634	29	10		2		15		4	
Ironwood	15,739	6			8	1				1
Kalamazoo	48,858	28					19	1	2	1
Marquette	12,718	1			3					
Port Huron	25,944	12	1				1		1	
Sault Ste. Marie	12,096	4			1			3		
Minnesota:										
Duluth	98,917	17	4				4		1	2
Hibbing	15,089	1	1							
Mankato	12,460	7								
Minneapolis	380,582	87	22	3	6		54	1	13	7
St. Cloud	15,873	—	3							
Virginia	14,022	—	1							
Winona	19,143	—					3			
Missouri:										
Cape Girardeau	10,252	6	3				4			1
Independence	11,686	7	9	1			3	1	1	1
Joplin	23,855	—					1			
Kansas City	324,410	87	17	1	78		4			
St. Joseph	77,939	18	3		2		5		6	8
St. Louis	772,897	200	128	5	10		72		23	15
Springfield	31,631	3						2		
Montana:										
Anaconda	11,668	2								
Billings	15,100	6			11					
Butte	41,611	23			11					
Great Falls	24,121	6	4		49			1	1	
Missoula	12,668	4			6					
Nebraska:										
Lincoln	54,634	7	1		5		8			
Omaha	191,601	—	2		5		12			
Nevada:										
Reno	12,016	6								1
New Hampshire:										
Berlin	16,104	3					2			
Concord	22,167	10			5		1			
Dover	13,029	2			10					
Keene	11,210	2								
Manchester	78,384	12	8	1			4	1	8	
Nashua	28,379	15	1				1		5	2
New Jersey:										
Ashbury Park	12,460	5								
Atlantic City	50,682	15	8		4					
Bayonne	76,754	—	8				11		1	
Belleville	15,660	2			1		2			
Bloomfield	22,019	1	4		3		4		2	
East Orange	50,710	—			14		11		3	
Elizabeth	95,682	—	4		4		4	4		
Englewood	11,627	2								
Garfield	19,381	—	1		3		1			
Gloucester City	12,162	—	2				1		1	
Hackensack	17,667	6	11				8		2	
Harrison	15,721	—	4				1		3	
Hoboken	68,166	37	5		8		5	5		4
Irvington	25,480	—			1		8			

February 25, 1921.

CITY REPORTS FOR WEEK ENDED FEB. 5, 1921—Continued.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

Place.	Popula-tion Jan. 1, 1920, sub-ject to cor-rection.	Total deaths from all causes.	Diphtheria.	Measles.	Scarlet fever.	Tuber-culosi-	
			Cases.	Deaths.	Cases.	Deaths.	
New Jersey—Continued.							
Jersey City.....	297,864	37	9	22	22	14	
Kearny.....	26,724	5	8	3	1		
Montclair.....	28,810	5	5	2			
Morris Knob.....	12,548	6	1	3			
New Brunswick.....	32,779	1	1			1	
Newark.....	414,216	115	42	22	70	11	2
Orange.....	33,268	8	3	1	4	3	1
Passaic.....	63,824	17	2	1	18	1	3
Paterson.....	135,866	9	2	1	8	9	
Perth Amboy.....	41,707	11	2	6	6	3	3
Phillipsburg.....	16,923	5					
Plainfield.....	27,700	12			1		
Rahway.....	11,042	5			1		
Trenton.....	119,289	48	9	1	2	11	8
West Hoboken.....	40,068	6	2		3	1	5
West New York.....	29,926	4	1			2	1
West Orange.....	15,573	2					
New York:							
Albany.....	113,344	2	33	5	6		
Buffalo.....	506,775	161	45	36	2	30	29
Cohoes.....	22,987	9	1	3		1	1
Geneva.....	14,648	5					
Glens Falls.....	16,638	4	1	11			
Hudson.....	11,745	3				1	
Ithaca.....	17,004	9		29			
Jamestown.....	38,917	15	2	3	2		
Lockport.....	21,308	7	1	5	3	1	1
Middletown.....	18,420	4	1	29	3	1	1
Mount Vernon.....	42,726	16	2	3		2	3
Newburgh.....	30,366	13	4		5	1	1
New York.....	5,621,151	1,434	465	34	187	516	15
Niagara Falls.....	50,760	19	14	2	8	1	200
Ogdensburg.....	14,609	8					1
Olean.....	20,506	7					
Peekskill.....	15,868	3		7			
Port Chester.....	16,573	5			2		
Poughkeepsie.....	35,000	10	3		5	2	1
Rochester.....	295,750	76	125	2	2	30	3
Rome.....	26,431		1		23	1	
Saratoga Springs.....	13,181	5			25		
Schenectady.....	88,723	17	9	1	7	1	2
Syracuse.....	171,717	43	20	3	43	24	5
Troy.....	72,013	35			81	2	2
White Plains.....	21,031	4			1		
Yonkers.....	100,226	23	2		21	7	3
North Carolina:							
Charlotte.....	46,338	11		108			1
Durham.....	21,719	5	*				1
Greensboro.....	19,861	15					
Rocky Mount.....	12,742	6					1
Wilmington.....	23,372	10		54	1		1
Winston-Salem.....	43,395	12		121		1	
North Dakota:							
Fargo.....	21,961	4		1		3	
Grand Forks.....	14,010		1	5		3	
Ohio:							
Akron.....	208,435	32	12	6	10	2	
Alliance.....	21,603	8	2	1			
Barberton.....	18,811	4	3			1	
Canton.....	87,091	15	3	1	9		
Chillicothe.....	15,831	2	3		2		1
Cincinnati.....	401,247	115	32	3	20	21	13
Cleveland.....	796,836		25	1	17	74	44
Columbus.....	237,031	66	12	1	2	15	4
Coshocton.....	40,847			2		5	
Dayton.....	152,559	36	2			1	
East Cleveland.....	27,292				1		
Findlay.....	17,021	6	1		1		
Fremont.....	12,468	3			1		
Hamilton.....	39,675	13		1	7		
Lancaster.....	14,706	4		2			1
Lima.....	41,306	12			1		

1 Pulmonary tuberculosis only.

CITY REPORTS FOR WEEK ENDED FEB. 5, 1921—Continued.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued

Place.	Population Jan. 1, 1920, subject to correction.	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Ohio—Continued.										
Lorain.	37,295		1	1	3		3		2	
Mansfield.	27,824	1	1	1	1		1		1	
Marion.	27,891		1	1	1		1		1	
Middletown.	23,594	3	1	1	1		1		1	
Newark.	26,718	15	2	1	1		1		1	
Norwood.	24,966	1	1							
Piqua.	15,044	4								
Sandusky.	22,897	12								
Springfield.	60,840	18	3		5		5		2	
Steubenville.	28,508	12	2		1		1		1	
Toledo.	243,109	69	35	2	2		20		5	
Zanesville.	29,569	11	3							
Oklahoma:										
Oklahoma City.	91,258	15	3							
Oregon:										
Portland.	258,288	73	13		66	1	11		7	
Salem.	17,679	7								
Pennsylvania:										
Allentown.	73,502		16		33		21		4	
Ambridge.	12,730				3		1		1	
Beaver Falls.	12,802		1		4		2			
Berwick.	12,181		4				5			
Bethlehem.	50,358		8		18		47			
Braddock.	20,879		1		2					
Bradford.	15,525				24		1			
Bristol.	10,273						2		1	
Butler.	23,778		1		7		1			
Canonsburg.	10,632									
Carbondale.	18,640									
Chambersburg.	13,171									
Chester.	58,030		5							
Coatesville.	14,515		1				40			
Columbia.	10,836						1			
Connellsville.	13,804		3				5			
Dickson City.	11,440		1							
Dubois.	13,681		1		3		1			
Easton.	33,813				26		8		1	
Erie.	93,372		11		9		3		1	
Farrell.	15,586		1		2					
Harrisburg.	75,917		9		13					
Hazleton.	32,277		1		2		2			
Homestead.	20,452		1							
Johnstown.	67,327		5		1		1			
Lancaster.	53,150		22				3		3	
Lebanon.	21,663		2				3		2	
McKeesport.	45,975		2		1		3		1	
McKees Rocks.	16,713				6					
Mahanoy City.	15,559		1		1					
Meadville.	14,368				3		1			
Monessen.	18,179		2		6					
Mount Carmel.	17,460		3		13					
Nanticoke.	22,614		4		1					
New Castle.	44,938		6				6		1	
Norristown.	32,319		4				6			
Oil City.	21,274		8		8				2	
Old Forge.	12,237						1			
Philadelphia.	1,823,158	612	110	14	32		271	3	86	53
Phoenixville.	10,484		1		1					
Pittsburgh.	588,193		59		32		88		26	
Pittston.	18,497				6		3			
Pottstown.	17,431		1				1			
Pottsville.	21,876		2		1		3			
Punxsutawney.	10,311				25					
Reading.	107,784		11		8		10		4	
Scranton.	137,783		5		7		16		1	
Sharon.	21,777						1			
Steelton.	13,128		1							
Sunbury.	15,721		1							
Swissvale.	10,908		1				1			
Tamaqua.	12,363		1				5			
Uniontown.	15,692									
Warren.	14,256									
Washington.	21,980						2		3	
West Chester.	11,717						1			
Wilkes-Barre.	73,833		4		15		2		1	

February 25, 1921.

CITY REPORTS FOR WEEK ENDED FEB. 5, 1921—Continued.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

FOREIGN AND INSULAR.

SMALLPOX ON VESSEL.

U. S. S. "Mississippi"—Canal Zone.

Under date of February 18, 1921, 12 cases of smallpox were reported on the United States battleship *Mississippi*, in the Canal Zone. To February 20, 1921, a total of 22 cases was reported.

CHINA.

Plague—Harbin and Surrounding Country.

On February 2, 1921, 15 fatal cases of pneumonic plague were reported in Harbin, Manchuria Province, China. On February 7, 1921, 400 fatal cases were reported in the country west of Harbin, and on February 14, 1,200 fatal cases were reported.

Plague Rats—Shanghai.

Information dated January 14, 1921, shows the reappearance of plague-infected rats at Shanghai, China. Two plague rats were found December 20 and 31, 1920, respectively, in the shipping district. One rat was found in close proximity to the South Manchurian Railway Co.'s wharf. The settlement was stated to have been entirely free from plague-infected rats during the past four years.

CUBA.

Communicable Diseases—Habana.

Communicable diseases have been notified in Habana as follows:

Disease.	Jan. 21-31, 1921.		Remaining under treatment Jan. 31, 1921.	Disease.	Jan. 21-31, 1921.		Remaining under treatment Jan. 31, 1921.
	New cases.	Deaths.			New cases.	Deaths.	
Cerebrospinal meningitis.....	1	1		Measles.....	14	1	15
Chicken pox.....	6		9	Paratyphoid fever.....	2		2
Diphtheria.....		1	3	Scarlet fever.....	2		5
Leprosy.....			13	Smallpox.....	2		211
Malaria.....	70	3	122	Typhoid fever.....	18	1	166

¹ From the interior, 81; from abroad, 2.

² From the interior, 4.

³ From the interior, 38; from abroad, 4.

Guantanamo—Quarantine Against Ports in Cuba, Haiti, and Jamaica.

According to information dated January 25, 1921, the United States naval commander at Guantanamo, Cuba, has declared quarantine against ports in Cuba, Haiti, and Jamaica on account of smallpox.

February 25, 1921.

JAMAICA.**Infectious Disease (Alastrim or Kaffir Pox).**

During the week ended January 29, 1921, 266 new cases of alastrim or Kaffir pox were reported in the island of Jamaica.

MADAGASCAR.**Influenza.**

During the month of December, 1920, epidemic influenza was declared present in the island of Madagascar as follows: Comoro Province (Comoro Islands); Majunga Province, in town and district of Majunga and town and district of Marovoay.

PERU.**Further Relative to Yellow Fever—Lambayeque.¹**

Information dated February 1, 1921, shows that the outbreak of yellow fever in Lambayeque Department, Peru, reported January 22, 1921, occurred early in the month of January at Ferrenafe. One case was reported at Lambayeque City.

On February 16, 1921, yellow fever was reported present at Eten, a port in Lambayeque Department.

PORTO RICO.**Plague—Plague Rats—San Juan.**

Information was received, February 19, 1921, of an outbreak of plague at San Juan, Porto Rico, with three reported cases occurring in the same house. One case was reported confirmed February 18, 1921. To February 22, 1921, a total of four cases of plague with one fatality was reported. The finding of 13 plague-infected rats out of 261 rats examined was reported as follows: Six rats found in Tetuan Street, where the three cases of human plague first reported developed, three rats at the Army crematory, one at the old custom store house, one at the Marina, one in Santurce, and one in Puerta de Tierra.

Measures Ordered for Outgoing Vessels.

The United States Public Health Service representative at San Juan was instructed to institute fumigation, rat guarding, and fending off of vessels proceeding from San Juan to ports in the United States and to note on bills of health the action taken.

Quarantine of Vessels Arriving from San Juan.

Vessels arriving at ports in the United States from San Juan, if bills of health indicate noncompliance with service requirements at that port, will be held in detention and fumigated throughout if empty. If loaded, superstructure only will be fumigated, provisional pratique issued, and vessel again fumigated throughout on discharge of cargo.

¹ Public Health Reports, Jan. 28, 1921, p. 152.

TRINIDAD.**Epidemic Influenza—Port of Spain.**

Influenza in epidemic form was reported present, January 26, 1921, in Port of Spain, Trinidad, with a large number of cases, and to be spreading to the country districts. The type of the disease was stated to be mild.

UNION OF SOUTH AFRICA.**Plague—Orange Free State.**

The occurrence of a case of plague in the Hoopstad district, Orange Free State, Union of South Africa, was reported during the week ended December 4, 1920. The case occurred in a European employed on the Vryheid farm, 60 miles from the Angra Pequena farm, on which 8 cases of plague with 3 deaths occurred in April, 1920. It is suspected that the infection is being perpetuated and spread by wild rodents. To December 18, 1920, two additional cases, one fatal, occurring in natives, were reported.

An outbreak of plague was reported in the Hoopstad district, Orange Free State, in April, 1920. (Public Health Reports, June 25, 1920, p. 1566.)

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER

Reports Received During Week Ended Feb. 25, 1921.¹

CHOLERA.

Place.	Date.	Cases.	Deaths.	Remarks.
India:				
Calcutta.....	Dec. 19-25.....	32	27	
Do.....	Dec. 25-Jan. 1.....	36	30	
Rangoon.....	do.....	2	2	
Japan:				
Taiwan Island (Formosa).....	Dec. 22-31.....	2		
Do.....	Jan. 1-15.....	1		

PLAGUE.

Brazil:				
Ceara.....	Oct. 17-Dec. 20.....		5	
Pernambuco.....	Nov. 15-Dec. 5.....	2	2	
Porto Alegre.....	Dec. 26-Jan. 1.....		1	
China:				
Kwantung Province.....	Dec. 29.....			Reported present in Tappu district.
Manchuria Province—Harbin.....	Feb. 2.....		15	West of Harbin, Feb. 7, 1921, 400 fatal cases reported. Feb. 14, 1921, fatal cases, 1,200. Two plague rats found, Dec. 29 and Dec. 31, 1920.
Shanghai.....				
Ecuador:				
Guayaquil.....	Dec. 1-31.....	93	20	
Do.....	Jan. 1-15.....	49	17	
India:				
Bombay.....	Dec. 19-25.....	1	1	Dec. 19-25, 1920: Cases, 1,337; deaths, 1,048.
Rangoon.....	Dec. 26-Jan. 1.....	9	8	
Peru:				
Trujillo-Salaverry.....	Jan. 3-9.....	1		
Porto Rico:				
San Juan.....	Feb. 18-22.....	4	1	Thirteen plague rats found.
Union of South Africa:				
Orange Free State—Hoopstad district.....	Nov. 28-Dec. 18.....	3	1	One European, 2 natives, on Vryheid Farm. (Public Health Reports, June 25, 1920, p. 1566.)

¹ From medical officers of the Public Health Service, American consuls, and other sources.

February 25, 1921.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.
Reports Received During Week Ended Feb. 25, 1921—Continued.
SMALLPOX.

Place.	Date.	Cases.	Deaths.	Remarks.
Brazil: Pernambuco.....	Nov. 15-Dec. 19....	25	1	
Canada: Alberta— Calgary.....	Jan. 30-Feb. 5....	6		
British Columbia— Vancouver.....	Dec. 26-Feb. 5....	14		
Victoria.....	Jan. 30-Feb. 5....	2		
New Brunswick: Gloucester County.....	Jan. 23-29.....	1		
Ontario— Hamilton.....	Feb. 6-12....	4		
London.....	Jan. 30-Feb. 5....	5		
Peterborough.....	Dec. 26-Jan. 1....	1		
Quebec— Quebec.....	Jan. 23-29.....	1		
Saskatchewan— Moose Jaw.....	Jan. 30-Feb. 5....	6		
Regina.....	Jan. 23-Feb. 5....	3		
Saskatoon.....	Jan. 16-Feb. 5....	13		
Ceylon: Colombo.....	Dec. 19-25....	4		
Do.....	Dec. 26-Jan. 1....	1		
Colombia: Santa Marta.....	Jan. 23-29.....			Present.
Cuba: Nuevitas.....	Jan. 31-Feb. 6....	4		
Dominican Republic: Santo Domingo.....	Jan. 23-29.....	8		
Egypt: Alexandria.....	Jan. 8-11....	1		
Cairo.....	Nov. 26-Dec. 2....	1		
Great Britain: Glasgow.....	Jan. 16-22....	4	2	
India.....	Dec. 19-25....	5	1	Nov. 14-20, 1920: Deaths, 108.
Italy: Bombay.....	Jan. 10-16....			In Province, 10 cases.
Panama: Colon.....	Jan. 20-Feb. 1....	24		
Spain: Valencia.....	Jan. 23-29.....	5		
Tunis: Tunis.....	Jan. 16-23....	8	8	
On vessel: U. S. S. Mississippi.....	Feb. 18-20....	22		Canal Zone.

TYPHUS FEVER.

Brazil: Ceara.....	Oct. 17-Dec. 26.....		3	
China: Manchuria Province— Harbin.....	Jan. 3-9.....	1		
Egypt: Alexandria.....	Jan. 8-14....	2	1	
Cairo.....	Nov. 26-Dec. 2....	2	4	
Great Britain: Belfast.....	Jan. 16-22....		1	
Dublin.....	do.....	4	2	
Malta.....	Dec. 1-31....	1		

YELLOW FEVER.

Brazil: Pernambuco.....	Nov. 14-21.....	1	1	
Mexico: Vera Cruz.....	Feb. 7-13.....	1		
Peru: Lambayeque Department— Eten.....	Feb. 16.....			Present.
Ferrenafe.....				Outbreak early in January, 1921.
Lambayeque City.....	Jan. 22.....	1		

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.
Reports Received from Jan. 1 to Feb. 18, 1921.
CHOLERA.

Place.	Date.	Cases.	Deaths.	Remarks.
China:				
Canton.....	Nov. 1-30.....	7	6	Present.
Changsha.....	Nov. 29.....			Do.
Chungking.....	do.....			Aug. 1-Dec. 2, 1920: Cases, 24,017; deaths, 13,329.
Chosen (Korea).....				Sept. 26-Oct. 9, 1920: Deaths, 2,672. Oct. 31-Nov. 13, 1920: deaths, 2,426.
India:				
Bombay.....	Dec. 5-11.....	1	1	
Calcutta.....	Oct. 31-Dec. 18.....	289	256	
Madras.....	Dec. 12-18.....	3	1	
do.....	Dec. 26-Jan. 1.....	1	1	
Rangoon.....	Nov. 28-Dec. 25.....	9	8	
Indo-China.....				July 1-31, 1920: Cases, 135; deaths, 98.
Japan:				
Taiwan Island (Formosa).....	Nov. 11-Dec. 20.....	217	93	
Java:				
West Java.....				Oct. 29-Nov. 11, 1920: Cases, 2; deaths, 1.
Bandoeng.....	Oct. 29-Nov. 11.....	2	1	
Philippine Islands:				
Manila.....	Nov. 7-Dec. 25.....	9		
Provinces.....				Jan. 10-Oct. 30, 1920: Cases, 80; deaths, 51.
Cagayan.....	Oct. 3-Nov. 20.....	11	9	
Samar.....	Aug. 1-7.....	1	1	
Poland:				
Eastern frontier—				
Bialystok.....	Dec. 16.....			Present.
Grodno.....	do.....			Do.
Olitz.....	do.....			Do.
Posen.....	do.....			Present in Russian prison camp.
Stralkowo.....	do.....			Present.
Strelno.....	do.....	1	1	
Warsaw.....	do.....	5		
Russia:				
Riga.....	Jan. 22.....			Do.
Siam:				
Bangkok.....	Oct. 9-Nov. 27.....	7	1	

PLAQUE.

Algeria:				
Algiers.....	Nov. 1-Dec. 31.....	2	2	Jan. 1, 1921: One fatal case.
Azores:				
St. Michaels.....				Total, Oct. 1-Dec. 10, 1920: Cases, 149; deaths, 49. In vicinity of Ponta Delgada.
Brazil:				
Bahia.....	Oct. 31-Dec. 18.....	6	4	
do.....	Dec. 26-Jan. 15.....	8	6	
Pernambuco.....	Oct. 18-Nov. 14.....	9	1	
Porto Alegre.....	Nov. 14-Dec. 11.....		3	
British East Africa				Outbreak Nov. 8, 1920: Cases, 1,067.
Kenya Colony—				Present.
Kisuma.....	Oct. 31-Nov. 27.....			
Mombassa.....	do.....	1	1	
Nairobi.....	Oct. 31-Dec. 4.....	8	4	
Uganda.....	May 1-June 30.....	111	103	Entire protectorate.
do.....	July 1-Nov. 5.....	259	63	Do.
Ceylon:				
Colombo.....	Nov. 7-Dec. 18.....	81	60	
Chile:				
Antofagasta.....	Nov. 24-Dec. 5.....	6	2	
do.....	Dec. 27-Jan. 2.....	2		
China:				
Hongkong.....	Nov. 7-Dec. 11.....	5	5	
Manchuria:				On Chinese Eastern Railway, Feb. 2, 192.
Harbin.....	Feb. 2.....	3		
Manchuria station.....	do.....		203	
Tsitsihar.....	do.....			Present.
Ecuador:				
Guayaquil.....	Nov. 16-Dec. 15.....	64	24	
Egypt:				Jan. 1-Dec. 9, 1920: Cases, 461; deaths, 268.
Cities—				
Port Said.....	Oct. 22-28.....	1	1	
Suez.....	Nov. 18-27.....	10	3	
Provinces—				
Assiout.....	Nov. 24.....	3	2	

February 25, 1921.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.
Reports Received from Jan. 1 to Feb. 18, 1921—Continued.
PLAQUE—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
France:				
Marseille.....	June-Aug. 31.....	58	20	
Paris.....	June-Oct. 15.....	50	11	In suburbs, June-Nov. 2, 1920; Cases, 38; deaths, 19.
Great Britain:				
Dublin.....				1 case reported Dec. 15, 1920; date of occurrence, Oct. 18, 1920.
Liverpool.....				Plague-infected rat found, period Nov. 28-Dec. 11, 1920.
Greece:				
Kavala.....	Oct. 25-Nov. 7.....	2	—	
India.....				Oct. 24-Dec. 4, 1920: Cases, 15,187; deaths, 10,394.
Bombay.....	Nov. 28-Dec. 11.....	4	4	
Calcutta.....	Nov. 14-20.....	46	44	
Karachi.....	Dec. 25-31.....	2	2	
Madras.....	Dec. 5-25.....	7	4	
Madras Presidency.....	Nov. 14-Dec. 25.....	4,349	2,991	
Do.....	Dec. 26-Jan. 1.....	492	339	
Rangoon.....	Oct. 31-Dec. 25.....	30	28	
Indo-China.....				July 1-31, 1920: Cases, 98; deaths, 74.
Mesopotamia:				
Bagdad.....	Oct. 1-31.....	25	7	
Mexico:				
Carbonera.....	Dec. 5-20.....	3	1	State of San Luis Potosi.
Do.....	Dec. 26-Jan. 1.....	2	—	Do.
Cerritos.....	Dec. 5-20.....	7	8	
Do.....	Dec. 26-Jan. 1.....	1	—	
Peru:				
Callao-Lima.....	Oct. 1-Nov. 30.....	6	—	
Trujillo-Salaverry.....	Dec. 27-Jan. 2.....	1	—	
Russia:				
Batum.....	Nov. 24-Dec. 3.....	38	—	Epidemic outbreak.
Straits Settlements:				
Singapore.....	Oct. 31-Nov. 6.....	1	1	
Tunis:				
Zarzis.....	Jan. 15.....	10	—	In military territory, South Tunis.
Turkey:				
Constantinople.....	Nov. 21-27.....	1	2	
On vessel:				
S. S. Kronprincessan Victoria.....	Jan. 15.....			At Stockholm, Sweden. Rat plague found. Vessel left Buenos Aires, Argentina, Nov. 17, 1920. Stopped at Goteborg and Malmö, Sweden. Left Malmö, Jan. 11, 1921. Rats found dead, Jan. 13, 1921, at Stockholm.

SMALLPOX.

Austria.....				Aug. 29-Nov. 6, 1920: Cases, 62.
Azores:				
Ponta Delgada.....	Dec. 18-24.....	7	—	
Bolivia:				
La Paz.....	Oct. 1-Nov. 30.....	11	3	
Brazil:				
Bahia.....	Oct. 31-Dec. 25.....	6	—	
Do.....	Jan. 8-15.....	4	—	
Pernambuco.....	Oct. 18-Nov. 14.....	77	1	
Rio de Janeiro.....	Oct. 24-Dec. 25.....	108	24	
Do.....	Dec. 26-Jan. 1.....	3	1	
British East Africa:				
Uganda.....				May 1-June 30, 1920: Cases, 272.
Bulgaria:				
Sofia.....	Nov. 7-13.....	2	—	
Canada:				
Alberta—				
Calgary.....	Dec. 12-18.....	2	—	
Do.....	Jan. 2-29.....	6	—	
British Columbia—				
Vancouver.....	Dec. 5-11.....	1	—	
Manitoba—				
Winnipeg.....	Jan. 16-29.....	7	—	

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.
Reports Received from Jan. 1 to Feb. 18, 1921—Continued.
SMALLPOX—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Canada—Continued.				
New Brunswick—				
Campbellton.....	Jan. 9-15.....			
Restigouche County.....	Dec. 12-18.....	1		Present.
Nova Scotia—				
Yarmouth.....	Jan. 9-29.....	2		
Ontario—				
Hamilton.....	Dec. 19-31.....	9		
Do.....	Jan. 2-Feb. 5.....	23		
Kingston.....	Dec. 26-Jan. 8.....	8		
London.....	Jan. 2-29.....	10		
Montreal.....	Jan. 2-22.....	4		
Niagara Falls.....	Dec. 12-18.....	1		
North Bay.....	Dec. 12-25.....	4		
Do.....	Jan. 2-29.....	12		
Ottawa.....	Dec. 12-25.....	75	1	
Do.....	Dec. 26-Feb. 5.....	341	1	
Sault Ste. Marie.....	Jan. 9-15.....	8		Present Jan. 2-8, 1921.
Toronto.....	Dec. 12-25.....	7		
Do.....	Dec. 26-Feb. 5.....	33		
Saskatchewan—				
Moose Jaw.....	Dec. 10-25.....	1		
Do.....	Jan. 2-22.....	3		
Regina.....	Dec. 12-25.....	11		
Do.....	Jan. 2-20.....	8		
Saskatoon.....	Dec. 16-22.....	20		
Do.....	Jan. 9-15.....	3		
Ceylon:				
Colombo.....	Nov. 21-Dec. 18.....	14	7	
China:				
Amoy.....	Nov. 7-Dec. 25.....		7	
Antung.....	Dec. 20-26.....	1		
Canton.....	Dec. 1-31.....			Present.
Chungking.....	Nov. 7-Dec. 25.....			Do.
Foochow.....	do.....			Do.
Hankow.....	Jan. 2-8.....	1	1	
Manchuria Province—				
Dairen.....	Nov. 16-Dec. 20.....	12	3	Jan. 18, 1921: Present.
Do.....	Dec. 28-Jan. 10.....	21	4	
Mukden.....	Dec. 12-18.....			Prevalent.
Nanking.....	Nov. 14-Dec. 18.....			Present.
Do.....	Dec. 26-Jan. 4.....			Do.
Tientsin.....	Nov. 14-Dec. 4.....	2		Dec. 12-25, 1920: Cases, 160; at camp for famine refugees.
Do.....	Dec. 26-Jan. 1.....	241		In camp for famine refugees.
Tsinanfu.....	Oct. 31-Nov. 12.....	20		Statistics of Shantung Christian Hospital.
Chosen (Korea):				
Fusan.....	Nov. 1-30.....	1		
Colombia:				
Santa Marta.....	Dec. 5-25.....			Present.
Do.....	Dec. 26-Jan. 22.....			Do.
Cuba:				
Antilla.....	Dec. 7-27.....	10		For port of Preston.
Do.....	Jan. 2-29.....	30		Do.
Cienfuegos.....	Dec. 26-Jan. 8.....			Stated to be present in virulent form in Camaguey Province.
Habana.....	Dec. 31-Jan. 12.....	7		1 from Jatibonico, Cuba; 1 from Jamaica.
Nuevitas.....	Dec. 6-19.....	2		From Lugareno, a small station on railway, 16 miles distant, 1 case, week ended Dec. 12, 1920.
Do.....	Jan. 3-30.....	8		July 11-Aug. 14, 1920: Cases, 141; deaths, 29.
Santiago.....	Nov. 20-Dec. 10.....	26		Nov. 15-Dec. 7, 1920: Cases, 8; occurring in 4 localities.
Czechoslovakia.....				
Danzig.....	Dec. 5-18.....	2		
Dominican Republic.....	Dec. 19-25.....	1		
Santo Domingo.....	Jan. 9-15.....	3		
Ecuador:				
Guayaquil.....	Nov. 16-Dec. 15.....	21	2	Dec. 1-31, 1920: Cases, 26; deaths, 1.
Do.....	Jan. 1-15.....	12		
Egypt:				
Alexandria.....	Dec. 17-31.....	3	1	
Cairo.....	Oct. 1-7.....	1		
Port Said.....	Nov. 19-25.....	1		
France:				
Paris.....	Nov. 1-30.....	2	1	
Rouen.....	Nov. 21-Dec. 31.....	7	2	
St. Etienne.....	Dec. 3-15.....	2	1	

February 25, 1921.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.**Reports Received from Jan. 1 to Feb. 18, 1921—Continued.****SMALLPOX—Continued.**

Place.	Date.	Cases.	Deaths.	Remarks.
Germany.....				Aug. 29-Nov. 6, 1920: Cases, 40.
Great Britain:				
Glasgow.....	Dec. 25.....	11	2	
Do.....	Jan. 2-15.....	5	3	
London.....	Dec. 26-Jan. 1.....	1	
Greece:				In surrounding country, in other localities: Cases, 21; deaths, 2.
Saloniki.....	Nov. 15-Dec. 26.....	39	14	Sept. 22, 1920-Jan. 8, 1921: Cases, 2,262; deaths, 64.
Do.....	Dec. 27-Jan. 2.....	13	9	
Haiti.....				
Port au Prince.....	Sept. 22-Dec. 2.....	486	2	In 8 interior towns, 20 cases. In 1 locality, 18 cases. In country district, vicinity of Port au Prince, cases numerous.
India.....				Sept. 26-Oct. 9, 1920: Deaths, 250. Oct. 31-Nov. 6, 1920: Deaths, 165.
Bombay.....	Nov. 7-Dec. 18.....	6	2	
Calcutta.....	Dec. 5-11.....	2	2	
Madras.....	Nov. 14-Dec. 18.....	7	5	
Do.....	Dec. 26-Jan. 1.....	2	
Rangoon.....	Nov. 21-Dec. 25.....	5	1	
Indo-China.....				July 1-21, 1920: Cases, 107 deaths, 24.
Italy:				
Catania.....	Nov. 29-Dec. 5.....	1	In province, Nov. 29-Dec. 5, 1920: Cases, 32. Jan. 3-10, 1921: Cases, 32.
Do.....	Dec. 27-Jan. 2.....		In vicinity, 2 cases.
Messina Province.....	Jan. 3-9.....	9	Dec. 5, 1920-Jan. 2, 1921: Cases, 15.
Palermo.....	Oct. 30-Dec. 10.....	306	97	
Java:				
West Java.....	Nov. 12-Dec. 15.....	7	1	Nov. 12-Dec. 15, 1920: Cases, 56; deaths, 6.
Batavia.....	July 25-Aug. 28.....	128	42	Feb. 7-13, 1920: Cases, 122; deaths, 27.
Jugoslavia.....				
Madeira:				
Funchal.....	Dec. 5-18.....	2	
Do.....	Dec. 26-Jan. 15.....	3	
Mesopotamia:				
Bagdad.....	Nov. 1-30.....	1	
Mexico:				
Chihuahua.....	Dec. 6-26.....	11	3	
Do.....	Dec. 27-Jan. 23.....	7	
Guadalajara.....	Dec. 1-31.....	1	
Mexico City.....	Nov. 14-Dec. 25.....	17	Including municipalities in the Federal district.
Tecate.....	Jan. 17.....	3	
Morocco:				
Tangier.....	Dec. 26-Jan. 15.....	Prev'nt in mild form among Moorish population. Two fatalities among Europeans.
Newfoundland:				
St. Johns.....	Jan. 22-26.....	1	
Panama:				
Colon.....	Jan. 5-25.....	31	Jan. 1-29, 1921: Cases, 45. Mild.
Portugal:				
Lisbon.....	Nov. 28-Dec. 18.....	5	
Do.....	Dec. 26-Jan. 8.....	7	
Portuguese East Africa:				
Lourenco Marques.....	Oct. 24-Dec. 11.....	10	Reported present in interior of Chai-Chai district.
Quelimane.....	do.....	3	
Russia:				
Reval.....	Oct. 1-31.....	3	
Riga.....	Nov. 1-7.....	5	
Siberia.....				
Vladivostok.....	Oct. 1-Nov. 30.....	2	1	
Spain:				
Barcelona.....	Nov. 18-Dec. 29.....	13	
Corunna.....	Dec. 12-18.....	1	
Madrid.....	Nov. 1-30.....	1	Sept. 1-30, 1920: Deaths, 2. Year ended Dec. 31, 1920: Deaths, 9.
Malaga.....	Oct. 1-Nov. 30.....	60	
Valencia.....	Dec. 5-25.....	3	
Do.....	Dec. 26-Jan. 8.....	4	1	
Syria:				
Aleppo.....	Nov. 14-Dec. 4.....	Dec. 12-25, 1920: Present.
Tunis:				
Tunis.....	Nov. 30-Dec. 28.....	10	18	
Do.....	Jan. 8-14.....	3	2	

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.
Reports Received from Jan. 1 to Feb. 18, 1921—Continued.
SMALLPOX—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Turkey:				
Constantinople.....	Nov. 21-Dec. 11.....	4	
Do.....	Jan. 2-8.....	1	
Union of South Africa:				
Johannesburg.....	Oct. 1-31.....	1	
On vessels:				
S. S. Alfonso XIII.....	Dec. 27.....	1	At Habana, Cuba, from ports in northern Spain.
S. S. Cadiz.....	Jan. 5.....	1	At Habana, Cuba, from Mediterranean ports.
S. S. Ohioan.....	Jan. 4.....	1	At San Pedro, Calif., from New York, via Balboa, Canal Zone.

TYPHUS FEVER.

Belgium:				
Ghent.....	Dec. 12-18.....	5	
Chile:				
Concepcion.....	Nov. 1-Dec. 27.....	23	
Do.....	Dec. 28-Jan. 10.....	6	
Coquimbo.....	Dec. 1-7.....	1	
Valparaiso.....	Oct. 25-Nov. 27.....	13	
China:				
Manchuria (Province)—				
Harbin.....	Nov. 22-28.....	1	On Chinese Eastern Railway.
Manchuria Station.....	do.....	2	Do.
Czechoslovakia.....				July 11-Aug. 28, 1920: Cases, 138; deaths, 18.
Danzig.....	Dec. 20.....	1	In emigrant from Brest Litovsk; with 2 weeks' stay at Warsaw.
Egypt:				
Alexandria.....	Nov. 19-Dec. 31.....	13	6	
Cairo.....	Oct. 1-Dec. 28.....	32	18	Sept. 12-Nov. 13, 1920: Cases, 69.
Germany.....				
Great Britain:				
Belfast.....	Dec. 5-25.....	13	
Do.....	Jan. 9-15.....	2	
Dublin.....	Nov. 28-Dec. 18.....	4	3	
Do.....	Jan. 9-15.....	2	
Greece:				
Drama.....	Nov. 22-28.....	1	
Patras.....	Nov. 29-Dec. 5.....	1	
Saloniki.....	Oct. 25-Dec. 26.....	31	9	
Serres.....	Nov. 8-14.....	1	
Hungary.....				Aug. 3-Oct. 3, 1920: Cases, 9.
Japan:				
Nagasaki.....	Nov. 15-Dec. 26.....	10	1	
Do.....	Dec. 27-Jan. 9.....	5	2	
Jugoslavia.....	July 25-Aug. 28.....	27	5	Feb. 7-13, 1920: Cases, 84; deaths, 2. Dec. 12-25, 1920: Cases, 112.
Zagreb.....	Dec. 12-25.....	27	
Do.....	Dec. 26-Jan. 8.....	24	3	City and county.
Mesopotamia:				
Bagdad.....	Nov. 1-30.....	1	1	
Mexico:				
Guadalajara.....	Dec. 1-31.....	11	
Mexico City.....	Nov. 14-Dec. 25.....	67	Including municipalities in the Federal district.
San Luis Potosi.....	Dec. 5-31.....		Present.
Do.....	Jan. 16-22.....		Do.
Poland:				
Warsaw.....	Dec. 16.....	8	
Portugal:				
Oporto.....	Nov. 28-Dec. 4.....	1	
Do.....	Dec. 26-Jan. 1.....	3	1	
Russia:				
Roval.....	Sept. 1-Oct. 31.....	186	
Riga.....	Nov. 1-7.....	17	
Turkey:				
Constantinople.....	Nov. 21-Dec. 25.....	25	1	
Do.....	Jan. 2-8.....	12	
Union of South Africa:				
Cape Town.....	Dec. 20-26.....	16	8	

February 25, 1921.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.

Reports Received from Jan. 1 to Feb. 18, 1921—Continued.

TYPHUS FEVER—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
On vessels:				
S. S. Presidente Wilson.....	Feb. 1-6.....	15		At New York. From Trieste, Italy, Jan. 15; Naples, Jan. 18; and Algiers, Jan. 22, 1921.
S. S. San Giusto.....	Feb. 10.....	20		At New York. From Trieste, Jan. 23, and Naples, Jan. 26, 1921.

YELLOW FEVER.

Mexico:				
Orizaba.....	Dec. 5-18.....	2	1	
Papantla.....	do.....	8	2	
Tampico.....	Dec. 12-18.....	1	1	
Tuxpan.....	Dec. 5-18.....	9	4	
Do.....	Dec. 26-Jan. 1.....	5	1	
Vera Cruz.....	Dec. 5-26.....	8	3	
Do.....	Dec. 26-Jan. 30.....	3	1	
Zamora.....	Dec. 12-18.....	1	1	Also called Gutierrez. State of Vera Cruz.
Peru:				
Department—				
Lambayeque.....	Jan. 22.....			Outbreak.
On vessel:				
S. S. Savoia.....	Jan. 11-15.....	4		At Habana, Cuba, from Vera Cruz, Mexico. Vessel arrived Habana Jan. 10, 1920, with three cases sickness on board. Two cases confirmed. Two cases developed later on board; confirmed Jan. 15. Savoia left Vera Cruz Jan. 6, 1921.

100-1000

X